t.			1
,			ı

National Water Quality Network

ANNUAL COMPILATION OF DATA

October 1, 1958 - September 30, 1959

A Foderal, State and local cooperative report on water quality determinations of surface waters at selected locations throughout the United States



U 5 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE Public Health Service

Division of Water Supply and Pollution Control

Robert A Taft Sanitary Engineering Center

Other related publications

National Water Quality Network

Annual Compliation of Data, October 1, 1957 - September 30, 1955

Public Health Service Publication No 663

National Water Quality Network - Supplement I Statistical Summary of Selected Data, October 1, 1957 - September 30, 1958 Public Health Service Publication No 663

PUBLIC HEALTH SERVICE PUBLICATION NO 663
(1959 Edditon)

Per mir by the Supersymmetry of December, U.S. Companions Princips (1980) Windows 25 D.C. Princip 28

FORTWORD

We are pleased to present this second annual compilation of data from the National Water Quality Natwork of the Public Health Service. It has been gratifying to note the many uses which the first year's data have served

We believe the data will continue to gain in significance with the passage of time forms trends in pollution levels are already discernible. New trends will be defined as more data are accumulated.

The water quality measurement program must be sensitive to problems of the day, to new techniques, new parameters, and other developments. This year the Network has added Strontium-90 and heavy metals analyses to the seaminations made furing the first year. Other determinations will continue to be added as their usefulness develops.

Again we are deeply grateful to the many local, State, and interstate agencies and industrial concerns who are participating, and whose contribution to this program in a large measure assures its success

Gorda & Mc Collisa

Gordon E McCallum Chief, Division of Water Supply and Pollution Control



STREAM FLOWS

CONTENTS

	Page
NATIONAL WATER QUALITY NETWORK	1
ANALYTICAL METHODS AND RELIABILITY OF DATA	2
WATER QUALITY PARAMETERS	2
Plankton Populations	
Organic Chemicals	
Chemical, Physical and Bacteriological Examinations	
Trace Elements and Other Determinations	
STREAM FLOWS	9
FIGURE 1 - Network of Sampling Stations	10
TABLE 1 - Sampling Stations Cooperating Agencies, and Available Stream Flow Records	11
BIBLIOGRAPHY	15
EXPLANATION OF DATA	16
ANALYTICAL DATA	
Radioactivity Determinations	19 21 114 117 173
Chemical Physical and Bacteriological Examinations	223 319

	Radio- aodivity Page No	Plankton Populationa Paga No	Organio Chemicale Page No	Chemical, Physical and Bacteriological Page No
ARKANSAS RIVER at Pandlaton Farry, Ark	21	119	175	225
at Pt Smith, Ark	22	-	-	226
at Ponca City, Okla	23	120	176	227
at Coolidge, Kansas	24	121	177	228
COLORADO RIVER at Yuma, Aria	26	122	178	230
at Parker Dam, Aria -Callí	28	123	179	232
at Hoover Dam, Aris -Calif	30	124	180	234
near Loma, Colo	3 2	125	-	236
COLUMBIA RIVER near Clatemanie, Oregon	3 3	126	181	237
at Buunsvilla Dam Washingtun-Oragun	ı 35	127	182	239
at Pasco, Wash- ington	3 7	128	183	241

	Radio- activity Page No	Plankton Popolations Page No		Chemical, Physical and Baots rickoglosi Page No
COLUMBIA RIVER at Wanatohes, Washington	3 9	129	184	243
CONNECTICUT RIVI above Northfield, Mass	2R 41	150	-	_
DELAWARE RIVER at Philadalphia, Pa	42	131	185	245
et Egston, Pa	44	132	186	-
GREAT LANES Lake Eric at Buffal N Y	lo, 4 5	133	187	247
Detroit River at Detroit, Michigan	4 7	1 34	186	249
Lake Superior at Duluth, Minnesota	. 49	135	189	251
Laka Michigan at Gary, Indiana	5 1	136	190	252
HUDSON RIVER below Poughkeepsi N Y	•, 53	137	191	254

	Radio- activity Page No	Plankton Populations Page No	Organic Chemicals Page No	Chemical, Physical and Bactariological Page No
MERRIMACK RIVER at Lowell, Manuachunita	5 5	138	192	256
MIDSESTPPI RIVER at New Orleans, La	5 6	139	193	157
at Delta, Louislana (formerly at Violu burg, Mississippi)	1 -	140	-	259
at Wost Momphis, Ark	6 0	141	1 94	261
Girardesu	6 2	142	195	263
at East St Louis, Ill	6 4	143	196	265
at Burlington, lowe	66	144	197	167
at Dubuqua, Iowa	67	145	198	268
abova Rad Wing, Minn	6 🖪	146	199	269
MISSOURI RIVER at St. Louis Missouri	7 0	147	200	271
at Mansas City, Kansas	7 2	148	201	273

	Radio- activity Page No	Plankton Population Page No	Organio Chamicals Pags No	Chemical, Physical and Bauteriological Page No
MISSOURI RIVER				
Missouri	7 4	149	202	275
at Omaha, Nebraska	76	150	203	277
at Yankton, South Dakota	7 🖪	151	204	279
at Bismarck, North Dakota	6 0	152	205	261
at Williston, North Dakota	8 2	153	206	284
OHIO RIVER at Cairo, Ellimoia	8 3	154	207	286
at Evansville, Indiana	8 5	155	208	268
at Cincinnati, Ohio	8 6	156	209	290
at Huntington, Wast Virginia	8 8	157	210	292
at E ast Liverpool, Ohio	9 0	158	Z 1 1	2 9 4
POTOMAC RIVER at Great Falls, Maryland	91	159	212	295

REALING INDEX

	Radio- activity Paga No	Plankton Populations Page No	Organio Chamicala Paga No	Chemical, Physical and Bacteriological Page No
POTOMAC RIVER at Williamsport, Maryland	9 3	160	213	297
RED RIVER at Alexandria, La	9 5	161	-	199
at Indax, Arkansas at Danison, Taxas	9 7 9 8	162 163	- 214	301 302
RIO GRANDE at Larado, Taxas	100	164	215	303
at El Paso, Taxas	102	165	216	305
SAVANNAH RIVER at Port Wentworth, Georgia	103	166	217	306
at North Augusta South Carolina	105	167	218	308
SNAME RIVER at Wawawai Wash- Ington	. 107	168	219	310
at Walser Idaho	109	1 69	220	312
TENNESSEE RIVER at Chattanooga, Temessee	110	170	221	314
YELLOWSTONE RIV	ER 112	171	222	316

.

NATIONAL WATER QUALITY NETWORK

The Public Health Service program for providing fundamental information on the quality of the Mation's waters stems from the provisions of Section 4(a) of Public Law 640, married on July 9, 1986 which states that " the Surgeon Owneral shall in cooperation with other Federal, State and local agencies having related responsibilities collect and disseminate basic data on chemical, physical, and biological water quality insufar as such data or other information relate to water pollution and the prevention and accepted thereof."

To faiffil this responsibility, the Network provides for collection, interpretation, and dissemination of

- a heformation on changes in water quality at key points in river systems as such quality may be affected by changes in water use and development
- Continuous information on the mature and extent of pullwiness affecting water quality
- Data which will be useful in the development of sumprohensive water resources programs
- d Data which will assist State interstate and other agreedes in their water pollution control programs and in the selection of sites for legitimate water uses

Approximately \$0 sampling locations were established for the initial phase of this program, starting Outober 1 1957. To conform with existing practices in other water resources activities the data year was established to cover the period Outober 1 to September 30 of the following year

Each location satisfies one or more of the following spiteria

- Major waterways used for public water supply propagation of fish and wildlife representational purposes and agricultural industrial and other legitimate uses
- b Interstate constal, and intersectional boundary waters
- Values on which activities of the Federal Government may have an impact

Final locations of sampling stations are fixed after discussions with local State, Federal and other agencies having related tearrests

Active local participation is an important part of this operation and assures the development of the maximum amount of information of value locally and nationally. The nost of the program is abared by the Federal Government with State and local agencies, through the latter a contributions of laboratory time and sampling manpower Specifically the State and local agencies perform most of the maximum chemical analyses and collect samples for the newer more samples amminations. The Public Health Service, in turn, performs the more samples determinations and makes the results available in the participants. In addition, the consultation, training facilities, and other resources of the Public Health Service are available to the comparating agencies

The locations of sampling stations in operation storing the data year Ostober 1, 1988 to September 30, 1989, are shown in Figure 1. A description of the stations with the participating agencies and other participating agencies and other participating agencies.

The following summinations, selected after carreful sorresing, and consultation with the various agencies concarned with vater quality management and water resources development, are considered to be of greatest value in masting the objectives of the program

- a Radiosotivity
 - (1) Orosa Alpha
 - (1) Orosa Bein
 - (1) Strontlum 90
- b Plankina Populations
- Coliform Organisms
- d Organic Chemicals

Blockenical, characteristical massers mentalizated by the bendermical caygon demand (B D D.) disculved caygon (D D), characteristical caygon demand (C-O.D), chloring demand, associate attrogen, by drogen in measuration (pH), color, terbidity, temperature, alkalinity (or scidity), hardwass, chloride, calinia, and total discolved solids.

L Tree elements

females for radioactivity, soliform organisms, and the conventional analyses are collected and analysed weakly females for organic shaminals are commised monthly, while plantism organisms are summised monthly or semi-monthly fitrestium-70 scaminations are made on composities of weakly samples accumulated over a three-month period. Trace elements are determined on 1-month someonics of weakly samples. New parameters which are developed and found significant will be included as the program sentimes.

AVAILYTICAL MUTHODS AND RULLANGLITY OF DATA

The physical, chamical and biochemical data included in this publication are the result of suspensitive efforts of the several agencies listed in Table 1, solumn 6. In present most of these measurements were matributed by their laboratories. While it is resegnised that modifications to meet local conditions are made by individual laboratories the methods used in most mans are those published in the 18th Edition, 'Standard Methods for the Examination of Water, Savage, and Industrial Wastes," For uniformity, the shieries demand test is reported on the basis of the Starch-Indide thiration proceedure, and the chemical oxygen dumand test is reprinted to the chemical oxygen

To aspere continued reliability to the published data, frequent analysis of reference samples by such accommisting

ishorstory constitutes an integral part of the over-all program. Periodically a synthetic standard sample is provided to such participant for reference analysis. The reported results are reviewed. Any significant arrors are salled to the attention of the reporting laboratory and, after the cause of the arrors has been determined, the previously submitted data are either corrected or discarded. From these findings, the analyses reported in this sampliation are believed to be accurate to $\pm 10\%$ of the reported values.

The analytical methods used by the Public Health Service laboratories are described in the discussion of water quality parameters which follows and are covered by several of the references listed in the Bibliography

WATER QUALITY PARAMETERS

In the assessment of water quality all of the legitimate purposes for which raw waters can be used, and which may be affected by polintica, must be considered. These may range from the minimum requirements necessary for navigation in the ultimate in water quality demanded for special industrial processing. Quality needs differ considerably therefore according to water use

For demestic use, water must be free of disease organisms clear colorises, tasts and odor-free and have a relatively low dissolved missral content. Agricultural water is judged primarily on its missral content, especially with respect to the ratio between sodium and other nations and the presence of boron. Water for fish propagation and recreational purposes must be relatively free from domestic and industrial pollution and must be able to sustain an active flore of the smaller aquatic organisms on which fish and wildlife find, industrial water quality demands run the gament from the complete absence of minerals to a requirement of low temperature the oritical factor in water used for coulding. The effects of radioactive materials on these uses have not yet here fully appraised.

The various laboratory attainmentions made as part of this program are discussed below

LAUDACTIVITY

Redicentivity, long recognized as a contaminant of water from minral sources, continues to grow in importance and health significance with the development of modeur energy for both military and percental use Rankground levels are being assertained now about of the anticipated major expension of the modeur energy industry. Levels of radio-antivity must be measured continually as new sources are applicable.

Orose siphs and beta measurements are made on both suspended and dissolved solids in the raw surface water amples. The total radioactivity in the dissolved solids provides a rough measure of the levels which may be found in a treated water, where water treatment removes substantially all of the suspended matter.

Alpha levels reflect the activity added by aranism and thorium daughters. Buts activity levels generally reflect the variable contemination due to follow manher energy hatallations, institutions willising radioactive materials, and other man-made sources.

Gross levels are informative in evaluating long-term trends or changes in vater quality. By themselves, however they are of limited value in assessing radiation exposure. Where gross results are consistently over the maximum permissible concentrations for mixed fission products the identity of the specific radioonalides involved must be established.

Because of the importance of Strontium-90 in the environment this year's data also includes the contribution of this long-lived radiomodide to the dissolved activity reported. The levels found were all well below the maximum permissible concentration as defined in Handbook 59 see Bibliography Reference No. 18

PLANTON POPULATIONS

Many equatio organisms are sensitive to the various substances which pollute water Some of these develop only in relatively clean water while others may be stimulated to live and multiply in the presence of certain types of pollutants, aspecially homsehold savage and contain types of industrial wastes. A very large population of algae is sometimes induced to develop by mineralised products of aswage decomposition when attracts and phosphates are made available as natricate.

The plankton date give the numbers binds and times of coourrence of algae and other squatto microorganisms to the water. This information is useful in determining the polinticual status of any water supply accross, and in indicating the relative numbers of organisms which may cause problems in the treatment and use of water.

Most of these arguments interfers with water use through shortesting of filter rous in treatment plants and by causing tastes, odors, soloration, and various physical and chemical shanges by reference to the plantime counts, made regularly and frequently, it is possible to note the types and numbers of interference organisms and to determine some of the procedures that will be needed in treating the water for use

In the stream or lake itself many plankingle arguments are known in improve water quality by providing food and cayges for desirable aquatic life and by sisting in the recovery of polluted water. Others may cause detrimental conditions through formation of manightly blumms and mate development of alims provides, and the killing of fish and other animals through the release of incip products or other managements.

Domestic and industrial wastes infinence the kinds and numbers of organisms. Hence plantion may reflect changes in water quality resulting from changes in the wastes occutaining dissolved substances.

Plankton counts will be particularly useful in water quality evaluation when they have been resorded over a period of time to indicate variations in kinds and complexes of organisms from month to month and from year to year

Reliability of Data

The counting procedures used are sinced at bringing about maximum accuracy in the reported data. The procedures

involve the simplification and standardination of methods of exampration of each type of the many organisms observed. The actual volume of manyle which is used for the analysis is relatively large and this tends to produce greater assuredy Organisms are identified to game, guess group, or species.

Each sample consists of three liters of rew water containing a preservative and, in addition, 25 cal, of rew water without preservative Authors for the managination is cause by counting a 104 can strip on the Sedgewick-Raffer alide, using a magnification of 200 From the live sample only binds, not numbers of organisms are reported.

The clump counting mathed is employed on the preserved sample in which cash solitary call or solvey of calls is counted as one in order in improve reliability of data, planting sampling has been increased from a mouthly basis to a semi-mouthly basis for 18 of the stations

Because formalis as a preservative has a detrimental effect on some of the delicate organisms its are has been discontinued Sodium ethyl mercuric thiosalloylate (MER-THIOLATE) is now being used as a preservative

We satisfactory method is at present available for asparating the plantine organisms from the effit particles that are responsible for much of the tarbidity is water and which also interfers with observation of plantine under the microscope. Assurate plantine analysis of vater from tarbid streams is therefore carried out with considerable difficulty.

Unappel Chartest

In addition in the true plankins the besthic or bottom organisms are often present in the water, especially after pariets of rainfall when the latter are washed in from their normal habitate Emmples include the stalked districts Commissioners, Achievethes and Cymbolia come mottle forms of Navious and attached dismensions algae such as Stigno cloptom, Codomism and Clothric, Rain water also carries have the strains various tragments of tissues from land plants and salmais. Pollon grains mold spores, and plant hairs which drep into the water from the simulphore are also frequently encountered.

Large populations of fungal hyphan and shouthed bacturia frequently appear. These sometimes follow blooms of plantonic algae or the presence of dispersed woody cells from terrestrial plants.

Metal and crystal particles, not associated with materal values but dispursed in raw value samples have been found in a few samples faring the association for planting. These particles have been traced for considerable distances through association of downstream samples.

CHICANTE CHICAGOLALI

The Nation's water resources each year reserve ingreezing quantities of organic conteminants. Since 1940 the chemical industry particularly in the manufacture of synthetic and petro-chemicals, has experienced an envimous expansion that shows every sign of continuing Each year millions of pounds of synthetic detergents, insecticides hardrights, and similar formatic products find their very into our streams from household sewers, industrial water discharges, and land reconfi

Effective and economical treatment methods for most of the complex organic materials remain to be developed. Even where treatment exists, residues remain is reflicted quantity to cause water demage. These stable residues persist through savage treatment, biological and chemical action of the stream, and water treatment processes and finally reach the consumer to drinking water.

The presence of some of these materials, even at conunitrations less than I part per million may cause impairment of water quality most noticeably in production of tastes and odors. Finalisal tainting also quinkly noticed by the consumer is another tamage. Effects on water treat must many of which are ill-defined at present and impairment of water quality for industrial uses are being reported with increasing frequency. Essentially nothing is known of the possible immediate or long-term effects of these materials on human health. It is important that such information be exught.

The usual minitary analyses are not affective in measuring these newer organic communicants. Yet it is assential

to know something of their concentrations and character. The communication method known as the Carbon Pflier Technique" developed by the Public Health Service permits the concentration of these organic compounds from a large volume of water Electristics of the adsorbed mainries with organic solvents, followed by chemical separation and testing provides useful information concerning organic pollution and for asserting river systems for these substances.

It is difficult to say what part of the total organic's material is measured, since there is no accurate method for measuring the low concentrations of organics. Work with known solutions has indicated that adsorption may be above to 100% and that description under the conditions of the test may range from 50% to 90%. The sampling and enalytical techniques are reproducible with ± 10% when applied to replicate samples. Hence, relative pollutional loads on streams are be compared even though the absolute total quality may not be accurately known.

Following continuous filtration of about 1000 gallons of water over a ten to fourteen day period, material on the surbon filter is extracted with two solvents, obloroform and also bol

The amounts of the chloresform and alcohol entracts are veighed, and the concentration of these materials in the veiter tested is then computed. Results are recorded in parts per billion (micrograms per liter). Clean veiters may contain 20 to 50 ppb of chloresform entractables and 50 to 100 ppb of alcohol entractables. Polluted veiters contain asyers! times these concentrations.

Chloroform Estracts

The organic residue recovered from the carbon filter by chloroform is very complex. It is desirable to separate the oracle extract into certain broad chemical classes and this can be done on the basis of solubility differences. The various classes or groups and their significance are discussed briefly below.

Ether healthise

This group is usually a brown, human-like powder apparently composed to a large extent of carboxylic acids, ketones and alcohols of complicated structure. Origin of the group which is an indicator of old pollution, is baliswed to be partially oridined saying and industrial wastes. For example the Ohio River at Cincinnati has been exposed to much industrial and saying pollution, and hance large amounts of other inscinhle materials are found. Structure with little or so pollution history have little or so other inschables. Chloroform extracts southin from 0 to 30% of other inschable material

Value and and a second

These substances are largely saidis and melistillable at moderate temperatures, but their solubility in other indicates that the molecules are smaller and probably simpler than the starr-insolubles. On the other hand, their water solubility practically requires the presence of several functional groups such as hydroxy-anid, keto-anid, and keto-alsohol final sampsonds probably originate from partial oxidation of hydroxy-bons or they may be minused substances. These materials usually make up 10% to 20% of the total autrant. They have very little polar

Week Anida

This group is characterised by being removed from star solution with action hydroxide but not with action bicarbonate Phenols are the best known week acids and if present is the water appear in this group Other weekly acidic compounds include certain and imides sulforamides and some sulfur compounds. This group of materials also occurs is astore. The week acids commonly constitute 5% to 20% of the chloroform extract and they are oforms.

Strong Anida

These saids are usually the carbonylic saids such as sastic benedic salicylis, or butyris. Although classified as strong is reference to carbonic said, they are actually weak when compared with a mineral soid, such as sulfuric Many of the compounds are used industrially but may also be produced by natural processes such as fermantation. This fraction makes up from 5% to 10% of the total. The significance of the strong saids can be interpreted only in the light of stream pollution conditions. Some of the materials are highly odorous

Bassa

These compounds are organic amines finch main-rials as applies and pyridine are unines of commerce, Lower amines may occur as a result of feedings attion, Generally only 1% or 7% of the total extract is made up of the inset, Although educate, the law exacentrations found are not tilinally to make objectionable conditions. However, in the case of specific amine-overining wastes the compounds can be of specific significances.

Mantrale

This group frequently sensitives the major portion of the obloredorm extract. Neither basic nor soldie, the mainrials are less reactive and basic is persist to streams longer than many other types. Hydromerkons, aldehydess, hydromerkons, estars, and others are mamples of neutral mainrials. The group lands itself to further frequention by means of shremmingraphic separation into alignatic, arematic and ony sension sub-groups:

Althorities This parties represents petroleum type hydroner reme in a considerable state of partty, and is usually made up of mineral off type of material Tax percentage of althorities present yields important information about the possible source of political state petroleum is the most likely source.

Arenatics: These are principally the coal tarhydrocarbons such as become, toleres and a host of others and their presence is any significant amount is a reliable indication of industrial pollution. Further the materials can frequently be identified by infrared spactrophotometry. Bome aromatic compounds which have been found in our rivers - and is our drinking water - include DDT aldrin, phenyl other ortho-nitrochlorohemene pyridias phenyl and others. The materials are highly odorous and may also be inclu. Their appearance in any quantity as pullettants should receive mareful evaluation.

Compounds (Compounds (Corys) These are the neutral compounds containing crypum, such as aldehydes kettmes and enters. They may have originated by direct discharge or may represent oxidation products from both natural

and industrial materials. They help to indicate the age "
of the pollution, since pollution exposed to oridation
forces for a long time would be expected in contain
large amounts of citys. The city materials are adorous,

وجووما

Manipolative losses are talearent in this type of asparation. If he loss emends 10% to 18%, volatile empresents may have been lost from the emple 5wok volatiles may have significance as politicants

Alcohol Estracta

The almhol extractable fraction generally empiric of more polar materials than the delorations extracts, and emission synthetic detergents proteins, carbohydrates, and miscellaneous minus! Substances These classes of substances are not quantitatively recovered by the alcohol for example, the alcohol recovers only 20 to 20 percent of the synthetic detergents present On waters of mixed industrial and demostic pollution, the chloroform and alcohol extractables may be about equal On some streams where the industrial pollution is rather low and much entired pollution and sewage is present, the alcohol extractables may among the obloroform by a factor of 4 to 5

The alcohol extract is usually water-soluble but not other-soluble. Very little further chamical separation is practical on the material. Tests revealed that synthetic detargests make up 1% to 12% of the alcohol fraction.

Other Tests

Infrared spectra are rentinely prepared on the total chloroform and alcohol extracts. In addition, spectra are prepared on the most significant groups such as the neutral aliphatic aromatic and oxygenated. These spectra reveal something of the chemical structure of the materials indicate differences and in certain instances provide a definite identification. In the case of the alcohol extracts, the infrared will indicate the presence of synthetic determines if the materials constitute a significant portion.

Sectifications

During the course of the year manarous specific organic chemicals have been discovered in water samples. The chemical conditrochlorobeneous was found to parsist in the bilest sippi River for a distance of 1900 railes. Aldrin, a shoriested inscattedes was found in the Stake River Various because derivatives and oil pollutants have been detected. See Ribliography, Reference &

CHEMICAL PHYSICAL AND BACTERIOLOGICAL EXAM-DIATIONS

The various blockemical, shouldn't, and physical comindicas generally performed by the participating laboraturies are discussed below

Ammonia Miscopun and Chlorine Dunand

The most of water treatment for domestic use is affected by the consumption of chlories, with ammosts sitrogen being responsible for a large portion of the chlories demand. The greater this demand the more supersive the treatment. The summania may be due to unstabilised domestic pollution, to industrial waste discharges or to both The presence of measurable quantities of nitrogen compounds not necesmally ammonia, is also an indication of the fertility of the stream toward both macro—and microbiological forms

Calor

Color is demostic water supplies is undesirable its removal in the water treatment process whether it be from satural or industrial sources, may require large dates of chemicals and be expensive

Dispolved Carygen, Binohemical and Chemical Carygen De-

Blacksminal processes, in which aquatic organisms attack and stabilise the organic matter present require displayed oxygen II unstable oxidisable organic matter is present in cases, the organisms will multiply rapidly, consuming the oxygen present in the value and bring about a feel asplie stream condition. The dissolved oxygen level thus serves to indicate the blockenical activity of the stream fligh activity, resulting in low dissolved oxygen levels will drive out game flah in favor of souvengers Very low or serve oxygen levels will kill all flah and aquatio organisms dependent on dissolved oxygen for life. Temperature and researches raise also affect dissolved oxygen levels

The 5-day bindhemical crygen demand (5 O D) indicates the degree of unstabilised organic pollution from either demants or industrial sources, to which the stream is being subjected. A significant demand will affect the fish and macroorganism population, and weters carrying a high 5 O D saidom scattain pame fish On the other hand, game fish will farive in streams in which the oxygen femand has been stabilised, as this condition is usually favorable for the growth of organisms on which fish faul.

The chamical sayyou demand analysis serves in support the fractings of the brochemical oxygen demand test. It too may indicate to what extent the westeload of the stream less been stabilised, or it may indicate the presence of organic and inorganic pollution which is not readily oxidised by biological processes Becomes the chemical oxygen demand can be determined quickly is comparison to the blochemical oxygen demand, the establishment of a correlation between the two parameters serves to reduce the number of the latter determinations required. The chemical demand results are almost always higher than the blochemical demand

I emperature

Temperature is important to both conservation and industry A few degrees elevation in temperature due to cooling water discharges may seriously limit the capacity of a stream to support fish life Also high water temperatures increase the cost of cooling water for industrial operations. Cooling towar capacities and other equipment for handling cooling water must be angineered to the temperature levels normally encountered.

Mineral Constituents

These determinations include alimitative hydrogen-ion concentration (pH), hardeness, shlorides, evidetes, and total dissolved callide. The pH indicates whether water is acidio or alimitate servosive or passive. Alimitative is a measure of the scattralination reserve present, or the extent in which the water can resist a change from an alimitate to an acid condition upon addition of a rigid shamicals. This information is important to the water treatment plant operator and to many other water assers,

Hardness is not only a measure of the scap ecaseming property, but is also of importance in the treatment of baller waters, where removal of increases is one of the most important functions. Chloride, reliate and intel dissolved solids add further information on the gross dissolved mineral central curried by the stream. These are of great importance when someidering the tasts or palabellity of water. They are also important when the vater is being demineralised for specific industrial processes, since the cost of demineralisation is a direct function of the dissolved solids content of the water is addition waters of high sultan seminat are less desirable and may at times are a solid for meal-cipal irrigation, and other uses

Turbidity

Turbidity of vatur is due to the suspension of alay silt, finely divided organic matter microscopic organisms, and other similar materials its presence is of particular importance in water treatment processes and in the propagation of fish and other aquatic life

Collings Organisms

Information regarding focal pollution is assembled to water quality measurements. Data on coliforms help to point up the trends in the effectiveness of control of domestic wasts discharges.

The delayed intelaction membrane filter technique is used for the coliform examinations, instead of the formentation take (MPN) method. The latter method would necessitate transportation of water samples in the laborabry for assembation resulting in an alapsed time between collection and assembling which would change the microbial content of the employ significantly. Also some of the many other bacteria present in raw water might overgrow or otherwise babilit the demonstration of the colliforms. In the delayed inculation membrane filter procedure, the bacterial organisms are removed from the fluid sample insmediately and sent to the laboratory on a preservative medium. Thus the resulting colliform count approaches very closely the actual number of colliform bacteria present in the water sample at the time of collection.

True Characte and other Determinations

This year's data helpds the summination of composite samples of raw water from such station for the dissolved constituents likely in he present in trace quantities or whose significance does not warrant more frequent analysis. Twice during the year, two-month samposites of the weakly samples were prepared and subjected to analysis liminations movered those elements which were considered to have possible physiological or textonlogical significance in triological life and for which a reliable method was available. As new methods are developed other determinations will be included. The slitinute goal of this phase of the program will be in provide background data on all alements which may be found in water and which can be detected by practical laboratory procedures.

Two series of samples are reported in this compilation Although the first series does not exactly correspond with the beginning of the present water year, its collection was begun sartier in order to include low water conditions Subsequent sampling and compositing periods will cover other ranges of stream flows

In carrying out the spectrographic examination, the sample was first passed through a membrane filter in remove all suspended matter. As aliquot of the sample was then taken, addition with hydrochloric acid, and evaporated to a concentration containing 2 mg of solids in 0 l ml of sample (20,000 ppm). A 0 05 ml portion of the concentrated sample was these placed on the electrode and around in completion. Sample suposure was made through a stepped sector disc. The suposed plate was compared to a standard plate prepared under identical conditions.

Waters with low dissolved solids maximal can be maemirated to a greater degree than those having a high dissolved solids content, thus associating for the apparently variable sensitivity above in the tabulation. Values followed by an asterisk (*) above the limits of sensitivity at which the test was performed, and indicate that the ion being passed was not detected at that level. The analyses done by wet or flams methods are quantitative and have been remaded off to the significant figures reported. The spectrographic analyses are semiquentitative and represent an approximation of the consentration present. All of the reported values by this method represent the quantity of the particular metal in solution at the time of semimation. Hence such values do not consider what changes might have transpired in the sample during compositing and stor-

age Any interpretation based on those data should take this fain account. It is well renomined that trace accountrations of many loss are subject to predipitation and adsorption on accountrations during storage. This would particularly apply to iron and manganess, which are aspecially prove to oxidation and predipitation during storage basemode-dimetter was not analyzed.

The colorimetric procedure, using commission and as detailed in the 10th Mitties of 'Standard Methods'' was used for determining boron, Phaoride examinations were made by the Bricohrome Cyamine 2 method, as given in Analytical Chemistry, 26 1161 (1984) The Chemy Method, as given in Analytical Chemistry, 26:1738 (1986) was used for the Belevium Analyses.

STREAM PLOWS

Stream flow records play as important part is utilizing water quality data made as nowared in this report, However stream flow records have not been included in this compilation because they are readily available from the United States Geological Survey the United States Corps of Engineers and other agencies

The source of stream flow records is shown in Table 1 columns 7 8, and 9 For each sampling point there is shown the location of the nearest stream gaging station, the operating agency, and the period of record.



TABLE I - SAMPLING STATIONS, COOPERATING AGENCIES, AND STREAM FLOW RECORDS

	MILES				OTHER	5TR	EAM FLOW RECORDS	
STATION	MOUTH		SAMPLED BY	FIELD ANALYSES BY	COOPERATING AGENCIES	NEAREST Gaging Station	OPERATED BY	PERIOD OF RECORD
orizen five et Paulsten Perry, Ark	F	Perry Landing, Sorth Share	Arksman Pin in Vater Pollution Ocearol Communication	Arkhama Pieto Wrige Polisid on Control Constantan	Azizmene Strin Board of Boalth	Little Beak, Arkenses	V.S. Devlogical Survey	1987 to data
at Ph. Saith, Arlandon	始	T.S. Righmay No. St. Brisigs	Arbumana State Valer Polistics Control Commission	irtumum State Virtur Pullstice Control Countarion	Arizzona State Hourd of Smlth	Ten Stree, Arkmets	V.S Conlegical Servey	1987 to Acta
ri Pares Gily, Gristan	846	Old V.L. Righmy Ho.40 Bridge (formerly at Omega Station, Okla. One & Electric Co.)	Pones Oilly Vater Dept.	Continuental Off Co., Penns Ofty Sitter Dept. V.S., Politic Smith Service	Oklahema State Dept. of Bealth	Raleton, (Klahoun	U.S. Geological Survey	1936 to date
ri (milišp., Imais	1,000	F.S Geological Survey Strain Caging Station	0.5. Geologial Survey	S.S. Public Shelth Service	Ermans State Served of Health University State Dept. of Health	Coolsign, Europe	U.S. Coolegisti Survey	1909, 1921 1990 to deba
origino rivel	'n	Arinoma Weter Co. Indon	Aris man Vater Co.	Arisem Wrter Co.	Arihoma State Dept.of Hasita	Inn, kirina	V.S. Osslagisti Parvey	1971 to date
et Perker Dom, Arisann-California	252	Agmanet Intain, Metropalitan Water District of Egyttern California	Meteropolition Water District of Seeth ern California	Entrepoliton Water District of Borthern Colifornia W.S. Public Enalth Service	of Health	Ballett Perfect Date	V.J. Scological Survey	10% to date
et Heaver Dam, Arizona Browda	kıı	Beelder City (Seveda) Vator Plant Inteles	Bulder City Veter Days	Boulder (Lty Water Dapt,	Noveda Starte Dapt, of Public Smalth U.S. November of Bealthmatical	Server Dan	T.S. Codlegical Survey T.S. Survey of Socialation	195 to date
ner Last, Galardo	1,150	Pumping Station at E. E. Saith Farm	Manus Connector (Coloresto) Dept of Public Health	Grand Junetico (Galerado) Mater Deph	Calarado Stato Dept. of Public Shelts	Harr Columnic-Fish State Line	f.s. balajini bara	1951, to deta
mar Claimingle, Gragon	ភ	Barver Army Terminal, F.S. Army Transp., Supply & Maintenance Command	U.S Army U.S Public Smalth Service	Orngun State Sectionry Auth U.S. Public Scults Service		Rosmovilla Dum	S.S. Army, Curps of Engineers	1985 to date
rt Benertille Dat, Washington-Oragon	IJĞ	Reserville Dam Power South	W.S. Army, Compa of Englassers		Orașio Strie Sanitary Arth. Mashington Strie Daph. of Sanith Mashington State Pollytics Contral Continuou	Nonceville Dem	N.S. Amy, Deeps of Engineers	1985 to 44th
et Passe, Makington	y≇ T	Mondaipal Water Plant Inteln	Prassa Michael Dapt	Panes driver Dopk	Manicipson State Dept. of Health Machington Plate Pollution Control Commission	Trinidal, Vaskingten	5.5 Including Survey	1513 to date
at Maartahaa, Varkington	145	Plant Intelm, Alvertone Go of America	Alamitem to of America Chalan-Douglas County Smalth Dupt	Alonian to af Amrie	Washington State Dept of Health Washington Plate Pollstion Control Constantant	Trimidat, Ventington	G.1. Geologisal Survey	1913 i data
above Borthfield, Mass	136	Construi Permont Bull Bridge	Massakumetta Statu Dept of Public Health	Minimushus std.s State Dept. of Public Health (Ambiert Labora bary)		Parson, Parsons	0-5. Omniogiaal Survey	1974, 1978 1984 to data

TABLE 1 - SAMPLING STATIONS, COOPERATING AGENCIES, AND STREAM FLOW RECORDS

	MLES					STR	EAM FLOW RECORDS	
STATION	AB Q VE	DESCRIPTION	SAMPLED BY	FELD ANALYSES BY	OTHER COOPERATING AGENCES	NEAREST GAGING STATION	OPERATED BY	PERIOD OF RECORD
of Prilotelphia, Pe.	770	Emisipal Motor Flori Intere (Terrentalo Filtere)	Philadelphia Meter Dept.	Pailedelphie Water Dept.	Pennsylvania State Dapt. of Realth	Trushon, Bur Jamey	S.L.Ondinginal Survey	1513 to date
at Borton, 7s.	786	Hemisterh Veter Flori Inten	Zersen Water Dept.	Starton Valuer Dayle	Pennsylvenia State Dept of Smalth	Balvidare, Har Jermy	F.S. Geological Survey	1982 to date
punt tilm Lebe Bris et Briftele, B.I	-	Smithal Virtue Plant Intelle	Suffale Water Dept. Erlo County (E.T.) Saulth Sept.	Erio Compty (M.Y.) Hamilta Department	Hear York: Dismits Dapit., of Hearlish	Olevalous, Onio (Water Stages cally)	U.S. Laks Survey	1900 to date
Belguit Liver et Belguit, Meligen	27	Smileter Meter Flori Inteles (Maler Meries Port.)	Defends Seaso of Veter Constantament	Detroit Search of Vater Descriptionary	Minispen State Dayt, of Smalth Makigan State Vater Macoures Commission	Detects, Makigan	V.S. Lake Survey	1936 to data
Lake Superior of Relate, Missourie	-	Sectorpal Writer Plant Intelle (Laborard Posping Station)	Deliath Water, One & Sounge Translated Copts	Dalath Meter, Gas & Samue Drestment Dopts	Minmoota State Dept. of Smalth	Marquette, Miskigen (Mater Stages only)	U.S. Lake Survey	1900 to data
labo Misirigum st. Sary, Indiana	-	they-linkert three terp, Intale	Gary-Balauri Weter Corp.	Mary-Robert Water Corp.	Indiana Mate Board of Smalth	Minuste, Masserin (Mater stages caly)	U.S. Laim Survey	1905 to date
Place Erus baler Prophinopele, L.T.		International Bulyane Medias Corp., Flort Brier Indian	Interactional Partness Bookins Corp.	Interactional Sections Sections Corp Sec York State Days, of Section	New York Starts Days, of Smalth	Green Talked, New York	U.S Genlagiant Survey	19kó to datu
et Isall, Economette	12	Old Manisipal Mater Plant Intaka	Locall Worker Dept.	Baseschementin State Dept. of Public Health (Laurence Experiment Station)		Lorelly Hannahamitte	5.5. (mological Survey	1983 to data
or the Orlands, is.	105	Municipal Voter Float Intaka	Her Orlands House and Valor Heard	Laciniam State Dept. of Boolth	Lowinium State Dept of Health	New No Orleans, In	T.S. Geological Servey	1988 to dete
ot Delta, Locisiana (formerly et Vlainiusey, Manimiryel)		Miver Leading, Delta Costing Yard, 7,5, Corps of Engineers	Mindagppi State Board of Smith	Manierippi Sinte Roord of Medith	Legislane State Dept of Smalth	her Visitory, Him	5.3 Geological Survey	1931 to date
at Vest Homeskis, Ark.	72-6	Barge Ferminal, Oblaham- Vissianiyyi hivor Products Linus, Ins	Marchie (Tamasane) Light, Dan & Water Division	Compile (Tunnesse) Light, Gas & Water Division	Arkaness State Board of Health Teachases State Dept of Health	Hamphis, Tecnomes	U.S. Oscilogical Survey	1934 to date
et Cape Otreréess, No	1,500	Misseuri "tilities Co., Water Intern	Mineseri Ptilities Ce	Hissouri Dillities Co	Missouri State Dept, of Poblic Health & Welfers	Thebas, Illienia	V.S. Geological Survey	1933-1936, 1939 to data
at Boot St. Louis, I.l	1,1#6	Bart St. Louis beter On Intele	Zart St. Logis Weter On	Bast St Louis Water Co	Illinois State Dept. of Public Sealth	ilton, Elipsis	U.S Geological Survey	1933-1936, 1939 to data
et Burlingson, Issa	-1,		_ • · •	Berlington Vater Dept.	Inva State Dapt of Heelth	Locksk, Iour	U.S Dealegical Survey	1878 to data
et D ubuque , Ione	1,50	Call Army, Corpt of Engineers Local & Daw /11	Dubenque Valuer Dept	Dahmpa Water Dept	Ices State Dept of Bealth	MoOregor, Ione	U.S. Genlogical Survey	1936 to date

TABLE I - SAMPLING STATIONS, COOPERATING AGENCIES, AND STREAM FLOW RECORDS

	MILES				OTHER	9TRE	AM FLOW RECORDS	
STATION	MOUTH	DESCRIPTION	SAMPLED BY	FELD ANALYSES BY	COOPERATING AGENCIES	NEAREST GAGING STATION	OPERATED BY	PERIOD OF RECORD
gampyi kilwa (sandid) ees had king, kilwa.	1,757	U.S. Army, Omno of Regimenry Lask & Dam #3	W.E. Away, Compa of Engineers Elementaries of Paul Sanitary District	Riccompalis—St. Peol. Sunivery District	Minmaria State Rept., of Balth	Promotti, Wasserja	F.S. Geologisti Survey	1925 to date
er gree St. Lexis, Massard	35	Union Flant Inteln, St. Louis County Brier Co. and Search Bent Flant, City of St. Louis	Dis. Lends Ocealy Wrise Co. Dis. Lends Wrise Days.	Dt. Lords Gousty Writer Os Dt. Lords Writer Days,	Mineseri Parte Dept. of Pekilo Red to a Walfare	Sierman, Misseuri.	T.S Geological Survey	1897 to date
Daniel City, Drawn	365	Marielpal Water Floris Intelle	Ensure City (Essent) Reard of Public Vellitles	Error City (Expens) Report of Public Philippes	Course State Bount of English	Davis (Lty, Davis	T.S. included Survey	1577 to depta
Si, Ampi, Romari	LT2	St. Ameph Water Co. Inteles	St., Joseph Weter Oc.	St. Jamesh Value Ou	Missouri State Depts of Public Numbble & Malfore	Pt., Jesph, Hanneri	F.S. Gaalogical Survey	1,527 to date
Cartin, Sabrusia	644	Mrtrupoliten Vallities Dist., Mater Flant Intells	District	Notempelitan Vellities District	Naturalis State Dapt. of Spilits	Contra, Sotorada	U.S. Gualogical Survey	1,928 to Ante
Tankton, South Dakota	2947	Manisipal Wrier Flast Intels	Tankton Water Dapt.	Yankinn Weber Dapts	Storth Deltate Starte Board of Bealth	Yankton, South Enlerts	O.S. Seniogiail Servey	1/30 to fate
Manurak, Jarth Dekote	1,377	Namicipal Veter Flori Intelle	Manurak Veter Dept	Manuruk Wrier Dapi . North Dekoka State Dapis, of Baalth		Element, Berth Detote	O.S Centragiant Marroy	1,927 to dethe
Milister, Berth Dir etc	1,644	Hericipal Writer Plant Intelle	Williston Water Dept.	Villistan Weber Dapt.	Marth Debrie State Dept. of Health	Villisten, Merth Debate	U.S Medlogical Survey	1,520 to date
area Gire, Illiania	3	Onders Meteer On Intelle	Ordero Wather Co	Orders Water Do.	Illiania State Dapt. of Public Smalth	Betropolis, Illineis	S.S. telogial Survey	153h to date
heardle, Island	15-0	Sentatpal Water Flori Intelle	Eveneville Water Dapt.	Proceedila Meter Dapt.	Indian flats hard of Soulth	Presville, Indian	O.S. Onclogist Survey	1536 to date
Cincipati, Orio	51.0	Manielpal Writer Floris Intella	Circiana M. Weter Daph	Cinginesti Water Dept.	Obio State Dept. of Smalth	Cimimati, Orio	U.S Decloyied Survey	1536 to deta
Servington, Serv Virginia	517	Sentingten Vater Co., Inteles	Benkington Water Corp	Section to Value Ocep	West Virginia State Dept of Smalth	Restington, West Virginia	U.S. Garlegiesh Survey	1)% to date
het Mwysel, Orio	PÅ.I	Menticipal Writer Floor Intelle	East idrerpool Water Dept	East Liverpool Veter Dept.	Orio State Dapt, of Health	Ancieler, Permaylvenia	F.S Contegion Survey	1933 to data
NAC ELVEL Greet Falls,Karyland	116	Washington, D.C. Vater Flant Inteks	U.S. Army, Corps of Regions re	U.S. Army, Corps of Engineers	Maryland State Dept. of Health	New Ventington, D,C	U.S Sunlegical Survey	1930 to date
Williamport, Kerylani	203	Regardous Huntelpal Water Flant Intels	Naguestura Veter Dapt	Esparatom Veter Dept.	Maryland State Dept. of Smalth	Chapperdstown, What Virginia	B.S. Smologiesh Marroy	1598 to deta
Ive Alaxedria, Ia	120	Pompting Station on Laves, mear City Walls	Alexandria Water Dept	Londatans State Dept of Smalth (New Brisans Laboratory) Lord at ann State Dept of Smalth (Alexandria Laboratory)	Lordstane State Dept, of Realth	Alexaniria, Lectatara	Mississippi River Commission U.S. Geological Survey	1928-1938 1938 to Arte

TABLE I - SAMPLING STATIONS, COOPERATING AGENCIES, AND STREAM FLOW RECORDS

	MLES			1	OTHER	STRE	AM FLOW RECORDS	
STATION	MOUTH	DESCRIPTION	SAMPLED BY	FELD ANALYSES BY	COOPERATING AGENCIES	NEAREST GAGING STATION	OPERATED BY	PERIOD OF
M. RIVER (Cond-td) 24. Tables, influence	M5	V.S. Righway So., 71 Bridge	Tunnings Exter & Some System Arisman State binter Felloting Control Conductor	Artemena State Writer Pallstion Control Consider on	Artemeter Starte Reard of Smalth	Index, Artemans	W.S. Deslogical Survey	1936 to date
et Desires, Tena	724	Byeliera Ben Paner Heine	H.L. May, Corpo of Degineers	Descions Water Papt	Testa State Dapt, of Health	Neer Onlinert, Orlahum	9.5 Onological Survey	1983 to date
CD Miland of Locale, Summ	-	Santaipal Water Flood Interio	Lurado Metar Bapk,	Laredo Vater Days,	Texas State Dapt, of Soulth	Natr Mure Levels, Muxime	Recista Sortica, Intermitional Receivey & Water Continuous	1923 to date
ri II, Peri, Yuma	2,236	Hemisipal Heter Flant Intain	El Pass Public Service Betre	El Pase Public Service Reard	Tourns State Dopt, of Sealth	her Berlier	U.S. Serbien, Interestional Reservey & Writer Constantes, and U.S. Geological Servey	1559 to data
Militar Street of Park Markowsky Sourgis	2	Datie Mathemy So. 27 Dridge	Seine Beg-Dusp Paper Co. S.J. Arter, Gerpe of Beginners Chattens County Smiles Dept.	Briss Reg-Comp Popus Co., B.S. Podži s Realth Survive	Deorgia State Days, of Public Smalth	Alyo, Omergia	R.S. Cominginal Startey	1930-1933, 1937 to deta
ot Barth Jagarta, Joyth Swellin	מז	Heristyni Urter Flori Islain	Berth Augusta Water Dopt.	Merit Augusta Unter Dapt	Storik Chroline State Store of Spalth	Angusta, Georgia	9,5, Onological Survey	1595-1906 1987-1991 1935 to data
	' '		tree Callege	Markington Finte Callege	Mantelogica (Mate Dapis, af Manieta	Sour Clarkston, Westington	S.S. Geologisel Survey	1515 to date
			u. Dept	Weigner Vater Dept	Idaho State Board of Easlth	Weiner, Idaho	J.S. Geological Survey	1910 to date
	, !	ı		City Marter Company of Chartenancy Tournesses Valley Anthorrity	Todonomico Phalo Duyt, of Public Humlin	Chettalogu, Turndon	J.S. Declogical Survey	1875-1913, 1915-1930 1936 to data
at Ridney, Martine	o ¢	Inteko-Louis & Giark Station Muntano-Jokota Dillitias Ca.	Montana Debata Dillities Co.	Michael-Dakola Philitica Company	Scartcar State Source of Smalth	Her Eldney, Monteon	Li Geological Survey	19 % to date
	,							
	1 1							

BIBLIOGRAPHY

- Cheng, K. L. Determination of Traces of Selenium 3, 3-Diaminobenzidine as Selenium (IV) Organic Reagent, Analytical Chemistry, <u>28</u>. 1738 (1956).
- Clark, H. F., Kabler, P. W., and Geldreich, E. E. The Advantages and Limitations of the Membrane Filter. Water and Sewage Works, 104. 9 (1957).
- Geldreich, Edwin E., Kabler, Paul W., Jeter, Harold L., and Clark, H. F. A Delayed Incubation Membrane Filter Test. J.A.P.H.A., 45 11 (1955).
- Goldin, A. S., Velten, R. J., and Frishkorn, G. W. Determination of Radioactive Strontium. Analytical Chemistry, 31 1490 (1959).
- Green, Richard S. Basic Data for Water Supply and Water Pollution Control. Sewage and Industrial Wastes Journal, 30 219 (1958).
- Kramer, Harry P. and Kroner, Robert C. Cooperative Studies in Laboratory Methodology. J.A.W.W.A., <u>51</u> 607 (1959).
- Megregian, Stephen. Rapid Spectrophotometric Determination of Fluoride with Zirconium Eriochrome Cyanine R Lake. Analytical Chemistry, 27. 1161 (1954).
- Middleton, F. M. and Lichtenberg, J. J. Organic Contaminants in the Nation's Rivers as Measured by the Carbon Filter. Presented at American Chemical Society Meeting, Atlantic City, N.J., September 13-18, 1959. (In Press).
- Middleton, Francis M. and Rosen, Azron. Organic Contaminants Affecting the Quality of Water. Public Health Reports, 71 1125 (1956).
- Middleton, Francis M., Rosen, Aaron A., and Burttschell, Rice H. Taste and Odor Research Tools for Public Utilities. J.A.W.W.A., 50 21 (1958).
- Palange, Ralph C., and Megregian, Stephen. A National Water Quality Basic Data Program. Journal of the Sanitary Engineering Division, Proceedings of the A.S.C.E., Paper 1606. 84 SA2 (1958).

- 12. Palmer, C. Mervin. Algae as Biological Indicators of Pollution. A separate from Biology of Water Pollution. Transactions of Seminar on Biological Problems in Water Pollution held at the Robert A. Taft Sanitary Engineering Center, April 23-27, 1956 (Mimeo.).
- Palmer, C. Mervin. Algae in Water Supplies. PHS Publication No. 657. U.S. Government Printing Office, Washington, D.C. (1959).
- Palmer, C. Mervin, and Ingram, William Marcus. Suggested Classification of Algae and Protozoa in Sanitary Science. Sewage and Industrial Wastes Journal, <u>27</u>: 10 (1955).
- Setter, L. R., Hagee, G. R., and Straub, C. P. Analysis of Radioactivity in Surface Waters - Practical Laboratory Methods. A.S.T.M. Bulletin No. 227 (January 1958).
- Thomas, Harold A., Jr., Woodward, Richard L., and Kabler, Paul W. Use of Molecular Filter Membranes for Water Potability Control. J.A. W. W.A., 48. 11 (1956).
- A.P.H.A., A.W.W.A., and F.S.I.W.A. New York, N.Y. (1955). Standard Methods for the Examination of Water, Sewage, and Industrial Wastes.
- 18. U. S. Department of Commerce, National Bureau of Standards, Washington, D.C. (1959). Maximum Permissible Body Burdens and Maximum Permissible Concentrations of Radionuclides in Air and in Water for Occupational Exposure. Handbook 69.
- U. S. Department of Health, Education, and Welfare, Public Health Service, Cincinnati, Ohio (1958). (Mimeo.) Water Quality Basic Data Operating Manual.
- U. S. Department of Health, Education, and Welfare, Public Health Service. National Water Quality Network - Annual Compilation of Data. October 1, 1957 -September 30, 1958. PHS Publication No. 663. U. S. Government Printing Office, Washington, D.C. (1958).
- State Water Pollution Control Board, Sacramento, California. (1952). Water Quality Criteria.

EXPLANATION OF DATA

RADIOACTIVITY DETERMINATIONS

A dash in the column for the count signifies that that particular measure was not done.

PLANKTON POPULATION

Blanks in any column are to be read as meaning that none of the organisms for that column were found. The column heading "Dominant Organisms" should be interpreted in connection with the table below as follows 5-946 should be interpreted that the fifth organism of the first column, Chlorella, was named. None of the organisms in the second column of the table was named. The 9 is the minth item in the third column of the table - Stephanodiscus, 4 is the fourth item in the fourth column - Diatoma, and the 6 is the sixth item in the fifth column - Fragilaria. Five dashes in the column of "Dominant Organisms" mean that none was named for that report.

PLANKTON--DOMINANT ORGANISMS

I	п	ш	IV	v
l. Additional Filamentous Green Alga	Additional Green Flagellate	Actinastrum	Golenkınız	Additional Pigmented Flagellate (other than green)
2. Anabaena	Aphanizomenon	Additional Desmid	Additional Coccoid Green Alga	Additional Coccoid Blue-Green Alga
3. Asterionella	Cryptomonas	Anacystis	Chlamydomonas	Additional Distoms
4. Cyclotella	Cyclotella	Ciliates	Diatoma	Additional Filamen- tous Blue-Green Alga
5. Chlorella	Gomphonema	Coelestrum	Cymbella	Ankistrodesmus
6. Comarium	Oscillatoria	Dinobryon	Nitzschia	Fragilaria
7. Synedra	Peridmuun	Navicula	Synedra	Melogira
8. Euglena	Scenedesmus	Oocystis	Tabellarıa	Micractinium
9. Phormidium	Unpigmented Flagellate	Stephanodiscus	Tribonema	Sarcodina

ORGANIC CHEMICALS

The data entered relating to extractables are in micrograms per liter or parts per billion. Zeros when reported have been entered. A dash indicates that the respective results were not reported.

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

The data entered in each column are as reported. A dash signifies that the particular test was not performed. Zeros

when meaningful have been entered. An asterisk preceding a coliform count should be read as "less than" the number following it.

TRACE ELEMENTS AND OTHER DETERMINATIONS

For a discussion of the sensitivity limits of the determinations performed with spectrographic methods, see page 21.



RADIOACTIVITY DETERMINATIONS

Gross radioactivity levels are informative in evaluating long-term trends or changes in water quality. By themselves, however, they are of limited value in assessing radiation exposure. Where gross results are consistently over the maximum permissible concentrations for mixed fission products, the identity of the specific radionuclides involved must be established. Because of the importance of Strontium-90 in the environment, this year's data also includes the contribution of this long-lived radionuclide to the dissolved activity reported. The levels found were all well below the maximum permissible concentration as defined in Handbook 69, see Bibliography Reference 18.

WATER QUALITY BASIC DATA

STATE

ARKANSAS

RADIOACTIVITY DETERMINATIONS

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI

SUB BASIN

ARKANSAS RIVER-VAN BUREN TO MOUTH

STATION LOCATION ARKANSAS RIVER M44.5 AT

PENDLETON FERRY, ARKANSAS

DATE	RADIOACTIVITY IN WATER						#AD#CAC	TOTTY BY BAY	COOM (4-A)	MADIOACITYITY IN WATER					
	DATE OF		ALPHA BETA						DATE DE	TIVITY IN PLANETON (Ary)		GROSS ACTIVITY			
TAIDIN	HY.	HATTON	SUSPENDED	DIMOLVED	TOTAL	. RUMPTONOMO	DIESDLYED	TOTAL	DETERMI-	ALPHA BETA			DISSOLVED	TOTAL	
DAY TELE	N CHITTE	DAY	A4-4/1	##c/1	##e/1	AFe/I	44• ∕1	ppe/1	MO DAY	/4e/a	#=/#	A4-/L	AA4/I	APe/I	
30 59	•	10	_	-	-	123	57	180			1				
6 59	4	17	3	0	3	179	86	265							
13 59	4	24	-	-	-	91	♦ 3	134			1				
20 59	4	30	-	-	-	19	15	34	1						
27 59	5	В	- (-	-	172	58	230	1 1			- 1			
4 59	5	18	-	-	-	70	40	110			ſ	l			
11 59	5	22	1	0	1	58	72	130	1 1	ļ	1	ļ (
18 59	5	29	_	-	-	233	643	876	1			i i			
25 59	6	8	-	-	_	382	293	675	1 1				i		
1 59	6	12	-	- 1	-	155	132	287	1 1			, ,	i		
8 59	6	16	18	6	24	147	33	180		ļ.	[
15 59	7	2	-	-	-	73	52	125			ĺ				
22 59	7	7	- 1	- 1	-	90	73	163	1		ŀ		1		
6 59	7	15	-	- 1	-	592	46	638		- 1	1		1		
13 59	7	28	0	0	٥) o	3	3			1		1		
20 59	8	4	_	-	-	43	ō	43				i			
27 59	8	10	-	- 1	_	47	42	89		I		1			
3 59	9	25	- (-	-	a	· B	- 1		1	1				
10 59	8	20	7	0	7	64	I	71		- 1					
17 59	8	31	-	- 1	-	ا ہ	10	iō		(
1 59	9	11	-	- 1	_	17	13	30				1			
B 59	9	21	5	1	6	14	٥	14	1 1		į				
14 59	9	28	_	_	<u> </u>	30	ا ہ	30	1 1		ľ				
(•			1		"				ļ	}	1			
				1											
				l l				1		ĺ		1			
		- 1							i i						
İ			1	1)			ì		
1				1		ľ	Ì					1 1			
j]	1 1			1)		
		I					1					1 1			
											Ì				
[1					ŀ	1		ļ					
		I					ļ					1 1			
			- 1										ļ		
		l	1	1		ĺ	ļ						1		
,								-	{						
						ļ		1					- 1		
İ			1							1					
			1	ł								1	f		
			l l				1	1			1		1		
		- 1					1		1			ı			

WATER QUALITY BASIC DATA

STATE

ARKANSAS

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

ARKANSAS RIVER. TULSA TO VAN BUREN

STATION LOCATION ARKANSAS RIVER NEAR

FORT SMITH, ARKANSAS

DATE RADIOACTIVITY IN WATER						EADIOA	CTIVITY IN PLAN	(ICTOH (dry)	PAG	MOACTIVITY IN W	ATE				
		DAT	T OF		ALPHA			BETA		DATE OF DETERMI HATTON	Ances 4	CTIVITY	BROWN ACTIVITY		
TAR	× _	범지	E OF CRAHI FIOH	NAL DIOMOGO	DIMENULVED	TOTAL	MIN-DADED	DIMOLVED	TOTAL	HATTON	ALPHA	BETA	EU SPEDIDED	DIMMOLVED	TOTAL
DAY	TEL	MPATE.	DAY	pp-c/l	AA-t/l	684 /l	JAPR/1	##e/1	Ape/I	MO DAY	AF-/-	APR/g	AP-o/l	##•/I	ppe/l
31 28	59 59	10	11 26	70	3	- 73	57 65	26 4	83 69						
											1				
		1													

WATER QUALITY BASIC DATA

STATE

OKLAHOMA

SOUTHWEST-LOWER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

ARK. RIVER, KANS-COLO LINE TO TULSA

MAJOR BABIN

STATION LOCATION ARKANSAS RIVER AT

PONCA CITY, DKLAHOMA

DATE				EAD	OACTIVITY IN V	WATEL				RADIOAC	TIVITY IN PLAN	HETON HEY)	IAI.	BADIOACTIVITY IN WATER			
	DAT	T OF		ALPHA BETA						DATE DF		ACTIVITY	SHOW ACTIVITY				
TAKEN	MA1	TON		DISSOLVED	TOTAL	SUBPRINCES	DIMOLVED	TOTAL		PATION -	ALITHA	BETA	SUPPORT	DUMOLVED	TOTAL		
MO DAY TEAR	HONTH	DAY	APe/I	##e/l	H+c/l	Ape/I	##•/I	##4/1		MO DAY	A## g	p#4/g	###/T	##a/1	##=/1		
	١,,	6	۱ ۾ ا		•	1 ,,	4.0										
0 27 58	11	25	0	0	0	17 19	46 74	63]]		1					
1 3 58	lii	19	_	_	_	1	74 75	93		1		ì					
1 10 55	ii	28			_	0		75		1 1]					
1 17 58 1 24 58	12	20	1	- 1	2	51	134	185		()							
	12	15	Ô	2	2		25 40	29		1 1	j	i 1					
2 1 58 2 8 58	12	18	- 1	_ [_	3	• -	40		1 1		l l	i i				
		26	_	_	_	1	31	36		1 1			1				
1 5 59	1	30	_		_		4						1 1				
1 12 59	1	-	_	_	_	0	56	56		1							
1 20 59	2 2	11 11			-	38	28	64		1 1		l i					
1 26 59		17	_		_	1 1	29	29				1	1 1	{			
2 2 59	2			-		13	15	28					, ,				
2 9 59	2	26 6	10	29	39	56	66	154									
2 23 59 3 3 2 59	3					8	61	69									
		11				36	53	89		i i	ļ						
3 9 59	3	18	0	0	0	24	15	39		i i			1 1				
3 17 59	3	25	_			20	66	86			1		-				
3 23 59	7	3 B	- 1	-	-	34	321	355					\ \ \ \				
3 30 59	4		- 0	-	- 0	798	102	900					1				
4 6 59		15	- 1	- 1	_	163	547	710									
4 13 59	4	23	-	-	-	231	160	391		1							
4 20 59	4	30	-	-		33	8 9	122						ľ			
4 27 59	5	26	-	- 1	-	72	32	104]		}				
5 4 59	_	13	-	- 1		363	298	661									
5 11 59	5	22	18	0	18	960	239	1199		l i		1					
18 59	_	29 5	-	- 1	-	233	643	B76									
25 59	6		-	-	-	0	56	56									
5 1 59 6 8 59	6	12	-	= 1	, -	149	138	287			l						
	6	16	5	7	12	70	59	129					1 1				
15 59	6 7	30		-	-	21	90	111			l.						
6 22 59 6 29 59	, 7	2	-	-	-	23	24	47									
_		-	-	-	-	21	13	34					1				
7 6 59	7	15		-		84	7	91									
7 13 59	7	27	14	6	20	33	27	60		1				1			
9 15 59	9	28	-	-	-	0	55	55									
9 21 59	9	2 B	-	-	-	7	13	20				[1			
							i							1			
				l				ľ						Ī			
)		İ		1		ì						1			
1			1	j								1		1			
		- 1	ſ			1	1					\	1	1			

RADIOACTIVITY DETERMINATIONS

STATE

KANSAS

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

BUB BASIN

ARK. RIVER. KANS-COLO LINE TO TULSA

STATION LOCATION ARKANSAS RIVER AT

COOLIDGE. KANSAS

DATE					DACTIVITY IN V	MATER		ı	EADIO:	ACTIVITY IN PLA	ACTOR (day)		W HI YTTYTTOAOK	
	DAT	1 07		ALPHA		1	BETA		DATE OF	SACING /	VCTIVITY		GROSS ACTIVIT	Υ
TAKEM	DETT MA1	DOM ·	SUM THEFT	DISTRIBUTION	TOTAL		DIESOLVED	TOTAL	MATION	ALPHA	BETA	FUSPINDED	DIRECTOR	TOTAL
O DAY TEAM	POSTN	DAY	FF-(1)	AA4/I	AAc/l	Atc/l	A444/I	##c/1	MG DAY	AFA/g	AF-/g	## = /1	A#a/I	A#c/1
6 58	10	15	_	_	-	24	132	156			1			
0 13 50	10	24	_	_	_	l io	36	46	1		1		ŀ	
20 58	10	29	_	_	-	40	41	101			l l			
27 58	11	7	o		8	50	90	145			1		1	
4 58	īī	17	_	_	_		28	32	ŀ		1			
10 50	11	25	-	_	_	5	54	59	l l		1		l l	
24 58	12	9	0	16	16	2	44	46						
2 58	12	15	i	ō	1	17	63	80					' I	
9 50	12	23			_	14	Bó	94		'				
16 58	î	7	_	_	_	36	140	178					' I	
22 58	ī	13	_	_	_	0	50	50						
2 29 38	lī	19	_	- 1	_] 14	47	61						
6 59	ī	26	_	_	_	2	34	36						
13 59	ī	30	_	-	_	12	50	62						
1 19 59	2	5	-	_	_	17	19	36						
26 59	2	11	_	- 1	-	0	0	0						
2 2 59	lz	13	_	- 1	_	25	144	169						
2 9 59	2	25	0	31	31	64	104	168						
2 16 59	3	4	_	- ;	_	1 .	44	62			·	1	ĺ	
3 3 59	3	11	_	_ !	_	9	62	71						
3 16 59	3	25	_	-	_	177	157	334	1					
3 23 59	4	15	-	- i	-	149	336	485	1					
3 31 59	4	6	-	-	-	159	93	252						
4 6 59	9	27	5	0	5	107	168	275	1					
4 13 59	4	22	0	22	22	181	691	572				1		
4 20 59	4	30	0	0	0	15	562	577			1	1		
4 27 39	5	12	-	-	-	166	289	455						
5 4 59	5	13	- 1	-	-	0	8	8				1 1		
5 11 59	5	22	4	24	28	0	0	0			1			
5 18 59	5	29	-	-	-	0	0	0	l i	'				
5 25 59	6	В	-	-	-	71	119	190					1	
5 2 59	6	12	- 1	-	-	85	26	111			ì		1	
5 8 59	6	19	0	0	0	12	56	68				1		
15 59	6	30	-	-	-	258	112	370	1 1					
22 59	7	7	-	-	-	63	158	221				1		
5 29 59	7	9	-	-	-	170	41	211	- 1 - 1	ļ				
7 6 59	B	7	-	<u>-</u> 1	-	159	162	321						
7 13 59	7	27	8	0		32	12	**]]	1	Ì]]	
7 20 59	J	7	0	7	7	16	33	49						
7 27 59	8	7	-	- (-	0	0	0						

STATE

KAN5A5

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

ARK. RIVER, KANS-COLO LINE TO TULSA

STATION LOCATION ARKANSAS RIVER AT

COOLIDGE, KANSAS

			EAD	OACTIVITY IN V	YATE				RADIOA	CTIVITY IN PLA	NOTON (dry)	- BAI	DOACTIVITY IN	YATER
	DATE OF		ALPHA			BETA		1			MCTIVITY	1	SROSS ACTIVE	
TAKEN	NATION	5U67040E0	DISSOLVED	TOTAL	SUMPE - DED	DIMEDLYED	TOTAL	1	NATION	ALPHA	BETA	SUSPENDED	DISCOLVED	TOTAL
MO DAY TEAR	MONTH DAY		## - /1	pape/1	##c/l	## t/l	##c/l		MO DAY	pr-/g	AP=/g	APe/I	###/I	## * /
	PATE DI PATE D	- 0 	ALPHA DI SS OLVED	TOTAL	EUSPE~DED	DIMOLVILD			DATE OF DETERMI NATION	ALPHA	LETA	BURNEN PED	DISSOLVED	TOTAL

STATE

ARIZONA

MAJOR BASIN

COLORADO RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER AT

YUMA, ARIZDNA

BAT		T			BAD	DACTIVITY IN V	YATEN				MADEDAG	TIVITY IN PLA	NOTION (dry)	RAI	HOACTIVITY IN W	ATEL
EAR		DAT	T 07		ALPHA			BLETA			TE OF	970E	ACTIVITY		URGOU ACTIVIT	Y
YAR		DET	Employs This is	######################################	DISEDLYED	TOTAL	SUSPECIOED	DIMOLVED	TOTAL	PAE	TERM -	ALPHA	BETA	SUMPENDED	DISSOLVED	TOTAL
MO DAY	TLAN	_			Ada/i	April	AFC/I	ppe/l	##e/l	MO	DAY	H-/0	A#4/8	##«/I	##e/1	##e/I
		†														
10 6	58	10	15	_	-	-	4	40	44		İ				1	
10 13	58	10	23	-	-	_	4	7	11				1 1			
10 20	58	10	29	-	_	-	1	62	63				1			
10 27	58	11	14	-	_	1 –	0	13	13				1			
11 3	58	11	17	-		-	13	62	75		İ		1			
11 10	58	11	25	-	-	-	4	22	26	1				1	1	
11 17	58	12	1	 -	_	i –	0	41	41	i	l		1		l l	
11 24	58	12	11	0	5	5	1 1	20	21				1			
12 l	58	12	18	0	6	6	0	20	20	ľ			1 1		1	
12 8	58	12	23	-	-	_	22	40	62				, I			
		2	5	-	-	-	0	9	9				1 1			
29		3	3	1	1	2	0	9	3				1			
2 16		3	4	_	-	_	. • i	41	45							
2 24		3	10) 0	5	5	5	28	33	1	l		1 1		ľ	
3 2		3	16	0	6	6	15	29	44				1 1		1	
3 9		3	19	0	О	0	7	15	22	ĺ	ĺ		1	1 1		
3 17		3	26	1	В	9	35	276	311	l				(
3 23		1	1	0	0	0	24	40	64] [
3 30		1	14	2	14	16	16	60	76				1	1		
4 6		4	17	0	10	10 5	13	60	73				1 1			
4 20			29 12	0	5 3	5	0	57	57 56	1	1		1 1		ì	
5 4		1 3	18	2 0	0	٥	19 12	37 178	190	İ					1	
5 11		5	22	0	٥	٥	28	62	90	ľ						
5 18		5	29	0	6	6	3	60	63	ļ				1 1		
		6	- 5	5	7	12	13	51	64							
6 1	59	6	12	ء ا	ė	0	ا ءَ ا	0								
6 B			7	ì	٥	Ö	31	118	149				1 1			
6 15		6	30	49	64	113	152	435	587	1			1 1	i ì	ì	
6 22	59	7	8		4	•	e	6	6					1 1		
6 29		1 7	14	l <u>-</u>	_	_	25	0 1	25				1			
7 6		7	17	5	٥	3	ľól	ŏ	-6		- 1		1	}	Į.	
7 13	59	7	30	С	2	2	1 0 1	o	0							
7 20	59		4	О	2	2	0	7	7		1			ĺ		
7 27	59	8	7	_	7	7	16	33	49							
8 1 C		8	20	1	2	3	23	0	23		1				1	
8 17		В	31	0	4	4	2	5	7							
8 24		9	3	1 1	5	6	0	7	7		ļ				1	
8 3 I	59	9	14	1 1	7	8	0	5	5				1		Į.	
]					1							
		l						1								

STATE

ARIZONA

MAJOR BASIN

COLORADO RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER AT

YUMA: ARIZONA

	_	_				EAD	DACTIVITY IN W	/ATTER				RADIOA	CTIVITY IN PLA	NOTON (de)		PICACTIVITY IN V	VATER
			DAT	E DF		ALPHA			BETA		1			ACTIVITY	† 	BROSS ACTIVIT	
			DAT DETE NAT	10N_		DIMOLVED	TOTAL		DIFFICEVED	TOTAL	1	DATE OF DETERMI- NATION	ALPHA	BETA	eus-Doto		TOTAL
10 D4	AY	TEAR	II DATE	DAY	/ 44-√1	д дс/1	AAc/I	AA4/I	##4/T	A#c/I	1	MO DAY	#-/	FF4/g	## = /1	AAc/l	pp-a/l
9 1 9 1 9 21 9 20	• ! 1 !	59 59	9 9 10 10	21 24 1 8	0 1 1 1	6 7 0 4	6 8 1 5	6 21 0 5	30 43 0 0	36 64 0 5							

STATE

CALIFORNIA

MAJOR BASIN

COLORADO RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER AT

PARKER DAM, ARIZONA-CALIFORNIA

0	47					BADI	OACTIVITY IN V	WATER				RADIOAG	TIVITY IN PLA	NECTON (May)		HOACTIVITY IN W	АПН
	MPL)		DAT	T OF		ALPHA		Τ	BETA		1	DATE OF	SACISS .	ACTIVITY		BROBS ACTIVIT	7
T,A	UCIN		PET	CRWII Frah	SUSPENCED.	DEMOCRED	TOTAL	SUSPENDED	DISSOLVED	TOTAL	1	NATION -	ALPHA	DETA		DISSOLVED	TOTAL
HO 0	MY	TEAR	MOMTH	DAY	ppul	ppc I	<i>ppc/</i> 1	APL	##¢/	April 1	1	MO DAY	H4V9	AAC/	##e/l	##a/l	##e/1
		58	10	13	. 0	10	10	0	30	30		1 1				1 1	
		58	10	20	-	- 1	_	2	11	13		1 1					
0 1	.5	58	10	28	-	-	_	0	13	13		1 1					
0 Z		58	11	3	- 1	-	_	1	15	16						1	
LO Z	9	58	11	13	-	- 1	-	0	43	43							
		58	11	20	- [_	-	0	34	34		1 1				l í	
1 1		58	12	5	-	-	-	2	26	28					ľ		
. 1 2	10	58	12	9	0	11	11] 1]	35	36]	
1 2		58	12	11	1 1	0	1	1 4	41	45		1					
		56	12	16	0	1	1	0	0	0		1					
		58	12	24	- 1	- 1	-	0	70	70							
12 1	7	58	1	6	- 1	-	-	0	23	23							
2 2	4	38	1	22	i - i	- 1	-	1 1	8	9		1 1		1		1	
12 3	1	58	1	20	0	2	2	0	26	26		!					
1	5	59	1	26	- 1	- 1	-	4	44	48							
1 1	4	59	lı	30	i - i	- 1	_	472	34	506						i	
1 2	1	59	2	5	- 1	-	_	5	42	47						1	
1 2	8	59	2	13	iol	3	3	0	43	43						1	
_		59	Ž	17		4	4	24	23	47							
2 1		59	Z	26	ol	6	6		11	19]]				J	
2 2	5	59	3	11	ol	10	10	l o l	31	31		1 1					
		59	3	16	0		B	l ō l	55	55		1 1		1			
3 1		59	3	26	ا ه	ā	0	l š l	50	58		1 1					
3 1	8	59	3	27	0	3	3	1	19	20		1 1					
3 Z		59	4	7	l i l	15	16	1 6 1	45	53		1 1					
		59	4	14	! ō	4	4	👗	36	40		1 1					
	_	59	4	17	ŏ	ا ه	Ö	14	97	111		1 1					
		59	4	28	0 1	ō	ō	30	55	85		1 1		'			
		59	5	7	Ö	ŏ	ō	6	65	71		1					
4 2		59	5	12		_	_	ا ہ	B7	87		1		l			
		59	5	19		1	1	ő	74	74				l			
_	_	59	5	22		i	â	6	io	10							
		59	6	2		3	3	90	103	193							
	7		6	9		3	3	Z	1	3							
		59	6	12	٥	ا هٔ	٥	0	7	7]	J	J	1	1	
-		59	8	14	0	ō	o l	14	ا ہ	14							
6 l		59	7	6	٥	٥	o l		- 1	- 1							
6 2		59	7	8		a	В	13	21 7 4	34 74							
6 2			7	14	_	-	-	0							[
J 2	,	77	'	14	-	-	-	٠	12	12							
						1		1	1								
					_												

STATE

CALIFORNIA

MAJOR BASIN

COLORADO RIVER

RADIOACTIVITY DETERMINATIONS

BUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER AT

PARKER DAM: ARIZONA-CALIFORNIA

LAPIS DATE OF ALPISA BETA BATTOTTY BROWN ACTIVITY LEGN SUMPENDED DISSOLVED TOTAL SUMPENDED DISSOLVED TOTAL DATE OF SUMP	DATE			EAD	OACTIVITY IN V	#ATTEL			BADIOAC	TIVITY IN PLAN	MITON (day)	IAI	MOACTIVITY IN Y	/ATE
No DAY TELL SOUTH DAY ARAPI		DATE OF					BETA		DATE OF	BROWN /	WITTY		BROWN ACTIVITY	·
7 6 59 7 17 0 0 0 0 0 0 0 0 7 13 59 7 30 1 18 19 21 1 22 7 7 22 59 8 5 7 4 11 1 43 44 7 29 59 8 11 0 5 5 5 11 6 17 8 6 59 8 14 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TAKEN	MATION	SUMPENDED	DISCOLVED	TOTAL		DIMEDLAND	TOTAL	NATION	ALFIKA	DETA	SUSPENDED.	DISSOLVED	TOTAL
7 6 59 7 17 0 0 0 0 0 0 0 0 7 17 17 18 19 21 1 22 1 1 22 17 22 59 8 5 7 4 11 1 43 44 17 29 59 8 11 0 5 5 5 11 6 17 8 6 59 8 14 1 0 1 0 0 0 0 0 0 8 13 59 8 20 0 5 5 0 48 48 8 8 19 59 8 28 0 8 8 8 6 47 53 8 28 59 9 2 0 0 3 3 0 24 24 24 9 2 59 9 14 0 2 2 2 6 0 6 9 10 59 9 21 0 10 10 11 32 43	MO DAY TEAR	BOITH DAY	AA-A/I	## - √1	<u> </u>	AA4/I	## - /1	##⊎/l	MO DAY	###/g	AAA/g	A#=/1	ARe/I	AAc/1
	TACEN MO DAY TEAL 7 6 59 7 13 59 7 22 59 7 29 59 8 6 59 8 13 59 8 19 59 8 28 59 9 2 59 9 10 59	7 17 7 30 8 5 8 11 8 14 8 20 8 28 9 2 9 14 9 21	0 1 7 0 1 0 0 0 0 0 0 0 0 0 0 0	0 18 4 5 0 5 8 3 2	0 19 11 5 1 5 8 3 2	0 21 1 1 0 0 6 6 0 6 11	0 1 43 6 0 48 47 24 0 32	0 22 44 17 0 48 53 24 6		ALPHA	DETA	KUSPENDED	DISSOLVED	TOTAL

STATE

NEVADA

MAJOR BASIN

COLORADO RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER COLORADO RIVER STATION LOCATION COLORADO RIVER NEAR

BOULDER CITY, NEVADA

DAT	•				BADI	DACTIVITY IN V	WATER			Т	EADIOA	CTIVITY IN FLA	HICTON (Mry)	TAC	HOACTIVITY IN Y	/ATER
, , , , , , , , , , , , , , , , , , ,	_	DAT	7.07		ALPHA			BETA		†	DATE OF	BACCES	ACTIVITY		GROSS ACTIVIT	Υ
YAC	N	DET	TION	SUSPENDED	DISSOLVED	TOTAL	SUPPRINCE	DISSOLVED	TOTAL	†	NATION	ALPHA	DETA		DISMOLVED	TOTAL
MO DAY	YEAR				AAA/I	APc/1	A44/1	#8a/I	pp4/1	1	HO DAY	14-/9	ppe/g	Apre/I	AA4/I	###/I
		1.0							•				1			
10 6		10	20	l -	-	-	0	32 39	32		1 1				1	
10 14		10	24		-		2	_	41		i i					
10 21		11	. 5	0	11	11	0	20	20		1 1					
10 28		11	13	-	- 1	-	0	16	16	1	1 1					
11 4		11	21	-		_	1 1	32	33		1					
11 10	-	11	25	-	-	-	0	27	27	l	1 1			l l		
11 18		12	. 2	_			0	10	10		1 1		1	1		
11 25		12	11	1	12	13		18	22	ĺ	1 1		1			
12 2		12	15	0	5	,	0	16	16		1 1		1			
12 9		12	23	_	-	_	1 1	38	37		1 1		[]		1	
12 15		1	6	-	-	-	12	22	34	ļ	1 1			l l		
12 23		1	7	- 1	-	-	, 5	26	31		1 1					
12 30		1	20	0	6	6	0	14	14		1		1		}	
1 6		1	26	-	-	-	0	25	25		1 1		1 1			
1 17	59	1	30	1 - 1	- !	-	0	0	0		1		1			
					-	_	•	33	33					1 1		
					0 {	10	0 1	12	12		1 1		j l			
				-	-	-	15	35	50		1 [1		
		د	2	, -	-	-	30	84	114	l	1 1			1 1	1	
		3	6	-	-	-	21	20	41		ł I)	ŀ		
4 44		3	10	1	10	11	8	51	59	ł	1 1					
3 3		3	13	-	-	-	0	46	46		1 1					
3 10		3	20	1 - 1	-	-	0	3	3		1 1				1	
3 17		3	30	- 1	-	_	2	13	15		1			[[
3 24	59		7	0	7	7	13	4 2	55							
3 31	59		14	1 1	10	11	0	59	59		1				1	
4 6	59	4	17	1	3	4	5	68	73					1	1	
4 14	59	6	26	0	0	0	15	36	51		1 /		1			
4 20	59	5	4	0	3	3	0	16	16		1	1	l i		1	
4 27	59	6	26	-	- (-	15	43	5 B							
5 5	59	5	18	0 (2	2	23	74	97				1	, ,	1	
5 12	59	5	Z 1	- 1	-	-	0	28	28							
5 19	59	. 6	1	-	-	- 1	44	100	144							
5 26	59	6	9	0	2	2	0	70	70							
6 Z	59	6	15	-	-	- 1	7	22	29					1		
6 B	59	6	16	- 1	-	-	6	50	56					1		
6 15	59	7	2	-	-	-	0	0	0						l	
6 22	59	7	В	0	0 (0	12	24	36			ĺ	{			
6 29	59	7	14	-	-	-	4	9	13	ļ						
		}	-	ļ			·							1		
			- 1			1	1					1	ļ			

STATE

NEVADA

MAJOR BASIN

COLORADO RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER NEAR

BOULDER CITY. NEVADA

				RADI	OACTIVITY IN V	WATER			Г	BADROAG	TIVITY IN FLA	OCTON (dev)		BAD	OACTIVITY IN V	/ATEL
DATE	DAT	Z 0#	Γ	ALPHA			PETA		j			CTIVITY			TROUB ACTIVIT	
TAICH			II U II PENDED	DIMOLVED	TOTAL	SUSPENDED.	DLESSOLVED	TOTAL	1	MITCH	ALPHA	BETA	81,149	PIDADADA	DISMOLVED	TOTAL
HO DAY TEAM			##4/l	## = /1	###/T	A,Ac/l	##«/I	AA-a/1	<u> </u>	MAD DAY	44/1	APe/g		ا/ يدب	Me√!	A#4/1
MODE DAY TAME ***********************************		15 29 4 11 13 26 2 11 15 22 30 8		DIMOLVID		+	DLESCOLVED			DATE OF DETERMINE MAIN DAY	ALPHA	BETA		PIDEDED	DISSOLVED	TOTAL
														!		

STATE

COLORADO

MAJOR BASIN

COLORADO RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

UPPER COLORADO RIVER
COLORADO RIVER NEAR

STATION LOCATION

LOMA, COLORADO

DATE BAMPU TAKEN		_				YATE				ACTIVITY IN PLA			HOACTIVITY IN W	
TAKEN	BATE	or		ALPHA			DETA		DATE OF	-	ACTIVITY		SPORE ACTIVIT	Y
	PETE			DHECKYED	TOTAL	SUMPLIFICATION OF THE PERSON O	DIMOLVED	TOTAL	PATION	ALPHA	BETA		DIAGOLVID	TOTAL
HO DAY TEM	ненты	DAY	pag/I	PAPA/I	AHL/I	## -√1	ppe√l	APc/I	MO DAY	###/p	AP-/g	##•/1		A#4/1
10 6 58	10	15	_	_	_	22	58	80						
10 27 58	lii	6	0	3	3	29	118	147						
11 4 58	îi	17			_	36	96	132	ĺ	ĺ	1 1	T I	ĺ	
11 10 58	ii	25	_	_	_	0	52	52						
11 17 58	îż	í	_ }	_	_	239	49	368			1 1	1		
11 24 58	12	11		2	2	4	3i	35	ĺ					
12 1 58	12	15	o l	ō	õ	8	zī	29			1 1			
12 8 58	12	30	_ 1		_	ا ہ ا	2	2		'			[
12 15 58	lī	9	_	_	-	Ō	55	55						
12 22 58	ī	12	_	_	_	0	ō	0	i i		1 1	1 1		
1 5 59	l ī	26	_	_	_	19	4	23						
1 12 59	ī	30	- 1	_ !	_	12	23	35	ļ		J J]		
1 19 59	2	5	- 1	_	_	20	72	92						
1 26 59	2	11	3	o l	3	23	56	79						
2 9 59	Ž	26	ől	4	4	249	294	543			1	i i		
2 16 59	3	6	οl	10	10	16	79	95					ĺ	
2 24 59	3	10	2	19	21	38	72	110			! !			
3 2 59	3	23	ō	2	2	34	71	105						
3 9 59	3	20	ō	9	9	_ 0	51	51						
3 16 59	3	27	ō	á /	3	50	103	153	1 1					
3 23 59	4	1	8	8	16	10	52	62						
3 30 59	4	7.	0	ō	0	27	100	127					1	
4 6 59	4	15	ŏ	9	9	45	69	114						
4 20 59	4	29	3	اة	9	40	84	124						
4 27 59	5	в	_ 1	_	- 1	o (ا ه	o ([Ĩ	
5 11 59	5	22	3	ا ه	3	38	62	100						
5 18 59	6	Z	انَا	ĭ l	ī l	307	ō	307	1				1	
5 25 59	6	9	٥	2	2	40	20	60						
6 1 59	6	12	ا و	o J	0	91	50	141						
6 15 59	6	30	o I	οl	ا ه	35	26	61						
6 22 59	7	ы	13	i	14	176	27	203						
7 6 59	7	17	o l	ō /	Ö	21	35	56	1			1 1	ł	
7 20 59	В	5	2	7	9	0	8.6	B6						
7 27 59	В	15	7	7	14	27	27	54]			1 1	ļ	
8 4 59	В	12	42	7	49	32	21	53						
E 18 59	9	3	3	5	В	44	34	78		ļ				
9 8 59	٦	17	- 1	- 1	-	20	65	85		ľ		1 1		
9 14 59	9	23	1	11	12	12	34	46						
9 21 59	15	1	4	19	23	-0	0	0			1			
9 28 59	10	0	z	15	17	4.4	21	65						
		1	-											

STATE

OREGON

MAJOR BASIN

PACIFIC WORTHWEST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER NEAR

CLATSKANIE, OREGON

- DATE	Т			RADI	OACTIVITY IN V	WATER				EADIOAC	TIVITY IN PLAN	SUICON (day)	- W	HOACTIVITY IN V	VATER
EARPLE	DA	TE OF		ALFHA			DETA			DATE OF	SROW A			MOSS ACTIVIT	
TAICEN	HA	TION		DIMOLVED	TOTAL		DIMOLVED	TOTAL		MATION -	ALPHA	DETA	SUSPERIOR	DIMBOLVED	TOTAL
HO DAY TELE	HOETE	DAY	AAC/I	##e/l	###/I	Apa/1	p.p.s/1	##-e/1		MO DAY	APW T	AAC/ p	AFe/I	## - ∕1	pac/1
	١,,	- 0	_	_	_	30	747	24.7							
10 13 56	10	28	[_	_	20 19	242 195	262							
10 20 58	10	31	_	_	_	_		214			-	ļ			
10 27 58	11	13 18			_	16 20	129 248	145				ļ			
11 3 58	11	24	_	_	_	18	105	268 123							
11 10 50	11	_		_	_							Į.			
11 17 5	12	. 1	1 - 1	l i		11	97	100			ł	1		1	
11 25 58	12	11	1 1	1	2 2	27	54	B1	. 1			ŀ			
12 1 56	12	12		2 _	-	20	154	174			Ì	1			
12 8 58	12	24	-		_	20	134	154							
12 15 56	1	6	-	_	_	24	62	84							
12 23 58	1	13	-	-	-	39	108	147				•		}	
12 29 58	1	19	-	-	-	30	19	49				ľ			
1 5 59	1	22	-	-	-	42	254	296		1					
1 12 59	1	30	-	-	-	100	93	193							
1 19 59	2	6	- 1	-	-	67	137	204				1			
1 27 59	2	13	1 1	0	1	63	104	167		1		1			
2 2 59	2	17	-	-	-	98	114	212							
2 9 59	3	2	-	-	_	63	61	124				ľ			
2 16 59	3	9	- 1	_	-	26	71	97							
2 24 59	3	13	0	0	0	50	170	220)			
3 2 59	3	13	-	-	-	69	202	2 7 1				ľ	1		
3 10 59	3	23	-	-	-	57	186	233							
3 16 59	3	27	-	-	-	67	111	176				1			
3 23 59	4	6	0	0	0	53	165	248							
3 30 59	+	13	-	-	-	56	140	196							
4 6 59	4	20	-	- 1	_	35	97	132				1			
4 13 59	4	28	- [-	-	38	138	176				[
4 ZO 59	5	4	0	1	1	48	178	226					1		
4 25 59	5	12	-	-	-	44	175	219					1		
5 4 59	5	18	-	-]	-	104	101	205]		
5 11 59	5	25	-	- 1	_	168	295	463			ĺ	[
5 18 59	6	1	-	-	-	33	7 🛊	107							
5 26 59	6	9	0	0	0	90	91	181			j	J		<u> </u>	
6 1 59	6	15	_	_	-	36	116	152	1						
6 8 59	6	30	- 1]	_	23	138	161					1		
6 15 59	7	2	-	-	_	57	97	154					1		
6 22 59	7	9	-	- 1	_	24	113	137	[1	[
6 29 59	7	14	-	-	_	3	73	76			I	1			
		-						-			1				
							1					ì			
						l '		1				1		1	
			l _						1			1	I	1 1	

STATE

OREGON

MAJOR BASIN

PACIFIC NORTHWEST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER NEAR

CLATSKANIE . OREGON

DATE				BADH	ACTIVITY IN Y	WATER			EADIO	ACTIVITY IN PLA	NETON (day)	PAI	HOACTIVITY IN W	ATER
EAMPLE	OAT	E OF		ALPHA	_	T	BACTA		DATE OF	4 Post	ACTIVITY		SHOW ACTIVIT	Y
TAKEN	ALTE HAT	TON .	HERMOD	DIMOLYED	TOTAL	SUSPECIOED	DIMPOLVED	TOTAL	HATION	ALPHA	BETA		DI SEDLYED	TOTAL
DAY TELE	Henry	DAY	AP-47	## a/1	pps/l	APe/I	##e/T	ppe/l	HO DAY		p.=/-0	A#=/1	##c/1	AA4/I
4 59	7	17	_	_	_	71		123	l		1			
13 59	7	29	1	_	_	16	52 66	123		1				
20 59	á	3		_	-	5	84	89			1			
28 59		7	- i	0	ō	23	95	105		l	1 1	l l		
3 59	i	14		<u> </u>	-	12	146	158					l	
10 59	-	19	_ 1	_ {	-	19	149	168	1	i		ľ		
18 59	i	20		_	_	20	51	71	ł		1			
24 59	•	2	0	0	0	17	194	211						
31 57	ģ	14	-	_	-	20	195	215		i	1 1		ľ	
8 59	9	22		_	_	15	176	191	ł		1 1			
14 59	9	28	_	_	_	13	201	214	l	l	1 1	1 1	ł	
21 59	10	5	0	o	0	20	218	238						
29 59	10	12	_	_	_	11	128	139		ľ	1 1	i i	ľ	
47 27	10	14	-	- 1	_	1 11	120	137	l		1)		
						1					1	1		
						i í	ĺ				1	1 1		
	l			1		}					}	- 1		
				Į.										
			. 1	i				1					1	
				l		1		1	- 1		}	1	1	
		J		ì			J	J			J	J		
		}				1	[
			- 1	ł			ľ	1	1 1			i		
)	1	J	ļ		1		J l				1	
		- }	1				1							
			i	ĺ		Ĭ	1	ľ			i i			
		- 1			}	1	1	}	} }					
			1											
ĺ			1	1	1	- 1	[1	
					1				1				1	
		ļ												
				i										
		i	- 1	1	1	1		1	1 1		'			
)				}		ļ	ļ	J	1 1		1			
			ļ	i			1		1 1	l				
1				ť			1	Ì	1 1	i	1		1	
			J	1			1	J		,			1	
1			1	1										
1		1	- 1	1		i		1					Ì	
			- 1	İ		1					}			
				i										
- 1		- 1	į.	ĺ	ĺ	ľ	ĺ		1 1			1	í	

STATE

OREGON

MAJOR BASIN

PACIFIC NORTHWEST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

BONNEVILLE, OREGON

				LADIC	WCIIAIIA IH A	YATEL			EADIOAC	TIVITY IN PLAN	ETICH (#y)		MOVELLAURA	/ATIE
	-	ATE OF		ALPHA			INT A		DATE OF DETERMINE		епупу		EROSE ACTIVIT	Υ
TAREN	_ F	ATE OF	#USPENDED	DISSOLVED	TOTAL	(U CPTOLOGO	DISSOLVED	TOTAL	MATION	ALIFICA	BETA	SUMPERIOR	DIMOLVED	TOTAL
DAY YEAR			REA/I	APA/ 1	AF4/ 1	ppe/1	##4/I	###/I	Mo DAY	44/1	p.p/ g	APEQ/I	/ 444/1	###/I
	1	_		_	_	18	291	309	- 1					
6 50	119		-		_	10	206	214						
13 56	19	_	-	1	1	7	276							
20 58	11		- 1	l I	_	1 : 1	313	283						
27 58	1:		-	-	-	,6	279	319					l i	
10 50	1:		_	-		19		298					1	
1 17 56	17		_	- 1	- 1	19	246	265 43						
1 24 58	12		0		0	16	27 133	1.7						
2 1 58	12		0		-	15		148					ļ ;	
2 8 58	1:		_	-	-	30	202	232		1			i i	
2 15 58	:		_	_	-	81	160	241					1	
2 22 58	1			_	_	61	133	164	1 1					
2 29 58	:		0	0	٥	22	204	226						
1 5 59	1 :		-	-	-	9	30	39	1					
1 12 59	:		_	_	-	62	190	252						
1 19 59	:		-	_	_	71	199	270						
1 26 59	:		0	0	0	99	184	283	1 1					
2 2 59		18	-) - i	-	142	218	360	1)		1	
2 9 59	:		-	-	-	57	504	561						
2 16 59			0	•	0	40	184	224						ı
2 24 59	:		•	1	1	59	327	386						
3 2 59	:		-	-	-	86	363	449						
9 59	1 :	23	-	-	_	66	328	394						
3 16 59	:	3 30	-	- 1	-	113	474	587					ļ	
3 23 59		6	0	0	0	50	236	286						
3 30 59	1 .	13	-	-	-	61	264	325			l			
4 6 59	.	20	-	-	-	52	218	270					Ì	
13 59		¥ 28	-	-	-	44	176	220						
20 59	1 !	5 4	1	2	3	55	231	286						
27 59	!	12	_	-	-	64	176	240						
5 4 59	1 :	18	-	-	_	49	95	144						
5 11 59	1 :	25	_	-	-	95	1 B 4	279						
5 18 59	1 .		_	-	-	36	72	108						
5 25 59		5 9	0	0	0	28	94	122						
6 1 59		16	-	-	-	28	100	128						
6 B 59		19	-	_	-	26	76	102						
6 15 59		7 2	_	_	_	47	118	165						
6 22 59		7 9	-	-	_	26	167	193						
6 29 59		7 14	-	-	-	49	90	139						
							Į l							1
			1											

WATER QUALITY BADE DATA

STATE

OREGON

MAJOR BASIN

PACIFIC MORTHWEST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

BONNEVILLE, OREGON

		_				9 4 74	DACTIVITY IN Y	VATE			BADIOA	CTIVITY IN FLA	HETOH (dry)	RAD	CACTIVITY IN W	ATE
						ALPHA			BETA		DATE OF	d.n.colo	ACTIVITY		GROSS ACTIVITY	
			9611	E OF DIMI	SUSPENDED	DIMOLVED	TOTAL	BUSPENDED	DISSOLVED	TOTAL	DATE OF DETERMI NATION	ALPHA	BETA		DIAMOLVED	TOTAL
					##erl	ppe/I	AM/1	A44 c/1	# #¢/I	pp4/1	MO DAY	hten.	F#4/	P#4/1	A#e/I	AA-/I
		_				į							1	1		
	6		7	17	-	-	-	B	73	81 114						
7 1			7	29	- 1	-	_	7 19	107 120	139	1 1		1	i i	·	
7 2	20		7	31 11	-	0	_	56	80	166						
	3			14	-	_	_	6	124	130]]	j .]	
	ιó		8	20	l - i	_	-	85	391	476			i i			
	17		8	28	_	-	-	19	122	141						
	24		9	2	0	0	0	27	217	244	- 1 - 1		l	1	1	
9 2			9	30	0	0	0	25	249 328	274 346					1	
9 2	28	59	10	12	-	-	-	18	320	,						
			1						í		- 1 1		1		ľ	
					}										l l	
			İ		[ſ	
								1								
			İ		:			, ,		1] }			
					i											
					,											
						1		1	ł	ł	1 1			1 1	1	
			1		!									1	1	
			!			i			j	ľ				1	i	
					¦]]]	J	j						
					1						1 1				1	
			Í						ļ	1					1	
			1					1								
															1	
					1				}		1			1 1	1	
															-	
			1													
											j l					

RADIOACTIVITY DETERMINATIONS

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

SUID BASIN

MIDDLE AND LOWER SNAKE RIVER

STATION LOCATION COLUMBIA RIVER AT

PASCO, WASHINGTON

	DATE					RADIO	ACTIVITY IN Y	WATER				MADE	TIVITY IN PLAN	BCTCH (Hy)	EAD	HOACTIVITY IN W	ATE
	MAIN Mark		DAT	E OF		ALPHA			BETA		DA	TE OF	Word A	спупу		CURCUM ACTIVIT	Y
			DET.			DIEMOLVED	TOTAL		DIRECLVED	TOTAL	H.	ATION	ALPHA	DETA		DIMOLVED	TOTA
ēΤ	DAY	YEAR	E CHITTE	DAY	ppa/l	##•/I	###/T	AA-c/I	AF-c/I	##4/1	Mo	DAY	A44/1	//=/g	A#e/1	##e/1	## - /
_						_	_		1007	1,045					i	1	
)		58	10	21	_		_	38		1045	- 1						
		58	11	15	. •	1	1	73	654	727	- 1	- 1				[
	28		11	13	-	-	-	86	548	634	- (] [
1	3	58	11	18	_	-	-	71	465	536	- 1						
1	10	58	11	20	-	-	-	56	680	736				1			
	18	58	12	Z	_	-	-	31	493	524							
2	1	58	12	18	_	-	-	78	958	1036	l					1	
2	8	58	12	24	_	-	-	91	568	659	ł			1		!	
2	15	58	1	9	_	-	-	56	369	425	ł			1			
1	5	59	1	26	-	-	-	93	4-8 B	581	1	- 1		1		1	
	12	59	1	29	-	-	-	6.8	724	792		ı				! !	
_	19		2	5	_	-	-	77	533	610	ì						
_		59	2	12	2	0	2	209	452	661)		Ì	
ż	2	59	2	17	_	_)	-	77	406	483		1		1			
2	9	59	3	_3	_	_ }	-	43	420	463		1				}	
	16	59	3	6	_	- 1	_	71	779	850]	
_	24	59	3	16	o	3 }	3	552	95	647	1					1	
_	z	59	3	13	_		_	128	862	990		1				l i	
3	9	59	3	23	_	- 1	_	69	508	577	ł					1	
3		59	3	30	_	_	_	52	218	270							
-	16		1	2	3	4	7	194	1034	1228						{	
-	23		7					73	431	504							
_	29	39	7	13	_		_	68	623	691	1	- 1		\	l		
	13	59		28			5	1			1				1		
	20	59	5	. 5	0	5	-	81	592	673							
	27		5	13		-	-	161	247	400				}		}	
5	4	59	, ,	18	2	0	2	119	341	460		Į.		[\	
5	11	59	5	25	-	-	-	33	198	231				t l			
	18	59	6	1	_	-	-	21	205	226				1 (i i	
5	25	59	6	9	2	1 1	3		150	188							
6	1	59	6	16	_	- 1	-	31	108	139				(
6	8	59	6	19	_	-	_	11	123	134							
6	15	59	7	2	_	-	-	34	119	153							
6	22	59	7	9	-	l – i	-	17	ВО	97	1	1		1 1		1	
6	29	59	7	14	_	-	-	4	108	112]		1		i l	
7	6	59	7	17	-	-	-	15	165	180				1 1	1	1	
7	13	59	7	30	_	-	-	2	99	101)					1	
	20	59	В	3	-	-	-	17	157	174		1		1 1]	
		59	8	10	0	0	0	3	82	8.5				1		i 1	
	-		1	•	_			_		1	ļ			1			
														1		, ,	
											{			1	1		
			1			1		1		1 1				1			

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

MIDDLE AND LOWER SNAKE RIVER

STATION LOCATION COLUMBIA RIVER AT

PASCO, WASHINGTON

	DAJ						BADA	OACTIVITY IN V	WATER			IIAD	#OAC	TIVITY IN PLAN	BITON (day)		RAI.	HOACTIVITY IN V	YATER
			-	947	_	T	ALPHA		T	BETA		BATE D	-	S ROSS /	CUAL	1		SROW ACTIVIT	7
	TAN		1		, i	SUSPENDED	DASSOLVED	TOTAL	FUSPERIORD	DIMOLVED	TOTAL	BATE O		ALPHA	DETA	1		DISSOLVED	TOTAL
					DAY	AAAT	APC/1	APe/1	AA-/	A44/I	A#e/I	MO D		April 0	APe/g	1	A44/1	A44/1	APe/I
	_	1 1 1 4	+		UAT_				~	<u></u>			+	11.4					
R	1	59	,	8	14	_	_	_	54	292	346								
ă	10	59		i	žŏ	-	_	_	1 77	365	462		i			ĺ			
	17			8	31	_	l - I	_	49	381	430					ļ			
			- 1		_		1		,	406	458	ľ	1			ł	ł		
	24			9	. 3	0	1	1	52				- 1						
		59	- 1	9	15		-)	-	26	808	634	- 1	- 1						
9	5			ιo	30	-	- (_	12	229	241					1			
9				9	24	-	-	-	52	384	436								
		59		ſΟ	5	0	0	0	6	379	385					ĺ			
9	28	59	1 1	10	12	-	- 1	_	45	439	484								
			,			l	ĺ]		ľ			i			í I		
			1						i i										
			- 1			1			ł		ŀ	ł				ł		1	
			İ																
			- }								ļ	ļ	- 1				1	1	
			1			i													
			- [1		
										Ĭ									
			1			!													
			1						i	1			İ	ï			1 1		
			-																
			ì				1			ł	ŀ	- 1	- 1	- 1			ł		
			i			[i		1										
											1	1							
																	·		
]		J	J]]	
			1			}	1							- 1					
			ļ														l i		
						1			i i		ľ		- [ľ			ĺĺĺ		
			1				1												
							i		i l		- 1		1	- 1					
							ļ												
							1					1						,	
			1																
			1			j				J		J		J					
						ļ	l l				İ			I					
						l					- 1								
									[1	İ	1		1	ĺ			ľ	
					- 1		1		¦									ļ	
			1		- 1	}	- 1		1	1	ŀ							1	
							į.								1				
						ļ	1			1	ļ			ļ					
					J														
						1									l				
														- 1	ĺ		1	I	

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

COLUMBIA RIVER ABOVE YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

WENATCHEE, WASHINGTON

DATI	П				EADR	ACTIVITY IN Y	VATEL				BADIOA	TIVITY IN PLAN	ROTON (My)	IAI	HOACTIVITY IN W	/ATE
EANFLE	r	DATI	L DF		ALPHA			PETA			DATE OF	SACIO A	ETIVITY		STORE ACTIVIT	Y
TAREN		DATE	ION		DIMEDLYED	TOTAL		DITEROFAED	TOTAL		NATION	ALPHA	DETA	CUSPERIOR	DIMEDLYED	TOTAL
O DAY YE	4	M DWTH	DAY	A#⊕/I	APe/1	###/I	A#e/l	Apre/1	##e/1		MO DAY	441	AP-v/g	###/I	Apa/I	## 4/ 1
	.	10	17	l <u> </u>	_	_] 3]	11	14		1 1					
6 5		10 10	24	_	_ 1	_	4	19	23		1		1			
14 5			3		_	_	6	8	14		1 1				1	
22 5		11	13	_	_	_	5		5	}	}		·	1		
29 5	_ 1	11 11	18	_	_	_	6	28	34		1			1	1	
3 5	- 1	11	24	_	_	_	0	20	20		1 1					
1 12 5	1	12	1	_	_	_	0	16	16		l		1			
1 18 51 1 25 51	- 1	12	10	ا ہ ا	0	۵	Ö	1 7	• •	l	1					
	- 1	12	12		ō	Ď	1 1	18	19		1 1		1			
2 1 5	_ 1	12	29	-	_	_	Ô	9	9		1					
2 8 5		1	6	_	_	_	Ö	, j	5		1				ŀ	
2 15 51 2 29 51		i	16	_	_	_	1	í	í		1				1	
		i	26	_	_	_	3		ıî		1 1					
_	١.	2	5	_	_	_	5	14	19	1	1				1	
		2	10			٥	٥	168	188		1				\ \ \	
	- 1	2	16		_	_	5	3	1.0		1 1					
_		3	2	_	_	_	121	171	292		1 1				}	
		3	5	_	_	_	6	14	20		1			Ĭ		
-		3	11		o	1	6	27	33	1	1				1	
2 24 5		3	12	1 1	_	<u> </u>	5	27	32	ŀ	1 1				}	
3 2 5' 3 9 5'		3	19	_	_	_	26	47	73		1 1					
3 17 5		3	26	· _	_	_	16	10	26	-	1 1	1			}	
3 23 5	- 1	Ĭ.	1	1 0 1	٥	0	12	41	53		i i					
3 30 5°	- 1	Ĭ	9	<u> </u>	_	_	56	73	129		1 1				i	
4 6 5		I	14	_	_	_	14	34	48		1 1					
13 5	- 1	4	27	_	_	_	12	109	121		1 1					
4 20 5		4	30	0 1	0	0	26	41	67		1 1				l	
4 27 5		5	28		_	_	20	36	56		1 1					
5 4 5	- 1	5	18	<u>-</u>	_	_	7	55	62		1				`	
5 11 5	ı	5	21	_	_	_	Ö	8		1	1 !				1	
5 18 5		6	1	_	_	_	3	9	12	ĺ	1					
5 1 5		6	15	_	_	_	2	3	- 5		1 1				1	
8 5	- 1	6	19	_	_	_	11	22	33							
15 5	- 1	6	30	_	_	_	24	67	91		1 1				i 1	
22 5		7	9	_	- 1	_	Ö	Ö	Ō) 1	
5 29 5	- 1	7	9	_	- 1	_	1	0	1	ĺ					i	
7 6 5		7	15	_	_	_	Ô		ô	1						
7 13 5	- 1	7	29	_	_	_	0	0	Ö						,	
7 20 5	- 1	B	3	_	_	_	Ö	2	2						1	
7 27 5		8	7	ا ہ		0	5	13	18	1			1			
	- 1	-	'			•	1		10	1			I	1		

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

RADIOACTIVITY DETERMINATIONS

SUB BABIN

COLUMBIA RIVER ABOVE YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

WENATCHEE, WASHINGTON

	MIL					PAD.	DACTIVITY IN V	VATUR		T	T	EADICA	CTIVITY IN FLA	HETON (My)	EAC.	HOACTIVITY IN	WATER
	API.		DAT		·	ALPHA			RETA		T	DATE OF	STORE	ACTIVITY		ERGES ACTIVI	
	UCH		DATE DETE MAT	TON .	FUET DIED	DISSOLVED	TOTAL	FUED DOCUMENT	DIRECLVED	TOTAL	-	DATE OF STERMI	ALPHA	META		DIMOLVED	TOTAL
0 0	MY	YELLA.	HERTH		ARO/I	pp=/1	A44/1	ppe/l	ppe/I	ppa/1		40 DAY	H-/-	A4~/g	AAc/1	AA4/1	A#c/1
_	_																
	3	59		12	' -	-	_	10	15	25							
1				18	_	-	_	0	12	12	1	i			1 1	ľ	
3 1 3 2			9	31	-	- 0	-	0	0 10	10							
, 2			9	2 11	0	_	_	0	2	2							
1			9	21	_	_	_	i	11	12	i	Í		ľ	1 1 1	ĺ	
9 2			10	- 6		_	_	ż	1								
			10	٠	_	_		•		' '							1
								1 1		ľ	ľ			ĺ	1 1 1	i	
					1			1 1							1		
					1			!									
										i i		i		Ĭ	1 1		
		i								1							
		i															
		1						ĺ	- 1	- 1	ĺ	ĺ		1	1 1		
								ĺ									
		- 1			[i	1	ſ	1	1	1			[[
					<u> </u>												
		ŀ			ĺ	[ļ į		1	- 1	1			[[[
		- 1								ŀ							
		ĺ		j		ĺ	1	[ĺ		ĺ				[[[
		ļ				1											
						[[
		l									l l						
								ľ									
							1		ļ	[
						1		1	J								
		- 1			1	ſ	1	1		[1					
										1							
				,				İ		1							
		- 1				1	[ĺ		[
		- 1					İ	ļ									
		- 1		1	[- 1		[1	[[- 1					
					ļ				1								

STATE

MASSACHUSETTS

MAJOR BASIN

MORTHEAST

RADIOACTIVITY DETERMINATIONS

BUB BASIN

CONNECTICUT RIVER

STATION LOCATION CONNECTICUT RIVER BELOW

NORTHFIELD, MASSACHUSETTS

	τ			EAD	DACTIVITY IN V	VAJEL				RADIOA	CTIVITY IN PLA	ACTON (Alex)	I III	HOACTIVITY IN V	WATER
PATI Dans	DAT			ALPHA			BATA		1			ACTIVITY	· +	BROSS ACTIVE	TY
TAREN	DAT DETE HAT	DEMI-	SUGPEN DIED	DISOLVED	TOTAL	SUSPENDED	DLESOLVED	TOTAL	i	DATE OF DETERMI NATION	ALFIKA	META	AUSPINION	DLEEDLYED	TOTAL
MO DAY YEAR			A#c/I	ppe/1	##c/1	ppe/I	A#e/I	A#c/l	1	MO DAY	#•/s	APC/8	AP-o/1	Apr/l	## = /1
NO DAY	20		.,,	7.1.0	- 1, 5	7,1-1				1-:-		_~-	 -	,,, <u>,,,,,</u>	
6 1 59	6	12	0	0	0	2	5	7							
7 13 59	7	30	-	-	_	0	6	6	İ					l i	
9 8 59	9	21	_	_	-	9	0	9							
,	l														
														ľ	
	i														
										i l					
	l								ļ			Į		ļ l	
												l		l	
												l			
	l													1	
									1						
]	
									ļ.						
					1										
					l										
					l					1				1	
l					l										
					1	L			L	L		<i>!</i>	L L	L	l

STATE

PENNSYLVANIA

MAJOR BASIN

NORTH ATLANTIC

RADIOACTIVITY DETERMINATIONS

SUB BASIN

DELAWARE-SCHUYLKILL RIVERS

STATION LOCATION DELAWARE RIVER AT

PHILADELPHIA, PENNSYLVANIA

	DATE					PAD	OACTIVITY IN Y	YATE			MADIO/	CTIVITY IN FLA	HECTON (sky)	IAI	HOACTIVITY IN Y	YATER
1			DATI			ALPHA		1	META		DATE OF	6.00	ACTIVITY		SHOES ACTIVIT	Υ
	TAR		CHETTE	-		DIMBOLYED	TOTAL	SUMPRIORIES	DISMOLVED	TOTAL	DETERM! NATION	ALPHA	BETA	SUSPENDED	DI SSOLVED	TOTAL
W 0	DAY	74.11	BOSTN	DAY	Ate/l	Ape/I	APt/1	Apr/l	ppe/	APE/I	MO DAY	444/9	APA/g	A#c/1	##e/1	/#c/1
		-	• •				_	_	.,		ļ]			
10		58	10	16	-	-	_	9	31	40 50						
10	14		10	23	-	_	<u>-</u>		46 22	27						
	21	58 58	10 11	29 7	-	-	0	1 7	33	37						
11	3	58	11	14	-		-	29	37	66						
	10	58	11	24		_	_	21	20	41			ĺ			
ii	14	58	ii	28	_		_	1	27	31	1					
11	24	58	12	9	٥	0	٥	10	20	30				'		
12	ī	58	12	15	i	0	1	27	22	49			1	[[
12		58	12	18	_		_	-6	6	12			1		1	
	15	58	1	- 9	-	_	-	8	10	18			l i			
	22	58	ī	7	_		-	9	6	15			[
12	30	58	1	20	1	0	1		1	1			1	1	1	
1	5	59	1	22	1	0	1	36	38	74]]	1		
1	12	59	1	28	-	-	_	52	27	79					: 1	
1	19	59	2	5	-	-	-	20	18	34	1 1		1		1	
1	26	59	2	12	-	-	-	38	45	83						
2	Z	59	2	16	0	0	0	0	39	39			ĺ			
2	9	59	2	24	-	- 1	-	33	29	62	1 1		1			
2	17	59	3	6	-	-	-	62	52	114				1		
3	Z		3	12	1 1	1	2	45	25	70				į l		
3	9	59	3	18	-	-	-	72	28	100	i i			1 1	ľ	
3	16	39	3	26	-	-	-	30	28	58				1 1	1	
_	24	59	•	3	-	-	-	28	26	54						
3	30	59	•	13	- [-	-	23	35	5.0	i i					
•	. 6	59	*	16	- 1	-		20	64	84					}	
	13	59	•	Z8	-	-		26	30	56						
4	20 27	59 59	🕇	30 8	<u>-</u>	- 1	1	68	10 51	78 74						
5	5	59	5	zo	-	- I	_	72	27	99				1		
-		59	5	25		_		12	3	10					J	
-	19	59	6	1	_	_	_ [6	38	44					1	
	26		6	â	_	_	_	20	24	- -	1 1			1	}	
6	1	59	6	12	ا ه	0	٥	i		ī))	}	
4	ŝ	59	7	15		_	_	6	Ă l	13						
•	ZZ		7	9	- 1	_	-	15	17	32					l	
	29	1	7	ģ.	-	-	-	· o	23	23				1 1	J	
7	6	59	7	17	o	0	0	3	28	31						
7	13	- 1	7	29	-	- 1	-	ő		6		l				
	20	59	8	3	_	-	-	ō	3	3)		
	28		6	10	-	-	-	Ž	ا وَ	11						

STATE

PENNSYLVANIA

MAJOR BABIN

NORTH ATLANTIC

RADIOACTIVITY DETERMINATIONS

SUB BASIN

DELAWARE-SCHUYLKILL RIVERS

STATION LOCATION DELAWARE RIVER AT

PHILADELPHIA, PENNSYLVANIA

TAISH NATION SUSPENDED DISSOLVED TOTAL SUSPENDED DISSOLVED TOTAL NATION ALPHA	EXTA APRIL APR		BACTIVITY IN W	
NO DAY YEAR NORTH DAY APEN				
NO DAY YEAR BORTH DAY APRIL	Adm/g			
8 4 59 8 12 0 0 0 2 5 7 8 10 59 8 19 0 51 51 8 17 59 8 27 4 0 4 8 24 59 9 1 0 4 4				
8 10 59 8 19 0 51 51 8 17 59 8 27 4 0 4 8 24 59 9 1 0 4 4				
8 17 59 8 27 4 0 4 B 27 59 9 1 0 4 A A				
8 24 59 9 1 - - 0 4 4				
8 31 59 9 10 0 6 6 5 0 5				
		1 1	i i	
		1 1		
	1 1	1 1	ļ.	
			1	
	1			
		1	}	
		1	1	
]		
			Į	
		1	ļ .	

STATE

PENNSYLVANIA

MAJOR BABIN

NORTH ATLANTIC

RADIOACTIVITY DETERMINATIONS

SUB BASIN

DELAWARE-LEHIGH RIVERS

STATION LOCATION DELAWARE RIVER AT

EASTON, PENNSYLVANIA

	DATE					EAD	OACTIVITY IN V	WATER			T^-	RADR	ACTIVITY IN P	LANKTON (dry)	TAIL TAIL	HOACTIVITY IN	WATER
	HALE		DAT	107	J	ALPHA		T	BETA		7			ACTIVITY	7	BROWN ACTIVI	
	TARR	4	HA	T OF COMI :	SUMP DIDED	DIRECLVED	TOTAL	SUSPECTED TO	DISSOLVED	TOTAL	1	DATE DE DETERM NATION	ALPHA	III.TA	SUSPERIORD.	DISSOLVED	TOTA
MO	DAY	YEAR	M DMTK	DAT	###/I	ppe/I	ppe/I	AAc/I	###/T	ppe/l		MQ DA	Y ##4/#	April 0	##e/I	##c/l	Apr./
								1		1	Т						
•	. 6			17	0	0	0	11	17	2 B	1				1 1		
4	13		•	29	_	-	-	2	55	57	ļ	1			1 1		
5	ı	59	5	12	-	- 1	_	20	50	70			1				
			i					ì	1								
			ļ		(i	ı	[]	1	j		ĺ	
					1						1		1	ļ	1 1		1
								1	1			ļ.		1			
						! }				1]	J]
			1					1	i				1	1			
			1			Ì		1	1				1				ļ
			1						ļ			}	l l	1			
]	1	1	ł	l					
						' I		1		l	1	l			1		
			ŀ					1			ļ			1			
								!		1							
					j				ļ								
					•			1				1					ļ
												ļ					1
								, ,		1		1	1]]		1
			ŀ			1					1						1
										1			1		1 1		
			1										1		1		Į.
												l	ł		1		ł
												i			1 1		
					1	ľ					ĺ				1 1 1		Ī
								1					ł	ł			
				į		į							İ		1 1 1		
				1		ŀ	l							ľ			(
					1	i						ĺ	1				
							j	j				ĺ		İ	1 1		j
															1		
					1	i		ł					ł	1	1 1		i
					1				i				l	1			
			'		-	- 1	1	ľ									ĺ
						- 1			l								ĺ
		J				1	j	j	ľ		,		1	1			
		- 1			ł			ļ									
					j	ĺ		{							[[l	
		í		i	1	- 1	1		1				1	1	1 1	(ĺ

STATE

NEW YORK

MAJOR BASIN

NORTHEAST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LAKE ERIE-NIAGARA

STATION LOCATION LAKE ERIE AT

BUFFALO, NEW YORK

	ATT					BADI	OACTIVITY IN V	YATE				RADIOA	CTIVITY IN PLA	NETON (dry)	EAC	HOACTIVITY IN Y	VATER
			DATI			ALPHA			BETA		1	DATE OF	Septemb .	ACTIVITY		SROBS ACTIVIT	7
			DETE	TON	SUMPONDED	DLESOLVED	TOTAL	CUST ENDED	DI MOLVIED	TOTAL	1	DETERMI- NATION	ALPHA	EET A	FUSPIONDED	DIMOLVED	TOTAL
MO 0	AY	TEAR	MONTE	DAY	AA-o/I	## = /1	p.pag/T	###/I	AAC/I	pp=/1	1	MO DAY	P#-/1	AAc/g	AF-e/T	## €/1	##c/1
							_										
	2		10	13	0	0	0	5	. 5	10		1 1					
10	6	50	10	20	_	-	-	2	43	45		1 1			1		
10 1	5	56	10	24	-	-	-	1	В	9	l	1 1					
10 2			10	30	_	-	-	0	32	32		1 1					
10 2	9	58	11	7	0	0	0	1	15	16		1 1		1			
	-	58	11	17	_	-	-	6	11	17		1 1		1			
11 l	_	54	11	19	-	-	_	8	61	69		1					
11 1		50	12	1	-	-	_	7	14	21		1 1		1			
11 2	6	58	12	11	0	2	2	14	19	33		1 1					
	-	58	12	12	0	1	1	4	15	19		1 1		1	1		
12 1			12	29	-	-	-	7	6	15	ĺ						
12 1	7	58	1	9	-	-	_	9	15	24	l	1 1					
12 2		58	1	13	-	- 1	_	6	32	38		1 1					
12 3		58	1	16	-	-	-	0	21	21		1 1		1			
_		59	1	26	-	-	-	4	16	20		1					
11			1	28	-	-	-	4	11	15							
1 2	1	59	2	6	-	-	-	5	20	25							
1 2	8		2	12	- 1	-	-	4	20	24							
2	4	59	2	16	0	0	0	8	8	16							
2	9	59	3	3	-	-	-	0	0	0		1 1					
	6		3	9	-	-	-	30	37	67		1					
_	5		3	10	-	-	_	0	5	5							
		59	3	16	•	1	1	0	31	31							
3 1		59	3	23	0	0	0	12	5	17							
3 1		59	3	27	-	-	-	4	15	19							
3 2		59	•	6	_	-	-	•	18	22		ľ		1			
3 3		59	4	13	-	-	-	. 5	18	23		1 1					
		59	•	20	-	-	-	12	46	58		1					
4 1		59	4	27	-	-	-	4	42	46						l i	
. –	0		5	4	-	-	-	7	56	63							
	9		5	13	_	_	-	34	11	45				1			
		59	5	20	0	0	0	8	17	25				l l			
5 1	_		6	11	-	-	-	17	16	33							
		59	7	6	-	-	-	7	43	50							
5 Z		59	6	5	-		_	14	28	42							
_		59	6	16	1	1	2	22	29	51							
		59	6	19	-	-	-	0	4	4							
6 1		59	<u> </u>	2	-	-	-	11	21	32							
6 2			7	7	_	_	_	5	12	17				1			
6 Z	7	77	8	27	0	0	0	2	0	2							
						J]								j	

STATE

NEW YORK

MAJOR BASIN

NORTHEAST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LAKE ERIE-NIAGARA

STATION LOCATION LAKE ERIE AT

BUFFALO, NEW YORK

DA	-					24	DACTIVITY IN Y	WATE				BADIO	ACTIVE	TY IN PLA	HETON (A)		EAD	HOACTIVITY IN V	VATE
244		1	DAT		1	ALPHA		T	BETA		1	DATE OF	Г	Mode .	ACTIVITY	1		SROW AUTIVE	ry .
TAI		Į	DATE	HOM.	SUSPENSED	DISCOLVED	TOTAL	BUSPEDIDED	DIESPOLVED	TOTAL	1 1	DATE OF DETERMI NATION		LPHA	BETA	1	#UMPENDED	DIMOLVED	TOTAL
MO DA	Y 1	ш			ppa/1	AP=/1	AAC/I	AA-4/1	ppe/1	p.p/1	1	MO DAY	_	444/9	APA/U	1	###/I	AAA/I	A#4/I
]						1											
			7	17	0	0	0	0	33	33	1 1								
7 13		- 1	8	27	-	-	-	6	38	44	1 1								
7 29		59		10	-	_	_	3	18	21	1 1								
8 19		59	8	26	-	-	-	0	0	0))								
8 26		59	9	3	-	_	-	0	12	12									
9 2	: :	59	9	14	0	0	0	4	6	10									
9 9		59	9	17	- :	_	_	10	27	37]]		1			J]		
9 14	. :	59	9	28	- 1	-	-	3	13	16									
9 23		59	10	5	- !	_	-	0	3	3									
9 30		59	10	8	- !	_	-	2	5	7									
					1			_		l									
		ì			1														
		- 1			!														
					1														
		- 1			, ,						1								
					i i]			1 1								
					i i			ĺ			ĺl				[[[1	
					!														
					[]								1						
					1						1 1								
					1														
					ì														
					į l														
					!														
					1 1			1			1 1		Ì			i	1 1	i	
						ļ													
					1			1											
					1														
								ł											
								li											
					[l			
		- 1				1			- 1										
		-																	
		j.]					i					l	
									[
						ļ		1										ļ	
		- 1																	
				i		1													
				1												l			

STATE

MICHIGAN

MAJOR BASIN

WESTERN GREAT LAKES

RADIOACTIVITY DETERMINATIONS

SUB BASIN

ST. CLAIR-DETROIT RIVERS

STATION LOCATION DETROIT RIVER AT

DETROIT. MICHIGAN

PAT					BADI	DACTIVITY IN V	VATE				BADIOA	CTIVITY IN PLA	HICTON (dry)	RAC	HOACTIVITY IN V	VATER
		DAT			ALPHA			BETA			DATE OF	ences .	ACTIVITY		GROSS ACTIVE	~
TAR	N	HA.	ERM! TION		DIAMOLVED	TOTAL	SUPPLIED	DIMBOLVED	TOTAL		NATION	ALPHA	BETA		DIMOLVID	TOTAL
MO DAY	TEAM	MONTH	DAY	gg-g/l	###/T	Ape/I	A4e/I	April 1	###/I		MO DAY	res/g	AF4/g	AAe/I	μμε/I	## ~ /1
		1.0	17	_	_	_		53	57							
0 6		10	23	_	_	_	4	75	9				1			
0 14		10	29	_	_	_	12	25	37							
0 21 0 29		111	12			_	10	1 3	3	ļ	1 1]]			
0 29 1 5	58	111	18	_	_	_	Ö	11	11							
1 11	58	ii	25		_	_	ا م	- <u>-</u> -	-:		1					
1 18		12	1	_	_	_	3	15	18							
1 26		12	10	0	0	0	7	4	11							
2 3		12	16	o	0	0	Ó	11	11				1			
2 9	58	12	24	_	-]	_	0	4	4]			
2 16		1	6	_	_	-	0	10	10		1 1					
2 29		1	16	-	-	-	3	12	15		1 1					
1 6	59	1	21	0	0	٥	o	4-8	48		1					
1 13	59	1	29	-	_	-	7	12	19	1			1			
1 21	59	2	9	-	_ '	-	0	3	3		1					
1 28	59	2	12	- '	_	_	2	1 1	13				!			
2 10	59	2	24	-	-	_	3	3 (6	1			[
2 16	59	3	6	-	-	_	3	8	11				1			
3 3	59	3	20	_	-	-	3	26	29							
3 10	59	4	21	_	-	-	0	1	1				l		Ì	
3 18	59	3	27	_	_	_	0	0	0		1		l i			
3 24	59	4	6	i -	-	-	5	26	31		1			,	i	
3 31	59	4	9	0	0	0	8	20	20	ĺ	1		1 1		I	
4 7	59	4	14	_	-	-	23	26	49		1		1			
4 13		4	2 5	_	_	-	8	15	2 6				1			
4 20	_	5	4	-	_	-	2	35	37				1			
4 ZB	59	5	11	-	_	_	22	93	115		1		1 1			
5 5		5	19	0	0	0	39	87	126							
5 13		5	25	-	-	-	15	24	39		1 1		1 1			
5 19		6	18	_	-	_	5	20	25		1		1			
5 25		6	18	_	_	-	3	10	13				1			
6 2		6	12	٥	0	0	0 5	10 7	10		1		1			
6 B	59	6	19	-	-	_	-	8	12							
6 15	_	7 7	2	_		_	5	3	13							
6 29		7	14	_	0	_	0	0	3	1			1	İ		
7 6		'7	17	_	_	0	0	4	0					1		
7 13 7 20		l é	29 4	_		_	4	7	4]	
						_		9	11					Ì		
B 11			18		-		0	-	9							
B 18	59	9	26 1	_	_	<u> </u>	10	38 B	39 18	1				ì	<u> </u>	
u 24	27	7				_	10		7.0	L						

STATE

MICHIGAN

MAJOR BASIN

WESTERN GREAT LAKES

RADIOACTIVITY DETERMINATIONS

SUB BASIN

ST. CLAIR-DETROIT RIVERS

STATION LOCATION DETROIT RIVER AT

DETROIT, MICHIGAN

	DATE		_		-	BADE	DACTIVITY IN Y	VATE			Т	RADIOA	CTIVITY IN PLA	ECTON (day)	RAI	HOACTIVITY IN W	/ATE
			DAT	T 97		ALPHA		1	-ETA		1	DATE OF	UNDER .	CTIVITY		BROOM ACTIVIT	~
	ш		CHETT		SUPPOSE .		TOTAL	SUPPORTED		TOTAL	1	DATE OF DETERMI NATION	ALIPHA	RETA	SUSPENDED	DISSOLVED	TOTAL
₩0	DAY	TEAR	HORTE		F.F-w/1	APa/1	AAc/l	AP4/I	A#•/1	ppe/1	1	MO DAY	#4/1	444/9	A#e/1	##e/I	##•/I
9		59	9	14 17	0	0	0	0	6	6 5		1 1					
9	8 14	59	9	23	-	_	_	5 7	3	13		l i					
		59	9	28			_	Ó	o	0							
	30		10	12	_	i <u> </u>	_	ا ۋ ا	4	7							
-			- -		}	}			,	,							
			1		1]									
						1		1				1					
			ĺ		}												
			į]									
			ļ		1												
			1		1												
						ì		1									
]									
					1						i						
			l		1			i l				l I					
						i						i 1					
			1														
			1		1						ļ						
			1														
							•										
								i l									
								1 1									
					1												
						1			1								
					1 1				1		ľ						
					1				J		l						
					1 1												
					1 1												
					1												
						ļ		1									
						1											
						ľ											
															LL		_

STATE

MINNESOTA

MAJOR BASIN

WESTERN GREAT LAKES

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LAKE SUPERIOR

STATION LOCATION LAKE SUPERIOR AT

DULUTH, MINNESOTA

DATE				EAD	DACTIVITY IN V	#ATE			EADIOAC	TIVITY IN PLAN	OCTOH (My)	BAI	HOACTIVITY BY W	/ATE
MALE	DAT	E OF		ALPHA			BETA		DATE OF	EROSS 4	CTIVITY		STORE ACTIVIT	Υ
TAKEN	HAT	TON _	PURPENDED	DIEMOLVED	TOTAL		DISSIDLYID	TOTAL	MATION	ALPHA	BETA		DIMOLVED	TOTAL
IO DAY YEAR	ROWIN	DAY	APC/I	## = /1	<u> </u>	##c/1	FFe/I	AAC/I	MO DAY	44-/-	ppe/g	Afte/I	A4-4/1	A# c/1
0 6 58	10	15	_	_	_		8.6	86						
0 13 58	10	23	_	_	_	0	19	19						
0 20 50	10	29	_	_ [-	0	11	11	1 1					
0 27 58	11	6	0	0	0	0	7	7						
1 3 58	11	17	_	-	-	0	4	4	1 1					
1 10 58	11	25	-	-	-	3	13	16						
1 17 58	11	28	-	- 1	-	0	0	0	1 1				,	
1 24 58	12	10	0	0	0	0	•	•	- 1 - 1					
2 1 58	12	16	0	0	0	0	0	_ 0						
2 8 58	1	13	-	-	-		11	19						
2 15 50	1	6 7	_	-	-	6	1 1	,,						
2 22 58	1	13		-	_	0 0	12	13				ļ		
2 29 58 1 5 59	1 1	22	-	-	_	1 1	i	ž						
1 5 59 1 12 59	li	28	_	_	_		10	10						
1 12 59	2	5	_	_	_		1 4	4						
1 26 59	Ž	11	_	_	_	3	3	<u>.</u>	1 1			1		
2 2 59	Z	17	_	_	_		3	7						
2 9 59	3	13	0	o l	0	3	2	<u> </u>						
2 16 59	3	- 5	_	_	_	4	4	В						
2 24 59	3	11	_	-	-	1 1	17	18						
3 2 59	3	12	-	-	_	0	6	6						
3 9 59	3	19	0	1	1	0	0	0	1 1					
3 16 59	3	26	-	-	-	0	5	5	1 1					
3 23 59	4	3	-	-	-	0	6	6						
3 30 59	4	9	-	-	-	17	68	85						
4 6 59	4	17	0	0	0	0	15	15						
4 13 59	4	23	-	-	_	0	3	3						
4 20 59	5	4	-	-			43	51						
4 27 59	6	26	-	-	-	0	'	′						
5 4 59 5 11 59	5 5	13	-	-	-	1 12	2	3	1 1				1	
5 18 5 9	6	21		_	-	17	11 108	23 125						
5 26 59	6	8	_	_	_	10	12	22						
6 1 59	6	15	_	_	_	100	12	6	\					
6 B 59	6	16	0	o	0	2	83	85						
6 15 59	7	2	_	_	_	12	9	21						
6 22 59	7	9	_	_	-	4	5	9			1			
6 29 59	7	9	_	_	_	o	148	148						
	l										1			

STATE

MINNESOTA

MAJOR BASIN

WESTERN GREAT LAKES

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LAKE SUPERIOR

STATION LOCATION LAKE SUPERIOR AT

DULUTH: MINNESOTA

	DAI	ŧ				EAD	OACHYRY IN	WATER			Τ_	EADIO	ACTIVITY IN FL	ANKTON (Hy)	I I	HACTIVITY IN	WATER
1	W	u	DAT	T CIF		ALPHA			BETA]	DATE OF DETERMINE MATION	Altout	ACTIVITY		BROOM ACTIVI	
	TAIL				BURPO COCO	DISSOLVED	TOTAL	FUSPERIOED	DIESPOLVED	TOTAL				BETA	FURPHINDED	DISSOLVED	TOTA
MO	BAY	TEAR	BOSTE	DAY	A4e/I	pp./l	Apo/1	Aprel 1	###/I	APe/I	ļ	MO DAY	He/s	Apre/g	A#4/1	Ape/I	R#q/
7	4	59	7	15	l _ i	_	_	ا ه ا	0		ł			1		l	
		59	7	28	0	ō	0) 6	0	ŏ	i	1	ì	1			
	20		7	31	-	_ (_	1 6	Ŏ	ō	l		1			1	
	28			10	-	- 1	-	3	4	7		1					
	3	59		12	- 1	-	-	0	0	0		1	1				
	10			19	0 [0]	0	2	14	16	İ]			
	17			28	-	-	-	2	0	2				1			
		59	9	2	-	- 1	-	0	3	3				1			
9	8	59 59	9	11	-	- i	ō	0	2	2	ł			1		l	
_	14		9	16 23	-	-	-		4 7	11	l	1		1	i i .		
	21		9	30	_	_	_	7	Ó	Ō	ŀ		1	1 1			
ý			10	6	l - i	-	_	2	ō	2			1	1 1			
					ł /	1		1 - 1	_	_		l		1			
					l i	1		i)		1	ľ	1				
]	i		1	1			ı		1 1			
			!					1 1			ĺ	[1				
			1			i		1						1			
			1			Į.		1				[1		
			ì		1 1	i		1 1	1					1 1		1	
			1					1			ļ	{					
			1		ĺ									1			
			ĺ		[]	1		1				ĺ		1		Ĭ	
					1	1								1			
			Ì			Ì								1		- 1	
			}		,	- 1			1			!]			
						1			1				l]			
						1			1					1 1		1	
						ľ								1			
						l		ļ						1			
						1			ł								
						ĺ		1							1	ļ	
					1			1						1	1	}	
								{									
					1									1		ļ	
					1			- 1									
				1	}		1	ŀ						1 1			
		- 1			ļ		ļ	ĺ						1		ſ	
														1 1			

STATE

INDIANA

MAJOR BASIN

WESTERN GREAT LAKES

RADIOACTIVITY DETERMINATIONS

SUB BASIN

ST. JOSEPH RIVER

STATION LOCATION LAKE MICHIGAN AT

GARY, INDIANA

DATE				RADO	DACTIVITY IN V	VAJ E				RADIOA	CTIVITY IN FLA	HEJON (diry)	EAD	CACTIVITY IN V	ATIE
	DAT DETE NAT			ALPHA			BETA		DA	TE DF	ences .	ACTIVITY		SHOW ACTIVIT	Y
TAICH				DIAMOLVID	TOTAL	PLEPENDED	DHESOLVED	TOTAL	N/	TE OF	ALPHA	BETA		DISSOLVED	TOTAL
O DAY TELE	HONTH	DAY	A#-v/I	APe/I	##4/I	<u> </u>	A4-c/I	APe/I	MO	DAY	#√1	Apr/g	APe/1	##4/I	
6 58	10	14	_	_	_	1	14	15							
13 54	10	23	-	-	_	ō	45	45				(
20 58	10	28	-	_ '	_	0	10	10					ľ		
27 58	11	10	0	0	0	0	3	3				ľ			
3 58	11	13	-	_	_		6	6						ŀ	
10 50	11	19	-	-	_	3 (14	17	1	l		l (t l	1	
17 50	11	28	-	-	-	2	8	10							
24 58	12	2	- ,	-	-] 3	14	17	i			l l		- 1	
1 56	12	12	0	o j	0	6	38	44	ŀ			<u> </u>			
1 50	12	18	-	-	-	5	15	20							
15 58	1	5	1 - 1	-)	-) 0)	7	7	1)		1			
5 59	1	26	1	1	2	3	29	32	1			1			
12 59	1	2 B 5	-	-	-	0	9	9]	i						
19 59	2	_	-	-	-	•	6	6		l					
26 59	2	10 25	-	-	_	•	0	4		ł		1		i	
9 59 24 59	3	11	0	0_	0	6	14	20						1	
_	3	11	_	_	_	10	13	23		i					
2 59	3	19	-		_	4	11	15		ľ					
17 59	3	26	-	_	_	13	11 15	24 34		}		 		1	
24 59	[2	_	_	_	16	15	21							
14 59]	23	_	_	_	1 18	29	47		ĺ				l	
20 59	ا ا	-4	_	_	_	42	56	98							
28 59	6	6	-	_	-	20	26	46		ļ		ļ ļ			
4 59	6	25	_	_	_	12	24	36							
12 59	6	26	0	0	0	9	15	24		ľ		l !			
19 59	5	29	-	-	_	15	54	69		l			i l		
2 59	6	15	1	-	_	48	17	65	l	Į.					
9 59	6	16	1 1	0	1	2	0	2	ŀ						
15 59	6	30	-	-	-	3	16	19		l					
22 59	7	7	-	-	-	0	5	5							
29 59	7	9	- 1	-	-	1 1	108	109		ĺ					
6 59	7	15	-	-	-	0	8	8)					
13 59	7	27	1	0	1	0	1	1							
20 59	7	31	_	-	-	33	55	88							
7 20 59		4	_	-	-	1	0	1					[
4 59	1 8	12	-	-	-	0	30	30	ľ	1		1	ĺ		
							1								
							[
												1			
	1											\		1	

STATE

INDIANA

NIBAE ROLAM

WESTERN GREAT LAKES

RADIOACTIVITY DETERMINATIONS

SUB BASIN

ST. JOSEPH RIVER

STATION LOCATION LAKE MICHIGAN AT

GARY, INDIANA

	ATE					BADI	DACTIVITY IN V	VATE			ПП	BADIOA	CTIVITY IN PLA	NECTON Hely)	PAC	HOACTIVITY IN V	VATER
	W		DAT	E 07		ALPHA		1	BETA		1 1	DATE OF	Shoes	ACTIVITY	1	SROWS ACTIVIT	γ
			DATI DETE HAT		everomento	DUMBOLVED	TOTAL	SUMPERIORD	DIRECTAL	TOTAL	1	DATE OF DETERMI NATION	ALPHA	BETA	SUMPTONIES	DISSOLVED	TOTAL
HO I	DAY.	TEAL	SOUTH.		pp=√1	ppe/l	AAc/1	AAc/I	##e/I	##e/1	11	MO DAY	444	ppe/g	##e/I	##c/l	Ape/I
														1			
		59	9	10	l <u> </u>	-	_	0	2	2	1 1			l			
	8		9	16	0	0	0	0	2	2 7	1						
9 1			9 10	23 5		_	-	14	5	19				1	1 1	l l	
9 3	7 M	77 59	10	ģ			_	1	2	3	l I	J					
	-	- 1	•	-				-		_	l i						
								1									
					1			[ļ į	ı			1		
								1			i l			i			
							l)									
					ŀ						1				1 1		
								j			[[
					!						1 1						
											(
]							1		
		!						1]]			1] }		
					1										1 1		
														ľ			
]									
														1			
														1			
										- 1						(
					l												
		i	ŀ								1						
]			1									
							i				1			1			
							ľ	' 1									
						1		1								1	
						1					1						
								1	1			-		1		ļ	
								1	1							[
											- 1	- 1]		
											- }			}		}	
		ı			i			l		ł	- 1	{					
								ļ	J	ľ	- 1						
									}	l						l	
		- 1		1						ì							

STATE

NEW YORK

MAJOR BASIN

NORTHEAST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER HUDSON RIVER

STATION LOCATION HUDSON RIVER BELOW

POUGHKEEPSIE. NEW YORK

DATI					BAD#	DACTIVITY IN V	YATE			RADIOAC	TIVITY IN PLA	HETON (Hy)	EAD	HOACTIVITY IN Y	VATER
EAMP		DAT	E OF		ALPHA			BETA		DATE OF	EROS.	ACTIVITY		SROES ACTIVIT	¥
TAKE	H	MAT	HOH	EU-ENDED	DIMEDLVED	TOTAL		DIMOLVED	TOTAL	HATTON -	ALPHA	BETA		DIMMOLVED	TOTA
O DAY	TEAR	HONTH	DAY	Ma-4/I	## 4/ 1	Apc/I	AAc/l	p#-e/1	F#4/1	MO DAY	AFE/ y	##=/g	AAc/1	A4c/l	###\
	58	10	15	_	_	_	2	21	23				1		
0 6	58	10	24	_	_	_	1	17	21						
0 20	58	10	28	_	_	_	انا	io	10	1 [] [
0 27		11	5	0	0	0	17	54	71			1			
1 3	58	ii	14			_	156	100	256			1			
1 10		11	21	_	_	_	13	44	57						
1 17	58	11	28	_	_	_	1 3 [93	36	i i					
	50	12	79		1	1	27	28	55	1 [, ,			
	58	12	12		å	Ô		15	20			l 1			
	58	12	23	_		_	46	21	67			l I		l	
2 B 2 15	58	12	24	_	_	_	"	22	30						
2 22	58	l î	-6	_	_	_	👗	32	36	1					
2 29	58	l î	14	_	_	_		16	24	1		\		l l	
_	59	i	22		_	_		•							
1 5	59	i	29	_		_	1 1	19	20	1 1					
1 21	59	2	9	_	_	_	1 6 1	10	10			l 1			
	89	2	11			_	33	6-6	99	1		i I			
_	_	1	18	0	_	0	177	85	262	1		\ !	1	1	
2 4		2	27	-	<u> </u>	_	_	-				l I			
2 9	59	2 3	5		-	_	51 29	49	100 7 5			l I			
2 16	59	3	11	_		_	44	46				i I			
2 25	59 59	3	16			_	36	66 69	110 105			l I			
_	59	3	20	-		_	44	56	100	1		1 1	1		
-	59	3	27	_	_	_	68	89	157						
]	3	_	_	_	79								
3 25	59 59	1	13		_		16	93	172 50						
4 1			20	_	_	_		34							
4 6	59	1 7	27	_		_	36	43	79	1 1		1 1	i '		
4 13 4 20	59 59	7	30	_	_	_	76	78	104			1			
]	_	_		_	1 7	21	97			1 1			
4 27	59	1 5	12 21		_	_	6	9	15			1 1			
5 6 5 13	59 59	5	25	-	0	_		- 1	0	1 1		1 1			
	-	1 7		\ <u>-</u>	_	_	118	143	261	1		1 1			
5 20 5 27	_	6	1 8	_	_		43	3 4 30	41 73			1			
6 1	59	6	16	1	-	1	17	49					1		
	59	6	19		-	-			56						
6 B		7	7	_		-	10	9	14			1			
6 22		1 7	9] [-	7	29 52	59			1			
6 29		7	15	[-	1								
J 27	77	'	10	- I	- 1	-	•	1	1						
		1			[]									[[
		1								1		1		1	

STATE

NEW YORK

MAJOR BASIN

NORTHEAST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER HUDSON RIVER

STATION LOCATION HUDSON RIVER BELOW

POUGHKEEPSIE, NEW YORK

DATE					g A Dé	OVCIIALLA IN A	YATE			EADIGA	CTIVITY IN FLA	MICTORN (ATY)	BAD	HOACTIVITY IN W	ATE
EAMP		DAT			ALPHA		 	BETA		DATE OF	BROSS.	ACTIVITY		SHOOM ACTIVIT	·
TAKE		DAT DETT		AUTO BOOK	DUMOLVED	TOTAL	sus-posto	DIEBOLVED	TOTAL	DATE OF DETERMI NATION	ALPHA	BETA	SUSPERIORD	DISSOLVED	TOTAL
DAY	TLL	BOSTN		App/I	Aprel 1	/ /44/ 1	A#=/1	AF-e/1	ppe/l	MO DAY	AP4/9	AAA/g	AFe/I	##c/l	April
	59			2	1	,	15	9	18						
13		ı	7	1 1	-		l fo	ý þ	9		ı			! 	
20			7	_ !	_	-	7	1		1				·	
29	59		10	-	_	-	2	9	11				1	·	
5	59		11	0	0	0	6	26	32			!	1	'	
12	59	8	20	- 1	i – i	-		18	22			1	i		
19			31	-	- [-	0	0	0			1			
Z 6	59	9	3	-	- 1	-	12	5	17			! !		' I	
2	59	9	14	0	0	0	4	11	9	1		1		·	
23	59	10	21 5		_	_	3	2	3	1 1				.	
30		10	9		-	_	6	6		1 1				·	
	,,	1 .0	•	_	l i				-						
							1 1	'	1			ł I		!	
				1			1 [
		1					1 1			1 1		1			
		1					[[1	}			[i	
		ļ		i .			1	}				1			
		1					i .					,			
				1]				1)			
				1				1))		l			
		ļ						1	1					!	
		i		1					i	l l				!	
		i		!											
		1		ł I	-		1 1			i i					
		1		j l			1		[{		
							!	ļ	j]				ı	
		1		!]]		ı)						
								1	į	1 1					
]						1 1					
							1	}					1	}	
		1			1										
				l										1	
									Į.						
									(
								J						1	
)	
							[]							}	
		ļ			- 1								1		

STATE

MASSACHUSETTS

MAJOR BASIN

NORTHEAST

RADIOACTIVITY DETERMINATIONS

SUB BASIN

MERRIMAC RIVER

STATION LOCATION MERRIMAC RIVER ABOVE

LOWELL, MASSACHUSETTS

DATE						DACTIVITY IN Y	WAI III				EAL	HOAC	TIVITY IN PLAN	CON Hy)	I -	IA.	HOACTIVITY IN Y	VATER
EAMPLE	1	DATE	er		ALPHA			META		1	DATE	- T	Chose A	четтупту	1		CHOSE ACTIVI	7
TAKEN	_	HATIC	_	NAME OF THE OWNER.	DIMOLVED	TOTAL		DIMOLVED	TOTAL		MATIC	7	ALPHA	BETA	1	FLISTENDED	DIRROLVED	TOTAL
O DAY YEAR	3 80	HTH	DAY	µ4e/1	##=/1	H+•∕I	##c/I	# #√1	A#4/1		MO 0	AY	Ate/p	AFA/ F		###/I	P#4/1	A44/1
0 17 58		10	29	_	_	_	7	6	13		ì					1		
0 30 58		_	14	_	-	-	14	91	105	i	1	- 1	1				'	
1 5 58	- 1		19	-	_	_	12	71	83	1								
1 17 58	- 1		28	_	_	_	18	98	56	Į.	1]		
24 58			10	0	0 1	0	14	28	42	1		- 1				1 1		
2 2 58			16	٥	o	0	12	17	29			- 1						
2 8 58			23	_	_	_	6	46	55	1		- 1			l	1		
2 15 58	-		12	_	_	_	29	57	86	1	i	Ì			1		ľ	
2 22 58	ľ		13	_	_	_	8	20	28		1				ĺ			
2 30 58			20	o	o	0	1 5	1	6		1				ŀ		1	
7 59			29	_	_	_	1 10 1	17	27									
1 14 59	1	2	6	_	_ 1	_	46	11	57	i	i	- 1				i i	i	
2 16 59		3	9	_	_	_	1 0	12	12							1		
2 25 59		-	ıí l	_	_	_	20	28	48		l	- 1				1		
3 11 59	1	_	23	- 1	_	_	120	94	214	J	}		ŀ			1 1		
3 18 59		4	1	_	_	_	55				1		1		ĺ		İ	
3 24 59		I	6	_	_	_	50	105	160	1						1		
3 30 59	1	4	10	_	_	_		41	91							1	Ĭ	
	1		21	_		_	B 2 3	59	882	ł	1							
+ 6 59 + 13 59			2 B	_ [<u> </u>	-	127	12	139	1								
· 20 59	1	5	4	_	_	_	5	25	30	ł	1		ŀ			1	}	
			. 1	_	ļ		11	16	27	ŀ	1				}	1 1		
4 29 59 5 6 59		-	13	- 0	-	-	14	36	50						İ	j l	ľ	
		-	19	-	J	0	18	4 2	60									
13 59		-	25	-	-	_	32	22	54								1	
20 59		6	1	-	-	-	12	23	35									
25 59		6	8	- 1	_	-	42	34	76	1	Ĭ	- Î				1 1		
1 59			16	1	0	1	1	1	2	1								
8 5 9			19	-	-	-	10	13	23									
15 59		7	7	-	-	-	7	5	12	ļ								
22 59	İ	7	9	-	-	-	9	19	28									
29 59			L 🌣 📗	- 1	-	-	56	39	95))	-)	}			ļ ļ		
6 59			17	0	0	0	6	16	22									
7 13 59			30	- 1	-	-	9	23	32						ĺ		1	
20 59		8	3	-	-)	-	3	11	14]	ļ)]	1	
27 59			1	-	-	-	0	16	16								ł	
3 59			В	0	0	0	6	9	15									
10 59			20	-	-	-	7	16	23		1	i]		1			
18 59	1		1	-	-	-	3	6	9			1						
24 59		9	3	-	-	-	13	38	51			1]					
				ļ							1							
					}			}		l	1	1				1	J	

RADIOACTIVITY DETERMINATIONS

STATE

LOUISIANA

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

BUB BASIN

LOWER MISSISSIPPI-NATCHEZ TO GULF

STATION LOCATION MISSISSIPPI RIVER AT

NEW ORLEANS, LOUISIANA

DATE					EADS	DACTIVITY IN V	VATER			BADIOA	CTIVITY IN PLAN	UCTON (dry)	IAD	HOACTIVITY IN W	/ATE
SAMPLE		DAT	t or		ALPHA		1	META		DATE DE	EBOSS A	CTIVITY		GROSS ACTIVIT	·
TAKEN	1	DAT DATE HAT	TON	SUSPENDED !	DISSOLVED	TOTAL	SUSPENDED	DISMOLVED	TOTAL	DETERMI	ALPHA	BETA	SUMPRINGED	DIRECTAL	TOTAL
O DAT	TEAR	_		pac/1	AAC/I	p.eu/I	##e/1	AFc/I	#Fe/ I	MD DAY	###/g	Apre/g	ppc/1		Apr/l
0 2	58	10	14	ا م	0	٥	11	245	256						
	54	io	20	l 🖺 i		_	1 10	6							
			_	_	_	_	6	5	11						
	56	10	28			_	7	1	13						
	58	11	3	_		_	Ó	1.6	i.	- 1 - 1					
_	50	11	13			_	_	1 - 1	47						
_	58	11	19	- 1	-	_	5	42	Tí l						
	58	11	Z4	-	-		1 1	_	25						
_	58	12	. 1	-	_		3	22	48						
	54	12	11	0	0	0	32	16							
_	50	12	24	-	- 1	_	14	18	32				Į .		
_	58	1	12		-	-	.0	31	31						
	54	1	14	-	-	-	27	54	83						
1 2	59	1	19	0	1	1	1 1	. • 1	. 5						
1 8	57	1	26	_	- !	-	2	13	15	1 1					
1 15	59	2	9	- :	-	-	2	9	11						
1 22	59	2	6	1 - 1	- 1	-	16	25	<u></u> 1						
1 29	59	2	12	-	- [-	55	19	74						
2 5	59	2	18	1 -	-	-		16	24						
2 12	59	2	Z 5	17	3	20	26	21	4 7						
2 19	59	3	5	10	0	10	133	4 2	175						
2 27	59	3	10	-	-	-	101	13	114						
3 5	59	3	13	-	_	-	94	38	132						
3 12	59	3	23	- 1	-	-	72	36	108						
3 19	59	3	30	i 8	0	8	131	8 €	219						
3 24	59	4	- 6	_	- 1	_	92	43	135						
4 2	59	4	13	_	-	-	61	55	116						
4 6	59	4	20	_	- 1	-	84	5-6	140						
4 13	59	4	28	1	_	-	124	160	284	1 1			l '		
4 23	59	غ ا	- 4	_	_	_	116	100	216						
4 30	59	5	12	_	_	_	50	42	92						
5 7	59	5	18	_	_	_	63	38	101						
5 14	59	5	22	_	_	_	64	3	67						
5 21	59	6	2	6	o	6	91	39	130						
5 25	59	6	8	-	_	-	61	12	73						
	59	_		[]	_	_	70	45	115						
6 1		6	15			_		109	269						
6 6	59	6	19	-	-		160		_						
6 15	59	7	6	7	0	7	85	34	119						
6 22	59	7	. 7	-	-		23	9	32						
6 29	59	7	14	-	-	-	7	6	13						
		l]										
		ļ			j										

STATE

LOUISIANA

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

EUB BASIN

LOWER MISSISSIPPI-MATCHEZ TO GULF

STATION LOCATION MISSISSIPPI RIVER AT

NEW ORLEANS, LOUISIANA

	ADIOACTIVITY IN V			
		DIRECTOR	, ,	TOT
BO DAY TEED STORY - THE	##e/1			
7 16 59 7 17 30 0 21 21 21 7 16 59 7 30 7 0 21 21 21 7 23 59 8 5 2 6 8 2 23 25 4 4 4 8 8 59 8 14 23 0 23 12 4 4 8 13 59 8 20 5 12 17 8 14 22 9 9 3 59 9 15 2 6 6 7 9 10 59 9 21 7 2 6 6 7 9 17 59 9 28 0 0 0 0 0 9 9 9 9 9 17 59 9 28 0 0 0 0 0 0 9 9 9 9 9 10 5 2 12 14	pp-e/1			APA

RADIOACTIVITY DETERMINATIONS

STATE

MISSISSIPPI

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER MISSISSIPPI-YAZOO RIVERS

STATION LOCATION MISSISSIPPI RIVER AT

VICKSBURG, MISSISSIPPI

Λ.	ATR					RADI	DACTIVITY IN	WATER			RADIOAC	TIVITY BH PLA	NETOH (dry)	PAD	HOACTIVITY IN W	ATEL
	W.	. !	DAT	107		ALFHA		1	BLETA		DATE OF	SHOPE A	ACTIVITY		GROSS ACTIVIT	Y
TA			DETE	(AM)	SUSPENDED	DIRECLYED	TOTAL	SUSPINOTO	DIESOLVED	TOTAL	DETERM!	ALPHA	META	SUSPENDED	DIEPOLVED	TOTAL
MO D	AY	TEAR	HONYN	DAY	ppc l	AAL I	ppe I	APC I	ppci	ppe I	MO DAY	ppc's	AAL/g	pape 1	A,Fc	APL I
10	6	58	10	18	_	_	_	33	21	54			1		1	
10 2		58	11	3	1 -] [_	25	24	49	1 1					
			l	7			4	26	25	51						
		58	11		2	2 -		_	1	ا ءُ ا			1			
11 11 1	_	58 . 58	11	14	(= '	_	_	7	26	33			1 (
			11	25	l		_	l ż	33	35	1				l i	
		58	12	1		0	3	36	31	67						
11 2		58	12	10	3		3	78	32	40						
		58	12	16	3	0	_	_	5	33			1			
		56	12	30	-	-	_	26		54	 		ļ ,		,	
12 1		58	1	9	-	- :	_	38	16							
12 2		58	1	19	-	_	_	10	15	25						
_		59	1	26	-	_	-	13	14	27				-		
1 1		59	1	30	-	-	_	32	23	55						
1 2		59	2	13	-	-	-	26	14	40	1		1			
1 2		59	2	17	_	-	_	58	28	86						
	_	59	2	18	-	-	_	65	256	321						
3 l	5	59	3	30	_	-	_	74	38	112						
3 Z	3	59	4	3	_	-	-	100	100	200						
33	0	59	4	10	-	- 1	-	157	66	223			1		ì	
4	6	59	4	20	-	-	-	36	51	B7						
4 1	3	59	4	24	9	0	9	71	54	125						
4 2	0	59	4	30	-	j -	-	87	115	202						
4 2	8	59	5	12	_	-	-	0	34	34			1			
5	4	59	5	18	-	i -	i –	88	19	107)		1	· ·		
		59	5	22	-	_	_	3	20	23						
5 1	8	59	6	2	9	4	13	1139	77B	1917			!			
5 2	5	59	6	8	_	-	-	4.1	0	41						
		59	6	15	_	_	_	31	ا ه ا	31			1 1			
	8	59	6	16	_	_	_	131	33	164			1	'		
6 1	_	59	7	6	13	۰ ا	13	188	287	475						
6 Z		59	7	7		_	1 -	23	47	70						
6 2		59	7	14	_		_	14	14	28						
_		59	7	17	_	`	_	26	28	54			l l		Į į	
7 1		59	7	29	_	_	_	5	22	27	l i					
_		59	B	- 4		0	11	47	19	66			1			
-			В	10	11		11	1	33	102						
7 2		59		_	_	_	_	69		59						
	_	59	8	13	-			35	24		į į					
8 1		59	8	28	0	0	0	0	🔭	4						
8 2		59	9	2	-	_	_	30	7	37						
8 3	1	59	9	11	-	_	-	34	13	47						
			1						i				1			

WAIDS QUALITY DANC MAIA

RADIOACTIVITY DETERMINATIONS

STATE

HIJUAJUAFI A

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER MISSISSIPPI-YAZOO RIVERS

STATION LOCATION

MISSISSIPPI RIVER AT

VICKSBURG, MISSISSIPPI

DATE			EAD	OYCLIALLA IN A	VATEL			ļ	I IADIOA(JIVITY IN FLAN	DETON (ally)		1440	OACTIVITY IN W	ATE
THE STATE OF THE S	DATE OF DETERMI NATION		ALPHA			BETA			DATE OF DETERMI NATION	Challe A	CTIVITY			GROSS ACTIVIT	Y
TAREN	NATION		DIMOLVED	TOTAL		DI PROLVED	TOTAL		HATTON	ALPHA	BETA		SUMP ENOUG	DISSOLVED	TOTAL
DAY ITAL	BONTH DAT	ppe/l	AAc/I	##c/I	ppe/I	A#c/I	p.p.c/l		MO DAY	Arc/g	AAc/		AA-c/l	μρ c/1	##c/l
		_	_	_	35	28	63								
10 59	9 22		2	18	28	15	43								
14 59	9 24	1		-	5	10	5								
21 59	10 5	_	_	_		١	,								
		1			1										
		1													
									1						
									1 1						
									1 1						
									1 1						
									1 1						
l		1	1					1	1			1			
														ì	
												l			
		1													
ļ															
								1	1			1			

RADIOACTIVITY DETERMINATIONS

STATE

ARKANSAS

MAJOR BABIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER MISSISSIPPI-CAIRD TO HELENA

STATION LOCATION MISSISSIPPI RIVER AT

WEST MEMPHIS, ARKANSAS

p	MΠ					EADK	DACTIVITY IN 1	MATER			EADIO/	CTIVITY IN FLA	(KTON (dry)		MOACTIVITY IN Y	VATER
	м		DAT	E OF		ALPHA			#ETA		DATE OF	8,000	VCTIVITY		GROSS ACTIVIT	~
TA		ı	PACT	(1) (1) (1) (1)	SUSPENDED	DISSOLVED	TOTAL	BUST THOSE	DIRECTAL	TOTAL	NATION	ALPHA	DETA	BURPENDED	DISTROLVED	TOTA
to 0	YAC	YEAR	псяти	DAY	April 1	ppe 1	AHU]	Aut	/4 €/ 1	Apre/I	MO DAY	AFE/ g	AAC/E	ppe/I	ppc1	##c
0	6	58	10	17	_	_	_	32	23	55						
		58	10	24	! _	_	_	10	17	27						
0 2	_	58	10	31	_	_	_	1 7	26	33						
0 Z		5 B	ii	10	0	2	2	1 6 1	25	25						
		58	_	_		_	-									
	_		11	14				4	16	20						
1 1		58	11	20	-	-	-	3	65	6.8						
1 1		58	11	25		_	-	49	24	73						
1 2		58	12	10	2	0	2	32	75	107						
	_	58	12	15	0) ၂	0] 25	29	54						
. —	_	58	12	18	-	-	-	34	20	54						
2 1	5	58	1	6	- !	-	-	9	22	31						
. Z Z	22	58	1	13	_	-	-	21	25	46						
2 2	9	58	1	13	-	-	-	6	53	59						
1	5	59	1	22	0	0	0	5	31	36						
1 1	12	59	1	30	_	-	-	17	21	38						
1 1	9	59	1	30	-	-	-	54	14	6 B						
1 2	6	59	l z	10	_	_ ,	_	108	31	139]			
2	2	59	3	10	_	_	_	69	27	96						
2	9	59	3	2		_	_	58	32	90						
2 1		59]	3	l o '	0	0	7B	ž	BO						
z 2		59	3	9	_	_	_	90	43	133						
_	_	59	3	13	_	_	_	67	13	80						
		59	3	19	_	_	_	149	84	233						
3 1		59	3	26	5	o	5	128	36	164						
3 2		59	4	3		_	_	83	86	169						
3 3		59 J	4	10] []	_	_	146	52	198						
		59	7	14	1 - 1	_	_		26		i i					
4 1		_	7	_	1			21	_	47		'				
		59	4	24	12	0	12	100	50	150						
		59	5	4	-	-		57	44	101						
		59	5	В	-	- 1	-	21	135	156						
-		59	5	13	-	-	-	98	34	132					ľ	
5 1		59	5	21	-	-	-	29	22	51						
		59	6	1	9	0	9	119	103	222						
	2.5		6	5	-	-	-	130	76	206						
		59	6	15	-	-	-	94	26	120	1 1		1			
6	В	59	6	16	-	-	-	339	39	37B						
6 l	5	59	6	30	6	7	13	346	167	513						
6 2	2	59	7	2	-	-	-	118	130	2 4 B						
6 2	9	59	7	9	-	- 1	-	81	56	137						
		J				[I							

STATE

ARKANSAS

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER MISSISSIPPI-CAIRO TO HELENA

STATION LOCATION MISSISSIPPI RIVER AT

WEST MEMPHIS. ARKANSAS

			EAD	OACTIVITY IN V	YATER			Т	PADICIA	CTIVITY IN FLA	MITTERN (ALLA	1	DIOACTIVITY IN	
DATE	DATE OF		ALIFHA			BETA		1	DATE OF		ACTIVITY	 	BROSS ACTIVI	
TAREN	DATE OF DETERMI NATION		DIMOLVED	TOTAL	EUSPENDED	DISTOLVED	TOTAL	1	DETERMI -	ALPHA	BETA	SUSPENDED		TOTAL
MO DAY TELE	MOETH DAY	###e/1	##=/I	/I	ppe/l	A4e/I	##«/I	1	MO DAY	H-/	APC/s	βρα/I	p#=/1	
7 6 59 7 13 59 7 20 59 7 27 59 8 10 59 8 17 59 8 24 59 8 31 59 9 8 59 9 14 59 9 21 59 9 28 59	7 15 7 29 7 30 8 10 8 12 8 14 8 27 9 1 9 10 9 17 9 22 9 28 10 8	15 		15 6	12 21 28 0 11 1 21 24 6 2 11 12 0	22 0 6 12 84 3 18 16 13 10 13	34 21 28 6 23 85 24 42 22 15 24 22 13		MO DAY	AA-J-1	AND	April 1		H-A)

STATE

MISSOURI

MAJOR BABIN

UPPER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

MISSISSIPPI-CAPE GIRARDEAU AREA

STATION LOCATION MISSISSIPPI RIVER AT

CAPE GIRARDEAU, MISSOURI

DATE:					CACHALLA IN A						KTON (dry)		MOVCHALL IN M	~164
	DAT	L OF		ALPHA			BETA		DATE OF	SACKS A	CTIVITY		SHOW ACTIVITY	Υ
TATEN	DETE		EUIPTH DED	DISSOLVED	TOTAL	SUPPLINDED	DISSOLVED	TOTAL	DETERMI NATION	ALPHA	BLETA	EU EPENDED	DISSOLVED	TOTAL
DAY YEAR	#ONTH	DAT	AAC I	AME I	ppc	ppe/I	ppa/l	par I	MO DAY	Afte/g	ppe/g	##c/l	AAC/I	AAc I
6 58	10	16	.	-	-	68	52	120					ĺ	
13 56	10	24		- 1	_	14	21	35						
20 58	10	29	i -	-	_	43	37	80						
27 58	11	7	1	3 1	4	16	44	60						
3 58	11	19	-	-	-	31	22	53						
10 58	11	20	-	-	_	13	28	41						
17 58	12	1	-	-	-	116	35	151						
24 58	12	10	0	2	2	59	35	94	1		1			
1 58	12	15	O	0	0	13	3	16						
8 55	12	24		- 1	-	18	23	41			1			
15 58	1	9	-	-	-	4	102	106	1					
22 58	1	13	! -	-	-	14	11	25						
29 58	1	19	¦ - :	_	-	18	29	47						
5 59	1	26		- i	-	19	10	29						
12 59	1	29		-	-] 1 [0	1						
19 59	2	10	-	_	-	6	13	19						
26 59	2	18	¦ -	-	-	12	41	53	l l					
2 59	2	17	-	_	_	29	24	53	1					
9 59	2	24	_	_	-	28	22	50						
16 59	3	6	11	0	11	248	62	310						
24 59	3	6	- :	_	-	121	43	164						
2 59	3	12	- :	_	-	99	61	160						
9 59	3	14	_	_	-	169	74	243						
16 59	3	26	0	0	0	149	114	263						
23 59	4	_3	_	_	_	159	112	271						
30 59	4	В	_	_	-	158	135	293	1		ļ			
6 59	4	13	_	_	_	159	13	172						
14 59	4	23	3	0	3	146	83	239						
20 59	5	4		_	_	71	100	171						
27 59	6	29	_	_	-	200	21	221						
4 59	5	13	_	_	-	82	42	124						
11 59	5	21	ł – 1	_	_	72	38	110						
18 59	6	26	В	2	10	92	0	92						
25 59	6	5	(-	_	1 -	695	799	1494						
1 59	6	15	! -	_	_	65	32	97						
8 59	6	16	_	_	_	312	60	372						
15 59	6	3 Ü	19	9	z 8	145	27	172						
22 59	7	6	19	-	- Z B	11	0	11						
			'				-							
47 27	'	7	-	_	_	13	1.6	49						
29 59	7	9	-		-									

STATE

MISSOUR I

MAJOR BASIN

UPPER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

MISSISSIPPI-CAPE GIRARDEAU AREA

STATION LOCATION MISSISSIPPI RIVER AT

CAPE GIRARDEAU, MISSOURI

	T		RADI	OACTIVITY IN V	YATEN			IAD.	OAC	TIVITY IN FLAN	OCTOH (dry)		RAI	DOACTIVITY IN V	YATE
	DATE OF		ALPHA			EETA			_		CTIVITY			SROW ACTIVIT	
	MATICAL		DIRECLVED	TOTAL	SUSPENDED	DISPROLYTED	TOTAL	HATIO	# -	ALPHA	BETA	# (LEPT)	(DED	DIMMOLVED	TOTAL
		##4/I	## = /1	## # /l	A#e/I	## # /1	Ape/l	MO D.	A Y	A44/8	##=/g	A40	7	##c/1	AFc/I
DATE MARKET TAKEN MO DAY YIAN 7 6 59 7 13 59 7 27 59 8 3 59 8 17 59 8 17 59 8 24 59 8 31 59 9 8 59 9 14 59	DATE OF PATENTIAL PATENTIA		ALPHA DIRROLVED	TOTAL	SUSPENDED	DIMEDLYTED		DATE O	1	ALPHA	спупту		40400	DIMMOLVED	TOTAL

STATE

ILLINOIS

NIBAB ROLAM

UPPER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

MISSISSIPPI RIVER-ST. LOUIS AREA

STATION LOCATION MISSISSIPPI RIVER AT

EAST ST. LOUIS, ILLINOIS

DATE					BADI	OACTIVITY IN Y	VATER			$\overline{}$	RADIOAC	TIVITY IN PLAN	KTOH (dry)	EAD	OACTIVITY IN V	/ATEL
EAMPL		DAT	I OF		ALPHA			BETA		DA.	TE OF	BROBE A	CTIVITY		GROSS ACTIVIT	Y
TAKT	•	DETE	TON	Man Dioto	DISHOLYED	TOTAL	BUIFFENDED	DIMOLVED	TOTAL	H/	TION	ALPHA	BETA	EUGPENDED	DISSOLVED	TOTAL
HO DAY	7[44	N CONTRA	DAY	Apre/I	##4/I	##c/l	##c/l	ppe/i	AAC/I	1200	DAY	AF4/g	ppc/g	ppc/i	AFC/I	Heri
		٠,		_	_	_	1 ,.]	4.7	77				l			
	58	10	15		_	_	14	63	45	- 1	- 1					
0 13	56	10	21			_	15 7	30		ŀ	ľ		1			
0 20	50	10	28	-	_		1 : 1	39	46		i					
	58	11	- 6	0	4	4	! .♣	1			1		1	ì		
	58	11	17	-	-		14	32	46							
	56	11	20	-	-	-	14	34	48	- (Į.			
	58	11	28			_	43	35	78		1					
	58	12	10	0	0	0	24	36	60	ł				1		
	58	12	11	0	0	0	44	83	127					1		
	58	12	18	-	-	-	0		0	ł	- 1					
2 15		12	24	-	-	_	10	43	53							
.2 22		1	13	-	-	_	2	16	18	1	1					
2 29		1	13	-	- 1	-	3	44	47		l			1		
	59	1	22	0 (0	0	3	239	242	1	ļ.	-				
1 12	59	1	28	-	- 1	_	2	21	23							
1 19	59	2	6	-	-	_	0	11	11							
1 26	59	2	10	-	- i	-	43	109	152		- 1	ì				
2 2	59	2	13	-	-	_	29	31	60							
2 9	59	2	24	0	0 (0	1	38	39							
2 16	59	3	3	-	-	-	219	80	299							
2 24	59	3	9	-	- 1	_	170	67	237	ļ						
3 2	59	3	11	-	- 1	-	168	98	266	ì	ŀ		1			
39	59	3	18	1	0	1	134	147	281					1		
3 16	59	3	25	-	- !	_	74	106	180				1			
3 23	59	4	2	- 1	-	_	206	159	367							
3 30	59	4	8	-	- 1	_	241	129	370		1		1			
4 6	59	4	13	7	٥	7	154	85	239	1	1	1			1	
4 13	59	۱ 4	23	_	-	_	123	55	178		1	1	1			
4 20	59	4	30	-	-	-	60	22	8.2							
4 27	59	5	7	_	_	_	8-6	70	156							
5 4	59	5	13	_	_	_	61	30	91						1	
5 11	59	5	25	17	1	15	379	۰	379	·	- 1		1			
5 1B	59	7	9	_	_	_	39	28	67	ŀ			1	1 1	1	
5 25	59	16	5	_	_	_	0 1		0					1 1		
	59	6	12	_]	-	_	91	24	115	1	1		1	1 1	İ	
_	59	6	16	5	1	6	77	84	161		- 1					
6 15		6	30		_	_	'5	1	6			ļ		[1	
	59	1 7	2	_	_	_	20	36	56		- 1]	
6 29		7	5	_	_		29	92	121					1 1		
		l '		_			''	7.	151	ľ	- 1	l		1 1	j	
												l		1		
														1	l	

STATE

ILLINOIS

MAJOR BASIN

UPPER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

MISSISSIPPI RIVER-ST. LOUIS AREA

STATION LOCATION MISSISSIPPI RIVER AT

EAST ST. LOUIS, ILLINOIS

				PAD	DACTIVITY BY	VATER			г—	RADEDA	CTIVITY IN PLA	MOTTON (ALA)			HOACITYTTY IN V	/ATE
	DATE	- T		ALPHA		Τ =	BETA		1				ł			
TAREN	DETER	9 1	SUSPENDED	DIMOLVED	TOTAL	EU-PRINDED	DIRECLVID	TOTAL	1	MATION			٠	ALE-INDIA		
HD DAY YEAR		DAY	AA-c/l	ppa/I	дас/ 1	##c/1	##c/1	##e/1	1	MO DAY			1			
DATE MARKET TAREN TAREN 7 6 59 7 13 59 7 20 59 7 27 59 8 17 59 8 24 59 8 31 59 9 15 59 9 21 59 9 28 59	7 7 7 8 8 8 8 9	_		ALPHA DISSOLVED	TOTAL	EUSPENDED	DIMOLVED			DATE OF DETERMI HATION		OCTON (Jary) ACTIVITY BETA APA/#		RAE BUSPENDRO RAE/I	BROWN ACTIVITY DIRECTOR ACTIVITY DIRECTOR TO THE PROPERTY APPROVED	

STATE

I On A

MAJOR BASIN

UPPER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BABIN

MISSISSIPPI-DES MOINES-SKUNK RIVERS

STATION LOCATION MISSISSIPPI RIVER AT

BURLINGTON, IOWA

DATE	Г			RADO	ACTIVITY IN V	VATE			BADIOA	CTIVITY IN PLA	HETON (dry)	RAD	HOACTIVITY IN W	ATER
MARIE		π. σ-	1	ALPHA			BETA		DATE OF	GROSS A	ACTIVITY		URGOS ACTIVIT	Υ
TAKEN	25	TE COP	SUSPENDED	DIRROLYED	TOTAL	SUSPENDED	DIEMOLVED	TOTAL	NATION	ALPHA	BETA		DIMMOLVED	TOTAL
O DAY YEAR	M DATE	DAY	##c/1	##c.1	ppc/1	ppul	Apr. 1	ppa l	MO DAY	144/g	APK/g	April 1	##c/l	April 1
0 6 58	10	20		_	_	5	9	14					l i	
13 58	10	23	_	_	_	9	5 Z	61						
0 20 58	lio	29	_	_	-	i é i	71	79			1			
27 58	11	7	0	_	_	10	30	40					1	
3 58	līi	17	-	_	-	3	24	27					İ	
10 58	11	20	- :	-	_	0	22	22				1		
1 17 58	11	28	_	-	_	16	38	54						
24 58	12	10	0	0	0	16	17	33						
2 1 58	12	12	0	ا ه	0	11	23	34						
8 58	12	23	1 -	-	_	21	30	51						
1 5 59	1	21	0	O	0	2	17	19						
12 59	1	29	i –	-	-	0	16	16	l l		ļ ļ			
19 59	2	10	-	-	-	2	207	209						
26 59	2	13	i –	-	-	0	5	5						
2 2 59	2	17	_	l <u>-</u> 1	-	3	6	9						
2 9 59	2	24	0		0	2	- 6	8			1			
2 59	3		<u> </u>	-	-	463	271	734						
9 59	3	18	1	0	1	102	188	290						
3 16 59	3	25	-	-	-	191	112 130	303 397						
3 23 59	*	3 B	-	-	_	267 343	186	529						
3 30 59	4	15	-	0	0	135	119	254						
4 6 59 4 20 59	4	30] =	_	-	100	104	204						
5 4 59	5	13	1 - 1	_	_	52	220	272						
5 11 59	5	21		0	0	76	12	88						
15 59	6	30	_	1 - 1	_	73	145	218			ļ l			
22 59	7	7	_	_	_	162	93	255						
5 29 59	ا أ	ģ	_	_	_	21	119	140						
7 1 59	7	17	0	٥	0	153	77	230						
7 6 59	7	14	_	_	_	17	13	30						
7 20 59	7	30	_	_	_	3	13	16						
7 27 59	В	6	- 1	-	-	1 1	15	16						
8 10 59	8	18	3	2	5	3	9	12						
8 17 59	8	26	-	-	-	21	13	34						
9 24 59	8	28	-	-	-	13	11	24						
9 21 59	9	30	- 1	-	-	1 1	6	7						
			[
			[ł l					[

STATE

I OWA

MAJOR BASIN

UPPER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

BUB BABIN

MISSISSIPPI-WAPSIPINICON & TRIB.

STATION LOCATION MISSISSIPPI RIVER AT

DUBUQUE, IOWA

DAT					EAD	OACTVITY IN W	/ATER				EADIOAC	TIVITY IN FLAN	BCTON (dry)	EA PA	DRIACTIVITY IN V	YATU
EARLY TAKES		DAT	E OF		ALPHA			BLETA		1	DATE OF	MACON A			EROSS ACTIVIT	Υ
TAJO		DETT	TON	#USPENDED	DI-CTARD	TOTAL	en and a second	DISSOLVED	TOTAL	1	HATTON	ALPHA	BETA		DIRECTARD	TOTAL
MO DAY	YEAR	ИСЯТН	DAY	##e/I	## €/1	##e/I	AAc/I	A#e/I	A#4/1		MD DAY	P#=/0	Affe/g	AAc/1	## €/1	ppe/l
	58	12	23	-	-	_	10	22	32	l	<u> </u>					
12 15		1	7	_	_		11	19	30	1		ì			1	
12 22		1	12	_	_	_	0	2	2]	
12 29	56	1	14	_	_	_	0	26	26		1 1					
1 5	59	1	26	_	_	_	4	61	61		1 1			1	1	
1 12		1	30 5	_		_	a	1 13	5	1	1 1	Ì	ľ	i	1 1	
1 19		2	12	_	_	_	13	22	21 35							
1 26		2	17	_	_	_	0	19			1 1				1 1	
2 2		2	2	0	0	0	1	1	19		1 1				1 1	
2 9	_	3	6	_	-	_	4	12 21	13 25		1 1			ì	!	
2 16 2 23		3	10	_	_	_	0	14	14		1 1				1 1	
	59	9	13	_	_	_	10	34	44							
3 9] 3	19	٥	ا ه	0	11	42	53		i l				1 1	
3 16		3	26	0	-	Ö	25	116	141						ļ ļ	
4 1		4	14	0	î	1	139	177	316							
4 6	59	4	14	ì	ó	î	76	90	166						l i	
4 13		4	28	_	_	_	23	7	30		1 1					
5 4		ءَ ا	13	_	_	_	21	262	283							
5 11	-	5	21	o	0	0	3 9	99	138						1 1	
5 18	59	5	29	_	_	_	23	850	873		l í				1 1	
5 26		6	5	_	_	_	16	39	75							
6 1		6	15	-	_	_	8	14	22						1 [
6 8	59	6	16	0	0	0	75	108	183						1	
6 15	59	6	30	_	-	_	11	25	36						1	
7 20	59	7	31	-	_	-	0	11	11							
8 10	59	8	18	0	1	1	1	9	10							
B 17	59	В	26	_	-	-	0	٥	0			-				
8 24	59	10	30	_	-	-	3	42	4.5						1	
B 31	59	9	10	_	_	-	3	16	19							
9 29	59	10	В	_	_	-	6	3	9							
		l													l l	
		1						ì							1	
													1			
		ĺ														
					l											
		ļ						-				ļ	ı		1	

RADIOACTIVITY DETERMINATIONS

STATE

MINNESOTA

MAJOR BASIN

UPPER MISSISSIPPI RIVER

SUP BASIN

UPPER PORTION UPPER MISSISSIPPI

STATION LOCATION MISSISSIPPI RIVER LOCK DAM #3 BELOW

MINNEAPOLIS: MINNESOTA

DATE	t			EAD	OYCLIALLA IN A	VATEL			BADHOAG	ALP HI YIIVIT.	(KTON (Mry)		HOYCLIALLA DI A	/ATE
SAMPLE .	DAT	I 05		ALPHIA			BETA		DATE OF DETERMI	\$ROSS /	CTIVITY		GROSS ACTIVIT	7
TAKEN	HAT	DOM	PURPENDED	DIMOLVED	TOTAL	SUSPENDED	DIEDOLVED	TOTAL	NATION	ALFHA	■ETA		DIMOLVED	TOTAL
ALIT YAD ON	MONTE	DAT	ppe/1	дис/ 1	AMC/I	##4/I	AAc/I	ppe/l	MO DAY	At-√ j	##~/ •	##c/l	A#c/l	AAC 1
0 6 58	10	15	_	_	_	7	44	51						
0 14 58	10	23	_	_	_	5	B	13						
0 21 58	10	29	_	_	_	14	29	43	1 1			í i	ĺ	
0 28 58	11	6	1	0	1	6	34	40						
1 4 58	lii	17		_		19	21	40						
1 10 58	1	21	_	_	_	lio	29	39						
	11		_	_	_	6	30	34						
1 18 58	12	1 10		0	٥	9	27	36	1 1			l l		
	12	-		_	_			1.						
2 2 58	12	16	0	0	0	9	33	42						
2 7 50	12	24	_	-	_	23	58	81	1					
1 6 59	1	22	_	-		1 1	22	23						
1 13 59	1 1	29	-	_	-	0	15	15	l i	ĺ	ĺ	ĺ		
		-			-	3	30	33						
						0	32	32	l l					
					_	15	25	40						
					0	0	12	12						
					-	0	5	5	i i			l l		
				-	-	0	0	•						
	-	-	- 1	-	-		36	44						
	3	23	0	0	0] 3	14	17	1 1					
3 1/ 27	₁ 3	26	-	-	-	11	13	24	1 1					
3 24 59	4	3	-	-	-	17	54	71				1 1		
3 30 59	4	10	-	-	_	•	5 B	58						
4 6 59	4	16	0	0	0	9	70	79						
4 14 59	4	23	_	-	-	50	108	158		1				
4 20 59	4	30	_	-	_	14	118	132						
4 28 59	5	11	_	_	_	47	28	75	1 1	ĺ		i i		
5 5 59	5	18	-	_	-	81	61	142						
5 12 59	5	22	0	0	0	0	14	14					.	
5 19 59	6	1	_	_	-	22	409	431						
5 26 59	6	8	-	_	-	2	34	36						
6 3 59	6	15	_	_	_	īi	74	75		ľ		1 1	' i	
6 8 59	6	19	ا ہ ا	٥	0	10	16	26						
6 15 59	ء ا	30	ŏ	ŏ	ŏ	11	42	53						
6 22 59	7	7	· <u> </u>	_	_	16	64	72						
6 29 59	7	14	_	_	_	1 1	18	19						
7 6 59	7	14	_		_	50	14	_		1		1 1		
	' 7	- 1	- I					64						
	7	28	<u> </u>	0	0	0	1 1							
7 20 59		31	_		_	20	67	87						
7 28 59	8	10	-	-	-	11	19	30						

STATE

MINNESOTA

MAJOR BASIN

UPPER MISSISSIPPI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

UPPER PORTION UPPER MISSISSIPPI

STATION LOCATION

MISSISSIPPI RIVER LOCK DAM #3 BELOW

MINNEAPOLIS, MINNESOTA

DATE	Τ			EAD	DACTIVITY IN Y	VATE			1 1	EADMOAG	TIVITY IN PLAN	ECTON (4y)		RAD	MACTIVITY IN V	ATEL
EAMPLE	BA.	TE OF		ALITHA			FETA		1 🗔	ATE OF	EBOSS /	VCTIVITY			SHOULD ACTIVIT	Υ
TAKEN	ᅵᄗ	TE OF ERMI TION	#U########	DISSOLVED	TOTAL	SUSPENDED.	DIMMOLVED	TOTAL	1 1	ATE OF ETERNIA LATION	ALPHA	BETA	ST.158	PIDIDED	DISSOLVED	TOTAL
HD DAY YEAR	E DETE	DAY	68≈ /1	P#4/1	p.p/1	## a/ 1	P\$16/1	Ape/I		D DAY	44	***		## ~ /1	pp.	A#4/1
	_						10									
8 4 59		12 19	0	1	1	0 5	19 16	19 21	1 1							
8 11 59				1 -	-	2	2								i	
8 18 59	8	27 3	-		_	0	ا ہُا	•	1 1					l		
8 25 59	9	10		_	_	1 1	18	19	1 1							
9 1 59	9	17		_	1	5	13	18	1 1					ì	1	
9 9 59	9	6	1 1	_	-	0	13	13	1 1	1				1	ŀ	
9 29 59	10		_	_	_	"	*>	1.5							i	
	l		l										i	ĺ	ì	
	Į.		[[ļ					1 1	- 1				1	1	
	1								1 1					ŀ		
									1 1					1		
									1 1					ļ	Į	
))													
			1						1 1						ì	
						J										
			1 1						1 1							
			1	ı İ		1	Ì		1				1 1	1	Ì	
	ļ									l l						
	1		l						1	l						
	1											1				
			, ,						1 1	- 1			l			
	1															
	1		\ i			1	1		1 1				i i	ľ		
			1 1													
										ļ			l l			
	1]				l .									
			Į l						1 1					ļ		
	1		l i													
	1)				1 1		1 1	ì			1 1			
													1			
			\			1				l			1			
										İ				i		
			(1						1 1			
			1				1									
	Į .		t l				[[ll		[[
	1		[
							[l				
]													
																

STATE

MISSOUR I

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER M36 AT

ST. LOUIS MISSOURI

	рап					RADIK	ACTIVITY IN	WATER				RADIOAC	TIVITY IN PLA	VICTORN (alby)	RAE	HOACTIVITY IN W	ATER
	LAMP		DAT	I OF		ALPHA		1	BETA		DA [*]	TE OF	GROW!	CTIVITY		PROBE ACTIVIT	¥
	TATE		DET	LRMI NoN	SUMPENDED	DISCOLVED	TOTAL	SHEE DOOLD	DISSOLVED	TOTAL	띴	TICH	ALFHA	BETA		DIEUROLVED	TOTA
10	DAY	TEAD	ROBTE	DAY	ppc	AFE/I	ppe/l	ppc/l	ppe/l	ppc I	MO	DAY	ppe/g	ppe/s	April .	##4/I	ppc,
_		-							37	37		1					
0	. 6		10	24	-	- 1	-	507	38	545							
	13		10	24	-	- 1	-			36		1					
0	20	58	11	3	1 7	1	-	11	25								
0	27		11	6	4	2	6	23	28	51		1]	
1	3	58	11	19	-	-	-	8	25	33		- 1					
1	10	58	11	24	-	-	-	10	34	44							
	17	50	12	1	-	-	_	52	42	94		1					
1	24	58	12	10	6	1 0 1	4	9-6	37	135		- 1					
2	1	58	12	16	3	. 5	8	1.6	18	34	- 1	1		1		1	
2	8	58	12	24	-	I	-	29	193	222							
2	22	58	1	12	-	! -	-	13	26	39							
Z	29	58	1 1	20	2	2	4	6	0 '	6							
ī	5	59	1	21	1	0	0	70	143	213		1					
ī	12	59	1	30	_	-	_		5	5		1					
ī	19	59	1	30	_	i – I	_	31	60	91							
ī		59	2	10	_	i - I	_	33	12	45							
ż	Ž	59	2	16	_	_	_	12	45	57					<u>'</u>		
2	9	59	3	3		_	_	15	24	39		- 1					
2		-	3	4	14		18	28	16	44							
2	24		3	10	1 -	<u> </u>	-	86	17	103	İ						
3	2		3	12	_	_	_	117	66	183							
_					_	i .	_	_	89	380							
3	. 9	-	3	19	i -	1 - 1		291	1			[l I	
3		59	3	27		3	11	97	187	284							
3		59	4	1	-	-	-	71	4-6	117	1						
3	30	59	5	1	-	-	-	444	80	524							
٠	6	59	4	20	-	-	-	291	60	379							
٠	13	59	4	23	7	0	7	99	43	142							
٠	20		4	30	-	- 1	-	117	90	207							
4	27	59	5	12	-	-	-	169	41	210							
5	4	59	5	18	_	-	-	138	48	186		1					
5	11	59	5	21	_	-	-	288	24	312							
5	18	59	5	29	43	0	43	638	61	699							
5	25	59	6	8	_	-	_	45-8	162	620							
6	1	59	6	15	-	_	_	297	21	318							
6	8	59	6	19	_	- 1	_	109	62	171	1	-					
6	15	59	7	6		0	٥	64	12	76							
6	22		7	7	_		_	57		57							
	29	59	' 7	14	_	_	-	ا ن	3	2							
_	- '	-,	1 '	1-7					_	-							
					i												
					1				· '								
			<u> </u>		 												

STATE

MISSOURI

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER M36 AT

ST. LOUIS, MISSOURI

DATE				EAD	OACTIVITY IN Y	WATER			Г	BADIOA	CTIVITY IN PLA	HICTON (day)	TAIL TAIL	HOACTIVITY BY	VATION
SAMPLE .	<u>.</u>	ATE OF		ALPHA			BETA		1	DATE		ACTIVITY		GROSS ACTIVIT	
TAKEN				DIRECLVED	TOTAL	BUE THOSE	DIMOLVED	TOTAL	1	DETERMI -	ALPHA	BETA	BULLPENDED		TOTAL
DAY TEAR	100	III DAY	## 4 /1	AAc/I	H+/	A#e/I	AA-c/1	A.A.		MO DAY	pp./g	A#-/ g	ppen/1	A#4/1	##=/i
6 59 13 59	9			_	-	186 211	0	1 86 211							
20 59	9		21	5	26	59	7	6-6							
27 59 3 59				_	<u> </u>	27 43	10 28	37 71							
10 59	1			_	_	130	10	130		1		1	1		
17 59	1		3	3	6	21	21	42							
24 59	9		_	_	-	44	17	61							
31 59 14 59	,			В	13	37 22	16 38	53 60					1		
21 59	10) 1	-	_	_	28	0	28	İ						
28 59	19) 6	-	_	-	61	2	63	l						
			J i												
						ľ									
	ļ														
										1					
				'					Ì						
													1		
1															
													l		
			}												
		_				L i									

RADIOACTIVITY DETERMINATIONS

STATE

KANSAS

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER AT

KANSAS CITY, KANSAS

DAT		Ι -			EADS	OACTIVITY IN Y	VATE				BADIOAC	TIVITY IN FLA	ETON (dry)	LAD	HOACTIVITY IN W	АПВ
1444		DAT	t of	_	ALPHA		T	BETA		1 [DATE OF	SPORE /	спупу		GROSS ACTIVIT	Y
TARE) DETT	ION I	#URP DIDED	DUMPOLVED	TOTAL	SUSPEDIDED	DIMOLVED	TOTAL		HATTON	ALFHA	BETA	SUMPENDED	DISSOLVED	TOTAL
HO DAY	ТЫ	ROSTH	DAY	##c/I	April	ppe/l	AAC/1	ppe/I	##c/l		MO DAY	#•/¶	AA4/g	Ape/I	AAc/I	APOI
10 6	58	10	16	_	_	_	12	50	62							
10 13		10	24	_	_	_	34	69	103							
10 20		10	31	_	_	_	12	21	33	1 1				1	ľ	
10 27		ii	6	3	7	10	16	35	51						Ì	
11 3		11	14	_	_		2	9	11						l	
11 10	58	11	20	_	_	_	7	24	31						1	
11 17	58	12	1	_	-	_	316	15	331							
11 24	56	12	9	2	4	6	23	42	65							
12 1	58	12	15	1	6	7	12	20	32		ŀ					
12 6		12	18	-	-	-	7	18	25							
12 15		1	6	-	-	_	0	29	29	1						
12 22	5-6	1	12	-	-	-	12	33	45						l	
12 29		1	14	-	-	_	16	26	4 2							
1 5		1	26	-	-	_	7	18	25							
1 12		1	28	-	-	-	4	65	69							
1 19		2	- 6	-	-	_	5	15	20							
1 26		2	10	-	-	-	0	83	83							
2 2		2	13	_	-	-	72	45	117							
2 9		2	24			,-	28	11	39							
2 16		3	4	12	1	13	149	63	212	li						
2 24		3		-	_	_	16	35	51							
3 2 3 9		3	11 19	<u>-</u>	-	-	23 4 70	54 53	288 123							
3 16		3	26	12	1	13	138	36	174							
3 23		4	17	1 1		1,	271	53	324	1						
3 30		4	13	_	_	_	444	127	571		1					
4 6		4	13	_	_	_	120	53	173							
4 13		4	23	Ві	3	11	90	55	145							
4 20		5	1	-	_	-	201	62	263							
4 27	59	5	12	-	_	_	156	186	342	1	Ì	,			i i	
5 4	59	5	13	_	-	_	36	16	52							
5 11	59	6	26	_	- 1	-	213	0	213							
5 18	59	5	29	0	0	0	92	44	136							
5 25		6	5	-	-	-	169	16	185							
6 1		6	15	-	-	-	283	128	417							
6 8		6	16	_	-		212	71	203							
6 15		6	30	10	6	16	333	41	374							
6 22		1 7	7	- ,	-	-	26	51	77							
6 29	59	7	9	-	-	-	70	26	96							
													l J			

STATE

KANSAS

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER AT

KANSAS CITY, KANSAS

MANUAL M				EAD	DACTIVITY DI V	YATE			Ι -	RADIOA	CTIVITY IN PLA	OCTON (dry)	RAI	MOACTIVITY IN V	/ATEL
No DAY VIAB MO DAY Red	DATE EAMPLE	DATE OF	Ι	ALIPHA			BETA		†						
7 6 59 7 15 305 0 30B 7 13 59 7 28 140 75 215 7 20 59 7 31 7 9 16 33 25 56 7 28 59 8 7 31 37 68 8 10 59 8 14 47 10 57 8 17 59 8 27 6 3 9 53 14 67 8 24 59 9 1 38 0 38 8 31 59 9 10 59 39 98 9 8 59 9 17 59 39 98 9 8 59 9 17 53 47 100 9 14 59 9 23 4 2 6 26 4 30 9 21 59 10 1 101 36 137		MATION		DIMOLVED	TOTAL	EUSPENDED	DIEMOLVED	TOTAL	1	NATION	ALPHA	BETA	SV-PD-DED	DISTRIBUTED	TOTAL
7 13 59 7 28 140 75 215 7 20 59 7 31 7 9 16 33 23 56 7 28 59 8 7 31 37 68 8 10 59 8 14 47 10 57 8 17 59 8 27 6 3 9 53 14 67 8 24 59 9 1 38 0 38 8 31 59 9 10 559 39 98 9 8 59 9 17 53 47 100 9 14 59 9 23 4 2 6 26 4 30 9 21 59 10 1 101 36 137	HO DAY YEAR	HOSTR DAY	AAc/1	₽₽€/ 1	##4/ 1	###/I	84e/1	###/I		MO DAY	AP-0/Q	A2-/g	884/I	ppe/l	ppe/
	### TAKEN Max	7 15 7 28 7 31 8 7 8 14 8 27 9 10 9 17 9 25 10 1	7 - 6 - 4 -	9		305 140 33 31 47 53 38 59 53 26	75 23 37 10 14 0 39 47 4 36	305 215 56 68 57 67 38 98 100 30 137			ALPHA	BETA	<u> </u>	DUMBOLVED	TOTAL

STATE

MISSOUR I

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER MISSOURI BELOW MIOBRARA RIVER

STATION LOCATION MISSOURI RIVER AT

ST. JOSEPH. MISSOURI

DATE	1			RAD!	DACTIVITY IN 1	MATTE			EADHOAG	AAM ME YTTVITT	IKTON (dry)	EAE	HOACTIVITY BY W	ATE
SAMPLE	۵ آ	ATE OF		ALPHA			BLETA		DATE OF	GROWS A	CTIVITY		GROSS ACTIVIT	Υ
TAKEH		ATION	SUPPOSED	DEBEOLVED	TOTAL	SUSPENDED	DISBOLVED	TOTAL	PATION	ALPHA	DETA	rus-enoto	DISSOLVED	TOTAL
DAY TEAR	HOE	N DAY	ppe/I	ppe/I	AFC/I	/Jac/1	jujue/l	ppc	MO DAY	Apr/s	APC/g	ARC I	AFC/I	APL I
	10			_	_	7	27	34]				l j	
0 13 58 0 22 58	i		_	_	_	45	25	70				1	ļ	
			1			1	37	4-8					1	
0 27 58	1		9	5	14	11	14	19			ì			
1 3 58	13	_	1 -	-		5	38	70	1					
1 18 58	1.		_	-	-	32	_				[
1 24 58	12		2	2	4	21	34	55			l			
2 1 58	13		1	5	6	5	43	48					1	
2 8 58	1:	2 24	-	-	-	4	22	26						
Z 15 58	1 :	l 12	-	-	-	3	16	19						
2 22 58	1 :	13	; -	_	-	1	8	9						
2 29 58	1 :	1 13	! -	-	_	17	25	42						
1 5 59	1 :	l 21	0	12	12	, 0	59	59						
1 12 59	1		-	_	_	4	37	41						
1 19 59		2 9	_	_	_	0	20	20						
1 27 59		10	_	_	_	3	28	31						
2 2 59		2 13	1 _	_	_	Ž	-0	2					l i	
			-	_	_	11	38	49					l J	
2 10 59		2	1	0	0	78	64	142						
2 16 59		5	0	U	_			25						
2 24 59		3 9	_	-	-	9	16							
3 3 59		3 11	-	-	-	182	80	262]	
3 9 59	-	19	· -	-	_	35	33	68				1	1	
3 16 59	1 :	5 26	0	0	0	387	92	459			i l			
3 23 59	1 4	▶ 3	-	-	-	140	120	260					1	
3 30 59		ь В	-	-	_	339	87	426						
4 6 59	4	13	i - 1	_	-	112	62	174			1	ł	l	
4 13 59		23	13	0	13	60	49	109						
4 20 59	1 .	30	_	_	_	498	60	558						
4 27 59		5 7	_	_	_	76	71	147						
5 4 59		18	i -	_	_	361	53	414					1	
5 12 59		5 21	_	_	_	711	12	723						
		5 29		0	1.04	1380	97	1477			ĺ			
	1 1		194		194		34	718			1			
5 25 59	1	26	_	-		684							1	
6 3 59				_	-	1302	64	1366						
6 8 59	1	16	1	-	-	85	0	85						
6 15 59	1 !	30	187	4	191	675	119	794						
6 22 59	'	7 7	-	-	-	4-8	28	76			ļ ļ		1	
6 Z9 59	1 .	79	-	-	-	0	0	0			1	1	1	
7 6 59	1	6	_	-	-	5-8	36	94						
7 13 59	'	7 28	_	_	_	30	13	43						
7 21 59		9 4	5	10	15	B 2	11	91						
7 27 59	1			-		49	28	77						

STATE

MISSOURI

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER MISSOURI BELOW MIOBRARA RIVER

STATION LOCATION MISSOURI RIVER AT

ST. JOSEPH: MISSOURI

	$\overline{}$				EAD	CACTIVITY IN Y	VATEL				RADIDA	TIVITY IN PLAN	ETON (A-r)		PAD	OACTIVITY IN Y	VATER
DATE TAMPLE	\vdash	DATI	OF	Γ	ALPHA			BETA		1		SPACES A		ł		SHOWS ACTIVIT	
TAKEN		HAT	ION ION	#UMPTUNOED	PISSOLVED	TOTAL	SUSPENDED.	DISSOLVED	TOTAL	1	MATION	ALPHA	BETA	1	SUSPENDED	DIESCLVED	TOTAL
HO DAY YE	4	ATR	DAY	## - /1	###/I	##=/1	AAc/I	F#4/1	## = /1	L_	MO DAY	444/9	AP=/ g		AP=/1	## c/l	A#4/I
		HAT	IMI- ION		PIMOLVED			DIMOLVED			DATE OF DETERMINATION MATION	ALPHA	BETA			DIESCLAND	TOTAL

STATE

NEBRASKA

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER MISSOURI RIVER MISSOURI RIVER AT

STATION LOCATION

OMAHA: NEBRASKA

	,			PADE	DACTIVETY IN V	MATER				EADIDAC	JIVITY IN PLAN	ECTON (day)	BAD	OACTIVITY IN W	ATE
DATH	- D4	TE 07	T	ALPHA		T	BETA			DATE OF	SHOWS A	VCTIVITY		PROBE ACTIVITY	Υ
TAIDH	OF N		EUS DEDED	DISSOLVED	TOTAL	SUPPRINCED.	DIFFICILVED	TOTAL		HATTON	ALPHA	DETA		DISSOLVED	TOTAL
HO DAY TELE				pp/1	##d/i	APe/I	ppe/l	APe/I		MO DAY	He/s	APE/ 8	Apre/1	A#c/I	AA4/I
30 (50) 1		_	_	0	105	105		1					
10 6 56					_	7	34	41							
10 13 58				_	_	38	51	89							
10 20 58	1			3	5	28	46	76							
10 27 58			7 2	-		40	2	42						i	
11 3 58	1 .	_			_	10	28	38		1 1					
11 10 58	1				_	19	24	33				1		-	
11 17 58		-	-1	7	8	29	32	61							
11 24 58	1			ii	1	17	46	63					l		
12 1 58	1		1	1 1	_	'5	34	43							
12 8 58	1		1	1	_	6	30	30				1		, !	
12 15 58		_		- 1	_	2	14	16		1 1		ł	ł		
12 22 58			7 -			_	1 1	15							
12 29 58	1 :			5	7	2	13			1		1			
1 5 59		. 2		-	_	0	15	15							
1 12 59	1	L Z	1	-	_	14	18	32							
1 19 59	? ∶	2	5 -	_	-	В	6-2	70					l '		
1 26 59) :	2 1		-	_	0	155	155		1					
2 2 59) :	2 1	7 -	-	-	0		0							
2 9 59) :	2 2	4 -	-	_	•	6	6		1 1					
2 16 59) :	3	5 2	1	3	12	0	12		1 1					
2 23 59) :	3	6 2	1 1	3	11	42	53		1 1					
3 2 59) :	1	z -	1	-	117	60	177				l l			
3 9 59) :	1	9 -	- 1	_	25	96	121							
3 16 59) :) Z	6 7	5	12	40	34	74							
3 23 59) .	•	3 -	-	-	107	43	150							
3 30 59	, ,		8 -	-	-	133	В0	213							
4 6 59		• 1	5 -	-	_	55	43	98							
4 13 59		4 2		0	1	30	36	66		1 1		1			
4 23 59			ī -	_	_	107	15	122							
4 27 59			ēl -	_	_	39	46	85							
5 4 59		5 1		_	_	12	9	21							
5 11 59		5 2	_	_	_	В7	2.5	112							
5 18 59		5 2		4	7	120	65	185							
5 25 59		,	ś -			57	61	118							
6 1 59		9 1		_	-	479	133	612		1		I			
6 15 59			6 0	0	0	19	4	23	l	1					
6 22 59		7	z -	_	_	1 7	26	33							
6 29 59		, 7	-	_	_	169	17	186							
0 67 79		'													
	İ														
				i i		1				1 1					
	1								l	1 1		1			

STATE

NEBRASKA

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

BUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER AT

OMAHA: NEBRASKA

DATE			PAD	OACIMITY IN Y	/ATEL				BADIOAC	JIYIIY M FLAV	(ICTON (day)		RAD	ACACTIVITY IN V	/ATER
SAMPLE	DATE OF DETERMI NATION		ALIHIA			BETA] [ATE OF		CTIVITY			BROSS ACTIVIT	¥
TAKEN	NATION	EU EP (NOED	DISSOLVED	TOTAL		DIESOLVED	TOTAL] <u>[</u> 3		ALPHA	BETA	1 1	PLEASED LOCAL	PLEMOLVED	TOTAL
MO DAY TEAM	HOHTH DAY	##e/1	## 4 /1	### / 1	APe/I	A#=/1	ppe/l		D DAY	A44/0	APe/g		##c/1	A# €/I	FAL/I
	7 16	_	_	_	27	.,		1 1))			
7 6 59 7 13 59	7 15 7 28	1 -	\ <u> </u>	_	3	11	3 B 3	1 I		I		۱ I			
7 20 59	7 31	16	6	22	21	12	33					[]			
7 27 59	8 24	_	-	_	25	ō	25					1			
8 3 59	8 12	_	-	-	51	14	6.5	1 1				1 1			
8 10 59	8 14	_	-	_	12	1	13	1 1				í I			
8 17 59	8 27	6	0	6	0	17	17								
8 24 59	9 1	-	-	-	17	25	42	ll							
8 31 59	9 10	-	-	_	19	22	41	1 1							
9 7 59	9 14	_		-	34	47	81	1 1							
9 14 59	9 24 9 28	3 -	6 -	9	16 24	14 44	30 65	1 1							
9 21 59 9 28 59	10 8	-	_	_	12	77	12	l l				1 1			
9 20 37	10		_		**			1 1				1 1			
	1		1					1 1	1						
			ţ												
	ĺ		ţ											(
			ł		l										
					ĺ			1 1					•		
]]]							
])		1))	Ì]]			
	1	ĺ			}			1							
	1							1							
	1				}				1			1		1	
	İ				1			1	ľ					l	
	l				(l					Į.	()			
	ł														
								1 1	1						
								1							
)				1			1 1	1						
)	1)			1	j)			
									1						
									j						
								1					 	1	
												;			
					(1						
					İ										
		1		l	1			}	ì		1			1	
	L	L	L	L _	l _	1		1 1	l l]	1		l	

STATE

SOUTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER AT

YANKTON, SOUTH DAKOTA

DATE	i				BADI	CACTIVITY IN V	WATER			EADIO	ACTIVITY IN PL	ANKTON (dry)	IM.	HOACTIVITY IN W	ATE
EAMP		DAT	E OF		ALPHA			BETA		DATE OF	Moss	ACTIVITY		CROSS ACTIVIT	Ŧ
TARR	4		noi:	SUSPERIORE	DHAMOLVED	TOTAL	SUMPTINDED	DUSSOLVED	TOTAL	HATION	ALPHA	BETA		DI SOLVED	TOTAL
DAY	TELL	HOSTI	DAY	p.r.e/l	д ас/1	p.pag/1	pp=/1	Apa/I	дре/1	HO DAT	#4/1	AA-/g	##e/l	AAc/I	Apr./I
				į l	1		1								
	54	10	15	_	-	_	14	51	65	1		l		1 1	
0 13		10	24	_		_	5	43	48		ł			1	
0 20		11	. 5	1	2	3	0	25	25		1		l		
0 27		11	10	٥	1	1	0	6	6			1			
1 3	58	11	14	-	-	-	6	45	51		1				
1 ło		11	25	-	_	_) 0	22	22		1				
1 17	58	12	2	-	- 1	-	6	20	26]	
1 24	58	12	10	0	1	1	3	35	38	1	[l l	
21	58	12	16	0	1	1	0	18	18		1			1	
28	58	12	24	-	_ :	_	2	34	36	- 1	1			ļ	
2 15	58	1	9	- :	-	_	3	23	26	[į.			ĺ	
2 22	58	1	13	~	-	_	1 1	15	16		1				
2 29	58	1	26	0	5	5	o l	28	28			ľ		i i	
1 12		l	29	_	_	_		7	īi						
1 19		Ž	5	_	_	_	lól	15	15						
1 26		2	10	_	_	_	👗	17	ží						
	59	2	17	_	_	_	انا	22	22	\ \	}				
29	59	3	4	_	_	_	5	2	7	1	(
2 16	59	3	6	0	2	2	ĺól	8	<u>.</u>		1				
	1	3	6	ŏ	3	3	0	43	43						
	1	-	_	_	_	-		I							
	59	3	11	-	-		•	19	23	1					
3 9	59	4	21		_	-	0	12	12	1	}	1			
3 16		3	27	0	3	3	14	34	4 8						
3 23	59	*	6		-	-	2	57	59	-		1			
3 30	59	4	10	-	-	-	8	40	48			1 1			
- 6	59	4	13	-	-	-	2.2	95	117			1 1			
13		4	27	1	5	6	0	23	23			1)		
, 20		4	30	-	-	-	51	99	150						
27	59	5	12	-	-	-	0	12	12						
5 21	59	7	9	-	-	-	0	67	67	l l					
22	59	7	7	-	-	-	12	110	122						
7 E	59	7	15	_	- 1	-	0	16	16						
7 13	59	7	29	-	_	-	2	77	79	1					
7 20	59	7	31	٥	4	4	0	13	13					1	
	59	8	12	_	_	_	4	21	25						
	59	8	13	_	_	_	15	33	48			1	1		
	59	8	19	_	_	_	ó	25	25						
	59	8	31	0	1	1	1	19	I						
	59	9	3.1	_		_	<u> </u>	72	20	ľ					
			- 1				- 1		72						
3 3 1	ן דנ	9	11	-	-	-	0	0	0				1		
	- 1						l l			1		1	1		

STATE

SOUTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

SUS BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER AT

YANKTON, SOUTH DAKOTA

DATE	l .			EAD	OVCILALIA IN A	WATER			EADICAC	TIVITY IN PLAN	KTON (dry)	ļ 2 A0	HOACTIVITY IN W	ATEL
EANNE	D.A.	TE OF		ALPHA			PETA		DATE OF	MACAN A	ептипти		SPORT ACTIVIT	-
TAKEN				DIAMOLVICO	TOTAL		DISTRIBUTION	TOTAL	DATE OF DETERMI- MATION	ALITHA	BLETA	#UP DOED	DISSOLVED	TOTAL
O DAY YEAR	EDATE	DAY	##4/I		## a/ 1	A#c/I	##c/l	## # /1	MO DAY	AA-/U	AP=/g	pac/	APe/I	₽₽ ₽/1
	1 .							1	- 1 - 1		1	1 1		
9 B 59	9	17 28		-	-	6 3	26 50	32 53	1 1					
9 14 59		1	-	_	-	0	0	0			1			
9 21 59 9 28 59		13		_	_	7	8	15	1		1	}	[
, 10 ,,	••					· ·			1 1				1	
								1	1 1				ļ	
			1			1	j	1	1 1		ì]	ļ	
									1 1		ŀ		i	
			()				Į.		1 ([(
									1 1		- 1	1 1		
	ì			l i		Ì			1 1)	ì])		
				1				1			}	\		
											1			
						1			1 1		1			
	1							1	1 1		1			
						1	1							
						(1 1			[
									1 1		1			
									1 1		1			
									1 1		1	1		
						(
											1			
			1]		1 1					
						ì			1)					
									1 1		1			
								1	1 (
	ì								1					
									1					
				(
													!	
	1												1	
								1						
			1			1	İ		i i		ļ	Ì	 	
			1									l l	 	
			'				İ					Ĭ		
	1		1	I		1			1			1		

STATE

NORTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

BUD BASIN

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER AT

BISMARCK, NORTH DAKOTA

DATE					(AD)	OACTIVITY IN V	#ATEL			BADIOAC	TIVITY IN FLA	нетон (шу)	EAT	HOACTIVITY IN Y	/ATE
MAN		DA	TE OF		ALPIA			BETA		DATE OF	Shows /	ACTIVITY .		SROWS ACTIVITY	7
TATE	1	HA.	TICH	PURPONDED	DIRECTOR	TOTAL	(UNITED EDITO	DIMOLVED	TOTAL	DETERMI- NATION	ALPHA	BETA	SUMPONDED.	DISSOLVED	TOTAL
DAY	TEAR	III DAITTI	DAY	ppe/1	P#=/1	###/T	##•/1	pac/1	ppe/1	MO DAY	#4/9	A/g	pac/l	AFE/I	A44/1
0 6	50	10	16	[_	_	_	1	15	16			í (
0 14	38	10	24		_	_	40	16	5.			ľ			
0 21	54	11	3	-	_	_	2	52	54			1			
0 28	58	ii	7	0	4	4	1	18	21					l	
1 3	54	ii	14] -	.]		ا أ	18	18					1	
1 12	50	11	24	-	_	_		1	1	1		1	ł		
1 18	54	_	_		_	_	9	23	32	1 1		1			
	54	12	1 11	1 , -			33	22	55			1			
		12		12	4	16	1						ł		
2 2	54	12	18	-	-	-	0	17	17						
2 .	58	12	24	- :	-	-	1	18	19						
2 15	54	1	9	_	_	-	0	28	28	1 1			1		
2 31	58	1	19	0	0	0	0	21	21						
1 6	59	1	26	_	-	-	2	15	17						
1 13	59	1	30	-	-	-	48	24	72	1 1				1	
1 20	59	2	4	_	-	-	0	36	36					I	
1 27	59	2	12	-	-	-	12	0	12	1 1				1	
2 3	59	2	17	- j	-	_	17	26	43	} }			J J	1	
2 9	59	3	3	0	1	1	8	27	35					İ	
2 16	57	3	5	. •	3	3	7	34	45	1 1]		
2 24	59	3	10	-	-	-] 25	0	20			J		1	
3 3	59	3	13	-	-	-	2	14	16						
3 10	59	3	23	-	-	-	14	72	84)	ļ	
3 17	59	4	6	0	0	0	4	7	11			1			
3 24	59		6	- 1	-	-	27	73	100					-	
3 31	59	4	10	-	-	-	57	104	161)]		1		j	
4 6	59	4	20	-	-	_	25	69	94						
4 14	59	4	22	0	3	3		12	12						
4 20	59	5	4	_	_	_	11	27	38						
4 28	59	5	12	_	_	_	0	24	24						
5 5	59	. 5	18	_	-	_	15	60	75						
5 12	59	5	25	_	_	_	3	42	45						
5 20	59	6	2		0	0	106	268	374						
5 27	59	6	В	_	_	_	o	0	0	l l				ĺ	
6 2	59	6	15	_	_	-		18	18						
6	59	6	19	_	_	_	1 1 a	54	66						
6 15	59	7	6		0	٥	51	71	122					1	
	59	7	7		_	_	B2	208	290						
	59	7	14	_	_	_	•2	10	10						
7 6	59	7	17	_	_	_		0	16					}	
7 13		' <u>,</u>		_	_	-	•	-	- 1						
	59 59	<u> </u>	29	_	-		0	9	9						
, 20	27		•	0	4	4	3	27	30			 			

STATE

NORTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

SUB BASIN

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER AT

BISMARCK, NORTH DAKOTA

DATI					RADIK	PACTIVITY IN V	VATE			BADE	PACTIVIT	T IN PLA	OCTON (#7)		EAD	KOACITYITY IN W	AΠ
SAMM		DAT DETI	E 07		ALPHA			BETA					MCTIVITY	1		BROOM ACTIVITY	
TAKE	1	HAT	ION		DI SEROL VIED	TOTAL		DIESPOLVED	TOTAL	DATE DE DETERM NATION		LPHA	BETA	1	STATE OF THE PARTY	DISTRICTION	TOTAL
DAY	YEAR	ROUTH	DAY	AFe/1	APC/I	##e/1	##e/1	###/I	Apa/l	Ma DA	Y /	Lpa√g	AA-/ 8		Ape/1	APe/I	##c/1
			14	_	_	_	0	٥									
1 11	59 50		14 20			_	10	40	0 50	1	1			{	1	í	
	59		27	ا ہ	5	5	15	20	35	ı				ļ	1	i	
25		9	3	_		_	l o	В	í						1 1	ł	
1		ģ	15	_	_	_	ŏ	32	32	İ				l	1 1	ļ	
	59	9	17	_	-	_	i	24	25					ļ	[
14		9	28	0	1	1	ō	19	19	1					1		
22		10	- 5	-	-	_	Ō	26	26					ł	[]		
							1				1						
														1	1 1		
							1]		
					J		1		ľ						i 1	1	
									J		1			ĺ			
							i			ļ	1						
			ì		1		1 1			Ĭ				1	i i		
											1				1		
							1										
					1									ŀ	1		
					1		1		1	I	1			1	1		
					1												
									1		1				ŀ		
														}			
			1					1							, t		
											ľ						
								1	I]			
								1			1						
	l			1	(Į.	Į		Į		(
	- 1							1						ľ			
					1									1		1	
														l			
	1			1	į.		1]				1		1]	Ĩ	
	- [1	1	l			ŀ					
				1					1							1	
]		
	\			İ	į			\	\						1	1	
					i				ļ								
				1			1										
	1			-					1	l				l			

STATE

NORTH DAKOTA

MAJOR BASIN SUB BASIN

MISSOURI RIVER

RADIOACTIVITY DETERMINATIONS

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER AT

WILLISTON, NORTH DAKOTA

	TE.	\neg				EAD	OACTIVITY IN Y	YATE			BADHOA	CTIVITY IN PLAN	HICTON (day)	BAE	HOACTIVITY IN W	ATER
-		ı	DATI	L OF		ALPHA			BETA		DATE OF	e node	ACTIVITY		GROSS ACTIVIT	¥
TAI		- 1	HAT	KMI KMI	AUSTENDED	DIMENSIA	TOTAL	ELEPTON DED	DIESOLVED	TOTAL	DETERMI NATION	ALPHA	BETA	FUSPENDED	DIEMOLYED	TOTAL
40 04	AY T	TELE	MONTH	DAY	##4/I	APC I	##c/1	##e/1	ppc/I	A#c/I	MG DAY	##4/g	P#c/g	ppe I	ppe/i	ppe i
								_								
	8		10	17	1 - :	-	_	7	21	28					1	
10 1		56	10	24	- 1	-	_	9	22	31			1 1		}	
10 Z		58	11	3		-	- -	254	72	326			! !			
10 2		56	11	10	7	9	16	48	45	93			1			
	-	58	11	18	_	-	_	10	25	35			l I			
1 1	0 !	58	11	24	- 1	-	-	14	37	51]	
1 1	7 !	58	12	1	- :	-	-	13	31	44			1 1		1	
1 2	6 !	58	12	11	0	1	1	105	64	169						
. 2	1 !	58	12	16	0	1	1	1	29	30					[[
2 1		58	12	23	-	-	-	18	109	127			1		l i	
.2 1	7 :	58	1	6	-	-	-	0	28	28			l l			
1	7 !	59	. 1	22	! - i	- 1	-	1	19	20]		1	
1 1	2 !	59	1	29	-	-	_	1	4	5			1 1		1	
1 2	1 !	59	2	5	_	-	-	27	43	70			1			
1 2	8 !	59	2	11	-	-	-	2	В	10						
2	4	59	2	18	_	-	-	1 1	27	28 [ĺ		1	[
2	9	59	3	2	l – i	-	_	0	0	0					l	
2 1	6 !	59	3	6	15	6	21	0	٥	0	J		! !			
2 2		59	3	10	i	_	_	109	17	126]	
		59	3	13	- 1	-	_	17	12	29			1		l	
_		59	3	20	_	-	_	40	79	119			1 1] 1	
_		59	4	20	_ :	_	_	72	144	216			1		1	
4 1		59	4	24	12	5	17	125	27	152		ļ	1 1			
4 2		59	5	4		_		62	58	120	1		1			
4 2		59	5	12	_ !	_	_	55	73	128			1			
. –	-	59	5	18	_	_	_	105	44	149			1			
5 1.		59	5	25	_	_	_	185	80	265	ł		1 1	1	1	
6 2		59	7	9	_	_	_	76	16	92	l		1			
ē ž		59	7	14	_	_	_	115	2	117			! !		ļ i	
		59	7	17	Í _ I	_	_	209	20	229	Ĺ		1 1		ĺĺĺ	
7 1		59	7	29	_	_	_	24	1 2	26	ļ		1 1			
żż		59	ė	4	3	3	6	32	22	54			1 1			
7 2		59	8	10			_	5	2	7 1						
		59	B	12	l <u> </u>	_	_	4	هٔ ا	1 🗼 1			1 1			
8 1	_	59	B	20	_	! _	_	33	22	55		1	1			
8 1			8	31	2	٥	2	0	20	ا ءُ ا						
		59 '	9		_	-	_	_	22	43]				
B Z		59		2		l	_	21		1 - 1			1	1	1	
		59	9	15	_	_	1 -	0	12	12						
9 1		59	1	21	-	,	<u>-</u>	7	1	1						
9 1		59	9	24	6	3	9	43	10	53			1	1	1	
9 3	U	フソ	10	9	_	-	_	33	5	38			1			

STATE

ILLINOIS

MAJOR BASIN

OHIO RIVER

RADIOACTIVITY DETERMINATIONS

SUB EASIN

OHIO RIVER MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

CAIRO, ILLIMOIS

	MI					BADK	ACTIVITY IN V	WATER			EADIOAC	TIVITY IN PLAN	BOTON (Mry)	EAD	HOACTIVITY IN W	/ATE
	U.	•	DATI	E DF		ALPHA			DETA		DATE OF	190m A			GROOM ACTIVIT	Υ
TA	4	·	HAT	ioni .		DI MACOLVED	TOTAL		DI MEDILVED	TOTAL	HATION	ALPHA	BETA		DISSOLVED	TUTA
ם	YAC	TEAR	II DAITE	DAY	##=/I	AAc/I	##4/1	###/I	A#4/1	ppc/I	HO DAY	#4/g	FFe/q	pps/l	µ4e/l	**** /
			10	16	_	_ 1	_	2	38	40		ļ				
	6	58	10	24	_	_	_		53	53	1 1				l	
2	_	50	10	29	_	_	_	4	28	32					j	
	28	- 1	11	7	0	0	0	ž	22	24					f	
		58	11	17	-	-	_	6	50	54		l				
1	0	58	11	19	-	-	_	0	17	17			1			
	7	58	12	1	- 1	-	_	8	22	30						
		58	12	24	-	-	_	21	20	41	1 1					
1	5	58	1	6	-	-	-	0	23	23	1 1					
2	22	58	1	12	-	-	-	5	16	21	1					
2	9	58	1	16	_	-	-	4	21	25						
		59	1	26	-	-	-	4	12	16	1 1				l	
	2		1	30	-	-	-	7	28	35						
. 1	9	59	2	6	-	-	-	35	23	58						
2		59	2	11	-	-	-	194	16	210						
	_	59	2	16	-	-	-	82	31	113						
		59	2	26	0	1	1	30	76	106	1 1					
_	6		3	. 5	-	-	-	112	40	152						
	4		3	10	-	-	_	109	24	133						
	_	59	3	13	_ [-	-	4-8	113	161						
	.0	- 1	3	23	2	0	2	52	92	144						
	6		3	26 3	-	_	_	82	11	93						
	! 3	- 1	7	В				92	67	159	1 1					
_	10		7	16	0	_	- 0	20	7	27						
	3		*	23		_	_	33	70 39	103						
	0		5	1	_	_	_	45	21	83 66						
	7		5	11	_	_	_	32	78	110			1			
_		59	5	18	_	_	_	25	62	87						
		59	5	22	3	7	10	30	53	83						
1		59	6	1	_	<u>-</u> -	-	39	26	63		Ì	1			
2		59	6	9	_	- 1	_	ĺo	7	17						
	1	59 l	6	15	-		_	48	54	102						
	8	59 I	6	16	o :	0	٥	18	71	89		1]		
1	5	59	6	30	_	_	_	В	242	250			1	1		
2	2	59 i	7	7	_	_	-	4	19	23		1			1	
2	9	59	7	9	_	_	-	2	5	7		1				
	6	59	7	15	-	-	-	0	1	1						
	3		7	27	0	0	O	0	58	8.8		'				
	0		В	4	-	-	-	2	9	11						
2	7	59	В	7	_	_	-	4	23	27	1		ľ	1		

# 10 may 2 m	### DAD #### DAD ### DAD ### DAD ### D	###A ###A	PETAL PETAL PETAL O	0 2 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3 8 16 0 2 2	10TAL Med 0 9 9 16 9 9 2	BED DAY	SECOND ALPHA	BETA FIN'S	MARPONDED Page	DESERVED APPART	TOTAL
8 10 8 26 9 2 9 11 9 17 9 22 10 5		######################################	PATAL PATAL 0	0 2 4 0 5	0 3 6 16 0	0 5 7 16						
8 10 8 26 9 2 9 11 9 17 9 22 10 5			- - - 0	0 2 4 0 5	0 3 6 16 0	0 5 7 16	₩ D DAY	H=11	ASA .			
8 10 8 26 9 2 9 11 9 17 9 22 10 5		- - - - 0	- - - 0	0 2 4 0	0 3 6 16	0 B J						
8 10 8 26 9 2 9 11 9 17 9 22 10 5			- - - 0 -	2 4 0 5	3 6 16 0) 16 J						
9 26 9 2 9 11 9 17 9 22 10 5	-		- 0	2 4 0 5	3 6 16 0	J						
9 26 9 2 9 11 9 17 9 22 10 5	-	- 0 -	- 0 -	0	16 0	J						
9 2 9 11 9 17 9 22	- 0 -	- 0 -	- 0 - -	0	_ p	J						
9 11 9 17 9 22 10 5	- - -	0 - -	0 - -		_ p	J			1		1	
9 17 9 22 10 5	-	-	-	0		2	1					
9 2Z 10 5	-	-	-					ı	1	\		
10 5		1 1		1 1		13	Į.		1 1	l	1 [
	-	-	-		23	ย	Į		1		1	
		1 1		•	1				1 1			
					1	l l	- 1		1 1	.		
		i i		Y					1 1		1	
	ĺ	l i		ì		l l		1	1			
	i	l i		1	ĺ		1	l	1	1 1		
		(1		Ì		1			l
	\	1		1	1	1	1		1	1	1	
	1			1			1	1	1		1	}
	1					1		ł	1	1		1
	Į.	1		İ		1 i	ļ	ł	1	i i		
				ì	1]		1	-	1		
	!			ì	1	1	ļ	1				1
		1			1	i	Į.					1
	Į.			1	1	1	Į.					Ì
		1	1	1	1	1	1	1			1	1
					1			ļ	1	1 1	1	1
	1					1		1			1	1
	1	Į.						l		1 1		
	1			1				1			l l	
	1			1	1						1	
				1	1						1	
	1	1		i i		1		1			1	1
	Į.						1 1			1		ĺ
	1		1				1 1	1		1 1		1

47 TALE MARCACHYDY IN FLANESCH MAN RAMOACIMIT IN WATER ALPHA =TA AUTOTTY ACTIVITY DISSULVED. TOTAL PARTICL VID TOTAL - TOTAL VID TOTAL ALIHA **ETA** HE MY TOM SHITE DAY APP-APA/I Page 1 **/---/**1 A---/1 ED DAY 49-4 44-7 A44/1 10 6 50 10 14 58 10 20 14 п 10 27 58 11 3 14 11 10 50 11 17 14 IJ 11 24 54 12 1 34 12 8 58 12 15 Π 1 12 57 _ 1 19 59 1 17 59 2 2 55 _ 2 16 1 26 39 1 2 39 1 10 -3 16 7 B 1) 1 30 59 _ . 6 39 4 14 39 _ 4 29 -., 1 10 59 1 1 17

						MARIO	ACEVET IN	WT.				HYTT IN FLA	ACTOM May)		SOACTIVITY BY W.	
			-	15	Ī — — —	41744				1	20.7		VOTTY TY		COLUMN ACTIVITY	
	ш		HAT	-	P-P-D-DED	OCHOL/TO	TOTAL		Designation	TOTAL	斯梅姆	7	ETA .		DI SELECTARD	TOTAL
				PAT	7941	7-4	1	PART	ا/يجوم	/pap/1	E- DAY	A/1	F=-/1	pp=1	7-4	
0	1	58	10	10	0	_	_	1 . 1	26	32	1 1					
Õ	1	54	10	15	💆		_	6 3	26	29						
	15	54	10	24		_ '	_		* 7	*7						
ō		14	10	29	-	_ ,	_	2	34	36						
ŏ	77	54	ii	7	l	0	0	7	26	ii l						
ī	- 5	34	ii	17	l 🚣 🗆	_	_	:	51	19						
		34	îi	20	l - i	_	_	1 7 1	ŹÎ	20	1 1	i	·	1 1		
		34	îi	28	_	_	_	7	36	45						
_	26	14	12	ii	0	1 i	1	Į ž į	26	20						
Ž	3	5.6	12	12	ا آ	ō	ō	29	135	164						
		38	12	23	l <u>-</u> ¦	_	-	Sá	33	100						
		58	ì	- 6	l - !	_	-	26	13	19						
_	_	54	ī	9	l <u>-</u> i	- 1	_	3	25	28						
		58	ī	16	l - i	_	_	16	22	3.0	-	ł				
1	7	59	1	21	l o '	0	0	94	91	175						
ī	14	59	ī	29	-	_	_	10	2.2	32		ļ				
ī	21	57	ā	5	_	_	_	117	30	147						
1	21	57	Ž	9	. .		_	6□	12	72						
ī		59	ž	13	_ [_	_	34	12	44	1 1					
2	ġ	57	2	26	1 1	٥	1	49	20	19						
2	10	59	3	5	17	0	19	67	21			ļ	1	, ,	1	
Ž	25	59	3	9		<u> </u>	-	20	50	70						
3	-	57	3	12	_	_	_	63	34	97						
3	9	57	3	20	1	0	ı	47	2.6	73						
3	10	57	3	26	!	_	_	ii l	7	3.	1					
3	25	59	4	3	- :	-	_	31	26	57				i l	ĺ	
4	1	57	4	9	_	_	_	47	24	71						
4	6	57	4	16	3	1	4	122	10	132						
4	15	57 [4	23	_	_	-	64	29	95		1	ĺ		[
4	20	59	5	4	_	_	_	44	20	64						
4	29	59	5	12	-	_	_	32	10	42						
5	6	57	5	1	_	- 1	-	35	20	55						
5	13	59	5	27	4	0 '	4	57	10	75						
		5.	4	1		_	_	142	3.0	180					Ì	

_	BATT	0.00		ALPHA			PETA		DATE	.		<u>~ ~</u>	1		AUTIVIT	T
				OCCUPANT OF THE PROPERTY OF TH	TOTAL		DHEDLYED	TOTAL	DATE DATE	₽ŀ	ALITIA	META	1		DEEDLYED	TOTAL
			 	P#4/1	<u> </u>	<u> </u>	special and	M-0/1		ΨY	44-4	4-/1	1	A/1	P#-01	ppay!
59	7	15	-	-	_	0	5	5							ŀ	
"	7	27	0	0	0	0	7	7							ı	
59	7	31	-	- [-	3	17	10					1			
"	•	6	-	-	-		15	23	1	ì			Ì	l	Ì	
19		12	-	- 1	-	1 1	10	11	1							
59		18 26	0	· •	0	2 1	0 10	28 11		-		1	\	ļ	. [
"	9	1	_	_	_	•	19	25					1		ì	
57 59	9	10	_	_	_	4	, ,	7								
57	Ó	16	0	o l	0	10	6	16		- 1						
57	9	23	-	-	_	9	62	71						ł		
59	9	9 D	-	-	-	2	1	3					1			
59	10	В	_	-	-	0	0	0							!	
									[]	- 1						
		i							i l						i l	
										l.						
							ı		\ \	- 1			1	1	ļ ,	
										-						
							ľ			1			1	1		
		Ì				1			ìì	i		{	1	1	¦	
	1									- 1			1	1	·	
]						'	
		Ì		1					1	- }				1		
												I				
									1 1							

B./	ΑП					3,480	ACETIT IN Y		_		LAMBAC	HYRY IN FLAN		BAS .	CACITALLA IN A	W.TER
1			<u> </u>			ALPHA					PATER	PROFE 2	OTTYTT		SHOOM AUTIVIT	·
TAL					4 of the Carolin	DIMEDLAND	TOTAL		BE SHOULD	TOTAL		ALPHA	META		DI SEEDIL VIED	TOTAL
	44	T	1 (-1)	DAY	المقرم	Apri/I	<i>μ</i> ω/I	/Perl	ppe/1	p.ps.1	Mag DAY	P44/9	A/	العبد	P==2/1	A=-/1
0	6	58	10	14		٥	Ó	6	17	25	1		ļ			
0 1		54	10	24	-	_	-		20	20					l !	
0 2		36	10	31	_	_	_		37	43	1 1					
0 2		54	11	73	1		2		ži	21						
		54	īī	14	1 1			9	62	71		1			1	
1 1	_	58	11	19	_	_	_	o l	15	15						
1 1	-	58	11	z e	i - I	_	-	ا ة	37	39						
1 2		5 .	12	- 9	a	1	1	1 1	24	27				I.		
2	1	58	12	12	1 0 1	0	0	1	73	74				ľ		
2	i	58	12	18	_	-	-	23	14	37					l l	
2 1	5	54	1	- 4	_	_	_	10	15	25				1 1	1	
2 2	3	58	ı	7	_	-	_	6	21	27	1 1			1		
2 2	•	58	1	14	_	-	_	1 1	13	14]	ĺ	
1	5	57	1	20	0	o	0	18	19	27			1	1 1		
1 1	3	57	1	6	_	-	-	4	0	4	1 1					
1 1	9	59	2	5	_ '	- 1	_] 29]	4	33	1 1		ĺ	1 1]	
1 2	6	59	2	11	- 1	-	-	83	20	103			1			
2	Z	59	2	13	-	-	-	92	10	70						
Z '	9	59	Ł	24	_	-	_	43	26	69			ļ			
2 1	6	59	3	4	_	-	-	67	34	103						
2 2	3	59		6	_	- 1	_	36	33	69		- 1				
3	Z	59	3	11	J - 1	-	_	34	5	41		l,				
3	Y	59	3	17	2	0	2	70	27	97	1 1	i	Ì		i 1	
3 1	6	57	3	25	-	-	_	33	12	45				i i		
3 Z	3	59	4	2	-	-	-	54	51	115		1				
3]	0	57	4	B	- (-	-	1 11	27	50		l		1 1		
4	4	59	4	14	2	0	7	267	27	294						
4 1	_	59	4	23	- 1	-)	_	49	19	6.6		1				
4 Z	0	"	4	29	-	-	-	50	24	■2		i			1	
4 Z		59	5		-	-	-	13	10	23		1		- } -		
		59	5	13	-	-	-	75	24	99						
5 1.		59	5	21	0	1	1	13	34	47		1				
5 1		59	5	29	-	-	-	11	304	315						
5 2	5	59	6	5	-	- 1	-	0	0	0		ì		1		

M	_						DACEMIN IN A	MILL				TIVEY IN FLA	4000H (##)	N PA	HOYCLALL IN A	ATE
24.0		ı	Pr	TE OF		ALMIA					PATE OF	-	VOTTYTTY		ACTIVITY	1
W			7				TOTAL		DIMMOLATED	TOTAL	HATTEN	Y	MITA .		DIESPLASE	TOTAL
DAT	T	774		DAY		P#40/1	P/1	p==/1	# * •√1	P	Mac DAT	F##/1	ppe/g	₽₽•/ 1		₽₽ ₩/1
			_			_	_	16	6	22						
			7	14 27		- i	-	1 1	84	92						
1)			<u>,</u>	31	-		-	40	83	123				ĺ		
, 20 , 27			, _	6	_	_	_	14	19	33						
			•		_	_	_	3	1	21						
10		- 1		14	4		12	ء ا	9	9						
17		90	ĕ	26	_			12	•	20			1			
24			,	1	-	-	-	0	5	5						
11		,,	•	9	_	-	_	111	12	23						
		9	9	14	0	0	0	0	0	0						
14			7	22	-	-	-	0	2	Z						
21			9	28	-	-	-	9	17	26						
								Ĭ								
														ļ	l l	
		J														
											1					
									'		1					
		- 1			1											
															'	
		ı						1								

	M		1			LUI-	DACENTY IN 1	ALTER CO.							ECHCIPALITY BY W	ATE
1	w		_	11 =	I	ALPEA			PETA		PATE P	4	апит		ACTIVITY	<u>- </u>
	TAC	H			-		TOFAL		DOMESTIC VIEW	TOTAL		ALPHA.	■ETA		DESCRIPTION	TOTAL
-	DA1	TLA	Name of	DAT	PE-VI	75-4	7	/ *** 1	H-1	100	HO DAY	A-4-43	A4~/ B	AAAA)	/pa/1	p/44/1
				_									ľ	1		
		54	11	Z.	l -	- 1		11	32	43	ı	l 1	1			
_	24		12	10	0	0	0	•	316	325	1	l)				
Z	1		12	17	1 1	l l	2	2		20					1	
2		58	12	1 .	J -	- 1	-	15	0	15		1 1	- 1			
2	22	30	1	•) - (-	-) 0	7	7	J.	J J)	1 1	}	
1	- 4	51	1	21	(3 (0	1	74	28	102	ĺ					
1	12	37	1	26	_	_	_) •	7	16	1					
	26	57	2	Ĩ1	_	_	_	l Bi	27	■ □]	i))		
2	1	57	2	13	_	_	_	44	25	49			- 1			
Ž	Ī	59	Z	25	1 2 1		2	19	21	4 0	ļ		1			
_	17		•	4	1 2 1	- 1	-	1 11	17	50)	i i	ì	1))	
-	24		i	,	_	_	_	1 1	20			[
î		57	ļ		! !	- 1		} <u>•</u> }	1	•	i i	i	j	1 1	ſ	
?	2		3	13	- 1	-	-	25	19	40				i i		
:	7	59)	10	0	0	0	<u> 74 </u>	38	112	ſ				t	
-	16	59	3	27	_	-	-]]]	16	47	J .			l i		
	23		4	2	-	-	_	40	19	59	}					
J	11			10	- 1	- 1	_	30	21	49	[-	1	
4	7	59	4	16	2	1)	•	16	7 9						
4	13		4	21	-	-	_	21	39	60						
4	20	57	4	30	_	- 1	-	15	34	51	1 1		1		ſ	
4	28	57	5		-	-	_	66	44	112						
5	4	59	5	18	- 1	-	_	7	17	24	1 1)]	1	
5	12	57	5	22	1	1	4	23	13	36	1 1		1			
9	19	57	4	1 .	-	_	_	٥	4				1		1	
	1	57	ī	12		_	_	Z	az	24				- 1		
ĭ	â	37	4	16	ō	a	0	5	23	25	- 1 - 1		Ï	1		
Ī	15	59	7	30		_	_	- 1		I						
		39	-	9				27	10	37	- 1					
•	29		7	- 1	~	-	- 1	34	42	116						
		59		14	-	- 1	-	Ď	30	30		ļ				
		59	7	27	0	0	0	0	7	7			1			
	20	59	7	31	-	-	- 1	4	9	13	1 1					
_	10	/		14	0	ם	Ď	0	,	3			1	1 1	1	
	24	57	9	1 [- (-	- 1	0		0	[[
9	1	59	9	10	-	- 1	-	0	15	15		1)	1	1	
9	14	59	•	23	- 1	-	_	ŏ	Ĩó l	Ĩ.]					
9	21	54	9	30	_	_ 1	_	0	<u>.</u>	ŏ			l	1 1		

	ВΑП					BAJE	PACIFIED IN Y					BADIDAC	TYDY IN FLA		- W	MOACTIVITY IN Y	ATE
						ALPEA		Ţ	MELLY.			DATE OF		- ОПТТ		ACTIVITY	7
τ		4	_ TA	· E.		DHEBOLVED	TOTAL		DESCRIPTION	TOTAL	\	TALL I	ALTHA	TA.		OFFICE AED	TOTAL
9		TEM	HORTE	DAY	PP-01	2	 	P###/1	1949	p==/		HO DAT	65-/L	/ /~/ 1	pp-pA	77	PF- /1
0	4	54	10	17	_	_	_	_			1	1		1			
	13	30	10	23			Ξ	7	20 35	25 42	- 1	1					
		50	_	Z 9	l l	Į.		1 .	(II.	- (
	_		10	5	-	-	_	0	12	12							
	27	58	11			_	0		60	62							
.1	. 3	14	11	14				24	0	24						l i	
		5.	11	19	_	_	-	9	33	62				1			
_			11	28	_	- 1	-	0	60	60	1	ì		1	i i	l l	
_		50	12	9	0	1 1	1	12	2	14	- 1						
2	1		12	15	0	0	0	15	26	41	- {	- 1		l			
. 2		58	17	19	i - I	-	-	18	44	64				ľ			
		50	1	12	-	-	-	0	11	11				Į.			
. 2	_	30	1	13	_	_		0	19	19							
1	,	57	1	23	0	0	0	103	60	163						!	
1		>7	1	29) -]	i – i	-	9	26	35	j j				ì	1	
1	19	57	2	9	_	-	-) 0	28	26							
2	2	59	2	24	\ -	-	-	15	14	29	- 1	1		1			
Z	16	59	1	9	-	-	-	25	23	48				J			
3	2	59	3	16	1 1	0	1	11	14	25				<u> </u>			
3	9	59	3	20	-	-	-	47	33	80							
1	16	59	3	26	_	_	_	2.0	19	47							
3	23	57	4	2	_	-	_	26	44	70 l)			
1	31	59	4	13	0	l o 1	0	13	52	63						l .	
4	6	59	4	13	_	1 - 1	_	11	39	70	1	ì		i i		\ \ \ \ \ \	
	13	59	4	22	_	_	_	4.2	49	91							
-	20	59		30	-	_	_	33	17	3 D		l			l l		
	27		ا أ	Ĩ	_	_	_	7	203	210							
i	4	51		19	اما	ا ما	۵	13	10	23		Į			l	[[
	11	39	É	21	-		_	1 6	14	14				· I			
	14	59	5	29	_	_	_	19	52	71	l			1			
	25	59	1	5	_	_ 1	_	1 2	19	21	l Ì	ì		1	Ì	1	
4	1	59		12			_	7	19	26				1			
-	ı	3 y		14		_	<u> </u>	2	1 10	12		1		\ \ \			
-	_			30		_	_	7		14							
	15	39		_		Į l	_							ļ (ļ		
	22	59	'	7	-	-	-		34	42						1 '	
0	29	59	7	14	_	_	_	3	0	3				; I		I	
1	6	59	7	14	0	D	0	0	0 '	0	l i	ì		i l	Ì		

.

	ATT						DECEMBER IN Y	Mark			T	Marc	MC114111	H PLANETON H	r)	BAI	W HI YITVIDAGE	WITE.
-			PAT	T =		AUHA		Γ	ELETA.		1	PATE OF		ACTIVITY			ACTIVITY	T
			7,1		WF080	DI AMEL VED	FOTAL	# 1000	DATE OF THE PARTY	TOTAL	1		ALF	4A MET	A _		DOMESTIC	TOTAL
	AY	TELL	I MTS	DAY	1	— 1	PP-(1	,p=4	PF-g/l	P==4	1	MED DAY		4-		FAM.	PP-0/1	P#=/1
	3	4-		10		1	1		18	24	j		1	1	- 1			
1				10			-	;	17	22	1						1	
1		59		27	_ '	_	-	ا و	9	14	1	i	l	ľ	ł	1		
24	4	57	•	2	-	- 1	_	11	7	16		1		l		ţ		
3)			9	3	-	-	-	24	34	60				1		- {		
	7		9	14	- 1	-	-	3	0	3	1							
14			9	24	_]	-	-		11	14 14	1			İ		1		
21			9 10	28 6	_ [-		3	10	13		1					1	
	•	"]	10	٩	- 1	-	_)	10	1.			1			1	' I	
		- 1			1								ĺ	Ĭ	ĺ	1 .	i	
		- 1				j					1						}	
		- 1										1	}	1	ſ	- [
)							1)	
		i				1			ĺ		ł		İ	- 1				
														1				
									ĺ								·	
				ĺ		į	į	1						1	- 1			
		- i		1				1					l		1			
		ļ											ļ	l	1			
]	ļ				l	1	l		1 1		
					1								l			((į	
		ı			1	1												
		- 1		1	1				ĺ		l				l			
]									}		1		Ì			
					\		1										1	
								í						l		1 1	j	
				ĺ		j							ĺ	l		1 1	ľ	
				[1	{												
		- 1											1			1	1	
		- {											(
				Ţ,		1	1	1]	1	
						ı		1	1					1	ļ	1 1	ı	

DAT	1					ACTIVITY IN 1	AID			NEW COLUMN	TYRY IN PLAN	EDON HAT	1/2	POACTIVERY IN W	ATE.
			1 G		ALIHA.			META				CTIVITY		ACTIVITY	7
TAID			_		DIFFERENCE	TOTAL		District	TOTAL	TAX TABLE	ALPHA	BETA		DISTOLYTO	TOTAL
DA1	TEA	PARTE	DAT	P#-4/1	PP=7	<u> </u>	##=/1	Apre/1	//	MO DAY	7-4		Aprel 1	P#44/1	
0 6	50	10	14	_	_	_	0	38	38	-				\	
0 13		10	24	_	_	_	Ď		76						
	58	10	31	_	- 1	_	10	18	20				1 1		
1 4	50	11	18	_	_	_	i	31	32		ľ				
1 11	54	11	24	_	- 1	-	7	47	54				1		
1 17	56	11	28	- 1	-	_	17	20	45	1 1	1		} }		
1 24	56	12	10	0	D	0	9	13	30						
2 1	58	12	12	1	٥	1	5	64	49						
2 8	34	12	23	-	-	_		2	2						
2 15	58	1	12	-	- [_	12	16	20						
1 5	59	1	22	_	-	_	28	28	54			l l		Į.	
1 12	59	1	29	_	- 1	-	5	16	21						
1 19	57	2	9	-	-	_	17	43	6-0						
1 26	59	2	10	-	- [-	17	13	30						
2 2	59	2	17	0	0	0	16	26	42	i l					
2 y	59	2	27	1 1	1	2	15	15	30						
2 16	59	7	9	i -	-	_	10	17	29						
2 23	59	3	11	-	-	-	10	11	21						
3 2	59	,	16	-	-	-	21	44	67						
9 9	59	3	23	-	-	-	23	19	42						
3 16	59	3	10	_	_	-	32	44	76	l l	ľ				
4 6	59	4	13	-	-	-	16	17	33						
4 13	59	4	28	_	-	-	52	16	6.0						
4 20	59	5		i - i	-	-	11	16	27	1					
4 27	59	5	11	-	- [_	14	25	39						
5 4	59	5	19	0	0	0	0	٥	٥					1	
J 11	59	5	25	_	- 1	-	0	4	4						
5 l=	59	9	29	_	-	-	14	72	0.6						
J 25	59	6	9	_	-	-	14	0	14						
6 8	59	6	19	-	-	-	3	٥	3						
	59	6	30	_	_	-		30	31						
6 22	39	7	7	-	- j	-	20	12	32	1 1			1		
6 29	59	7	9	_	-	-	2	20	22						
7 6	59	7	15	0	D	0	0	١	0						

					-	ORLHTIT IN T	PALE				-			<u></u>	THE PERSON NAMED IN	MIE.
44		PAT	-		ALPHA]	PETA		数	97.		VOTTETT T	L	MOSE AUTIVIT	<u> </u>
	4	"27			DESCRIPTION .	TOTAL		Description (TOTAL			ALPHA	■ TA			TOTAL
DAY.	TLAN	POT 1	DAT	At-e1	/ /1	1	1	Į	1		MY	AP-4/1	A/1		P#-4/1	# ** /1
_		_						_ ,	. !		- 1				1	
14		,		-	-	-		1 30	46	1	- [- 1			
			28	-	-	-				1	ł	1	J		1	
21 25		10 10	.5	-	- [-		12	20						1	
2.0	77	1.0	17	-	-	-		1 12	20						i l	
									- 1	İ	- 1				[[
			- ((i		! !	
									1				l]	
				' I					1	ł	ı					
	1		- 1					ï		J	- 1		J			
									!		- 1			ĺ		
				Į				- 1		ł	-	Į.				
					[- 1					
			- 1		1	ľ			1		-			1		
			ŀ		j	ł		ŀ			1	ŀ				
										ĺ			· · · · · · · · · · · · · · · · · · ·			
	l				1							į.				
	ŀ		1		-											
	- 1						j				- 1		ļ			
					[- 1			ſ	1		ł			ĺ	
				ĺ	1	i	ļ			ŀ	- 1				1	
			l	1		l			1		- [[l.			
						1			1							
	- 1			1	1				1		1		1		[
			- 1			I			1				ŀ		l l	
	- 1)	1	1		1]	1		ĺ			
	- 1		- 1		1	ı										
	- 1								ı							
					ĺ		1	1		l						
	ı			1					1			1				
	- 1							J			1					
						- 1					- 1		ı			
			1			1	}	1	1		1	i i	}]		
	ĺ				ļ					1	1	1		1		

D #	<u>л</u>						WOMIT IN	#ATE			MADIOAC	IMIT IN FLA	EDOH HIT	BAT .	MOACHYITY IN TH	THE .
		۱ [ALITA			BETA		DATE OF	-	OTTTTT		ACTIVITY	
TAI			MAT	5		DOMOLAND	TOTAL		DHEEDLEVED	TOTAL		ALPHA	META		DHEEDE, VIED	TOTAL
D	Ψ.	TLA		DAY	~~ ~1	//1	P###/1	- Pr	PP=/1	AP4/1	BO DAY	4	Admir 9	A4=41	Aprel .	<u></u>
0 1	0)	5 U	10	20	_	_	_		14	14						
0 1:	9	58	10	23	-	-	-	6	- i	īò						
0 20		5B	11	3	_	-	-	5		73						
0 2	7 :	5 .	11	7	1	0	1		11	11				l l		
1 !	5 5	58	11	14	_	-	_	5	īz	17				ļ l		
1 10	9	58	11	20	-	-	_	7	42	49						
1 17	7	54	11	28	_	_	-	24	44	61						
1 24	4 3	ы	12	11	4	0	4	61	14	75						
2	1 !	58	12	15	0	0	0	13	7	20						
2 (54	12	18	_	-	-	22	16	30						
2 1	,	14	1	₽	-	-	_	44	24	64						
1 !	5 9	59	1	22	-	_	-	6	11	17						
1 12	2 1	57	1	3 0	_	-	_	13	20	33						
1 19	9 9	59	2	6	-	_	-	26	2 ■	54				ì		
1 20	6	,,	2	11	_	_	-	14	12	26						
z :	3 :	? 7	2	17	_	-	-	132	43	195						
2 !	9 !	5 p	3	3	-	-	-	48	51	9.7						
2 10	6 5	57	3	5	2	0	2	39	67	106						
2 2	3 !	59	3	10	_	-	-	75	6	101						
3	2 !	57	3	12	-	_	_	47	31	78						
3 !	9	59	3	2 D	-	_	_	10)	51	154						
3 10	6	59	3	27	10	٥	10	270	95	365						
3 24	4	59	4	6	_	-	-	100	42	142						
3 30	0 !	59	4	10	_	_	-	34	53	■9						
4 1	6	59	4	14	_	-	-	104	40	144						
4 13	9	59	4	22	11	Q	11	202	67	269						
4 2	7 :	57	5	12	-	-	-	74	42	116						
5 4	4	59		1∎	_	-	-	174	209	343				l	1	
5 11	• !	59	6	2	0	1	1	21	140	161				l	1 1	
5 2		57	6	В	-	_	-	•1	16	97					1	
6	2 1	59	6	15	_	-	-	53	158	211				1		
6 15	5 !	59	6	30	0	0	0	71	6 1	132						
4 7	, ,	امه	7		_	_	_		148	300					1 1	

	ВАЛ				•	-	DACEVET IN	4			T	14000			<u> </u>	POACTIVITY IN Y	ATE
	4		■			ALPHA			-TA		7	PATER		ACTIVITY		ACTIVITY	Υ
	ш		紐	=		CHECK VID	TOTAL		DHEEDLYED	TOTAL			ALPHA	■TA			TOTAL
-	DAT	T14		BAY	ppts_1	P-2-7	/ 1	p=-/1	//	P#4/1		MID DAY	H/2	##-/g	1	44-01	Appl 1
										\		1	l			}	
9	1		<u> </u>	15	-	_	-	0	1.	1.	1	1		ļ		í !	
9		57	7	17	-	-	-	0	0	0	1	1 1					
	14 21		9	24 30	1 1	1	2	0	14 15	14 15		1				l	
		57	10	6		_ '	_	9	10	1		1			,		
•		"	1.	•	_	_	_	, ,		,	1					j i	
						ĺ		ĺ				1 1		1			
								l 1			1	1 1					
		- 1									ł	1					
]			Ì					l		1					
				1								1					
		ŀ									ĺ					1	
		- 1		- 1				l l	- 1								
		ŀ		l							1			1			
		- 1			1	1		'			ĺ	1 '				ĺ	
		- 1							1		1	1 1					
					I	1					ĺ	1		ı			
		- [ļ							1					
		- 1		l							ŀ						
								Ï									
		- 1						ĺ	1			1 1					
		- 1		1		1			1			1 1					
		ľ										1 1					
		- 1		J			1		1								
		- 1			1	1						1				ľ	
		- 1		1		1			ŀ		ĺ			1			
		- }		- 1	ļ	4	{	1	\			1	1	\	1	1	
					1	1	1		ı			1 1	ı				
		- 1		- 1		1								1			
		- 1		1		i		1						1			
														1			
						!							1	ļ			

	WE.	l					MOTOUT IN Y	YATE					SYNT H PLAN	#27000 j≟y)	Ł	WICHCITYTT IN W	ATTEL
		ı İ	DAT	T 07		ALPHA			mar A			DATE OF		- ТТМПТ		ACTIVITY	т
T/			MA ¹			DEMOLVED	TOTAL		District VIII	TOTAL			ALPHA	M ETA		DISSOLVED	TOTAL
<u> </u>	TAC	TEM	нп	DAY	PP4/ 1	1	- Pare/1	P###/1	المحيم		[DAT DAT	/ ** /y	P#-/g		Aprel 1	###/I
	26	44			_	_	_	16	64	82							
•		5,	- 1	12	_	_	-	2 0	1.	116						1	
		57	6	16	_	_	-	l -ō	34	34							
1		59	7	- 6	0	0	0	28	17	45		- 1					
2		59	7	7	-	_	-	9	22	31							
-	29	59	7	14	_	_	-	1	167	144				ľ			
	6	59	7	17	_	-	-	31	15	44						1 1	
1	13	59	7	29	-	_	-	0	16	16						1 1	
2	2 D	59	8	5	19	1	20	101	9	110	ll			l		1 1	
2		59	8	11	-	-	-	6.6	60	126		1					
		59		12	_	-	-	34	24	30							
		59		19	I -	_	_	0	27	27			1				
		59	8	31		0	0	, 0	Z ■0	2	\ \	Į.		1	}	1 1	
		59	7	15	_	-	-	25	13	10 5 27	1			\		1	
		59	9	17	-	-	-	14	11	20							
	14	57	9	24	1	•	7	,	••	**							
																1	
			1		Ì]		Ì)	Ì	1	
			l		1	1		1	1	l	\	}		\ \	l l	1 1	
					l				Į	ļ	, ,						
								1									

						_ 140	D-1011/117 HI 1	WAJEE.				ACTIVITY IN FLA	HERON HIT	BAI	POYCHALL IN A	AT=
			200			MUPHL		J	PETA		PATE OF		ADTIVITY		ACTIVITY	-
	Ш	H ——-		<u> </u>		person Vigo	TOTAL			TOTAL		AL)=IA	■ TA		DistroLVED	TOTA
40	MY	TLU		DAY	~~	Pare A	77-7	P==/1	pp-p/l	الينهم	MED DAY	A-4-49	pag/g	₽₽ ₩/1	A4-a/1	***
0	6	58	10	17	_ [_	_		38	42	1					
	13	30	10	24	_	_	_		16	31	1	1	1			
			10	30	_	_	_	15	26	47	1					
	_		11	- 6	1	٥	1	21	32	32	1	1	i i	i i		
1	3	30	11	14	<u> </u>	_	-		14	24	1			1 1		
-	_		11	25	_			- 1			ı					
		31	12	í	_		-]	22	22						
	Ž4		12	10	ō	<u> </u>	_	1	54	5 .	- 1		Į.			
2	ī	50	12	- 1	- ,	- !	0	l • 1	. 0	4	- 1		}	}	}	
ž	ì	5	12	12	0	٥	٥		31	39				1		
_		50		12	-	- 1	-	•	47	85	1 1		- 1	- 1	- 1	
_			12	24	-	-	-) (0 (. .			Į	l t	l	
		58	1	13	-	-	-		23	23	1			ì		
_		30	1	14	-	-	-	0	14	14	- 1 - 1		1	1 1		
1	. 5	57	ī	21	-	-	-	4	2	6	- í i		1			
1		39	1	30	-	-	-)	0	66	6-6	- 1 - 1	- 1	1			
1	_	37	2	5	-	- 1	-	1	19	20	1 1	1			}	
1	_	37	2	12	-	- (- (23	31						
2	3	59	2	17	-	-)	-]	24	10	42))	1)	
2		59	J	3	0	0	0	12	21	33	1 1					
_		59	3	j	0	D	0	٥	30	30	1 1	1				
2 2		59	3	16	-	-	- 1	12	29	41	1 1					
3	2	59	3	13	-	-	-	16	70	14	1 1					
		5 P	3	20	-	- 1	- 1	10	34	34	l		1			
3 J	17	57		24	0	0		50	123	1 2	1	1				
3 2	25	5 y 📗	4	6	-	_	_	11	102	113						
5 3	1	59	4	10	_	_	- 1	72	184	256	-1 1	1	- 1	1 1		
4	7	39	4	20	-	_	_ 1				1 1					
. 1	4	59	À	Z 2			l		326	326	- ((ľ	1 1	İ	
		5,	À	30		11	11	1.	6.5	84	1 1	1			ì	
		59		12	_		-	41	72	113		[1	1		
		5 🔻		- 1	1	-	-	14	88	102] [1	J			
	2			13	-	-]	- (16	63	79	1 1					
		50	7	71	-	-	-	6	300	306			i i			
	4		4	21	- 1	-	- [81	80	161		ĺ	ĺ	1	1	
	-	77	•		-	- '	_	^ I	•	_ !	1 (I	1			

	BAT					BADIC	ACTIVITY IN Y	MATERIAL PROPERTY.			BADROAC	UTUT M RA	SCHOOL HEIGH	BAC	*OACTIVITY IN TH	AJE
	w		24	H.		ALIFFA.			-TA		DATE OF		STITE OF		CONTRACTOR ASSESSMENT	7
	Д					DHAMEL VIEW	TOTAL			TOTAL	記載	ALITHA	■ TD		DI SECULVED	TOTAL
# 0	DAT	764	POST	DAY			_ -	PP-7	A41	P==/1	MED DAY	74-7		## ■/1	ppopt	/t
7	6	59	7	15	_	_	-	0	2	2					[
7	13	37	7	29	-	- \	-	\ 0	2	ī	\ \ \				1	
7 .	10	59		5	20	3	23	27	56	85	1 1					
7.	27	57		6	_	-	-	0	11	11			1 1			
	3	51		12	l - I	-	-		0	0			l •		1	
	10		•	19	-	-	-	10	0	10	1 1) j	Ì		
	17			27	0	4	4	0	9	J						
8,	24		9	2	-	-	-	0		•						
9	1		9	10	_	-	-	21	43	64	i 1					
9		11	9	22		-	-	0	25	29	1 1		l l			
	14		9	23	0	0	0	1.5	4	17	- 1 - 1					
	21		9	28	-	-	-	11	_	11						
,	29	57	10	6	-	-	-	10	25	33						
			1]				i i	ì	1 1		1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
													·			
					1			Í		ľ						
								Į	l l	l						
														Ì)	
			}		1			1] }	}	1 1		}	1]	
															l i	
			1		1			1	! !	ļ						
									l	Ţ					ļ .	
						}		-	1	1				1	1	
									1							
										1						
								1	j j	ì	1		1	l l		
									1	1			1			
			ļ]	J]]	J	Į į	
										l]			
								1					1			

						MORNIT M	WALLEY.		1	100		imit is use		1		A I I
	_	PAT	Ľ		AL PRIA			DETA					LOTTYTTY .		ACTIVITY	
TAID					DESCRIPTION	TWTAL		MARKET MED	TOTAL	T. HE		ALITHA	BETA		DESCRIPTION	TOTA
DAT	Title 1		DAY			-	₽ -√1	H=41	<i>F</i> ₽=√1	<u> </u>	47	A/1	para/y	P==/1	AF-e/1	744
6	58	10	21	-	_ [_	174	2.	202				[
14	54	10	28	i -	_	-	345	100	445					1		
21	50	11	5	27	6	33	171	14	255	1	-					
28	58 (11	10	25	4	29	249	13-8	387	1	- [ĺ	ĺ	1	
4	50	11	ZO	! - ∤	[_	452	4	454	1	- 1		J]]		
10	50	11	20	_	_	_	1 12	11	67							
16	58	12	Z	-	- 1	_	22	54	70	ĺ	1	ï		ĺ	ľ	
25	50	12	11	6	3	7	52	1	50							
2	50	12	12	0	1	1	24	39	63							
7	58 (12	24	- (_ (_	<u> </u>	23	27	- 1	1	1	1	- 1 - 1	- 1	
16	50	1	7	_	_	_	اةا	-6	-i					ł	İ	
5	59	1	22	-	_	_	6	ĭ	•	1]		
12	57	1	29	_	– í	_	, i	9	12	Ĭ.		(((((
19	59	2	9	_	_	_	اةا	2 0	20		1					
27	57	2	11	1	4	5	ž	3		}				1		
3	59	2	16	_	_	(12	41	53	ĺ	1	- 1	ĺ	1 1	ĺ	
9	37	3	3	- 1	-	- /	26	89	115	- 1	1	- 1		1	1	
16	87	3	10	_	_	_	1	43	61		1					
24	59	3	-	0			10	21	21	- 1					(
3	59	3	12				6	20	26				1			
9	5 p	1	23	_	_	_	46				1					
	37	ī	27	_	_	_	0	12	B@	1			1			
Z 3	5 P	4	6	1 1	3	4	17	37	54	ĺ	1	İ	ĺ	ĺ	Ì	
30	59		13		_		27	45		ľ						
6	59		1	_	_	_	14		72	1				1 1		
14	59	4	27	_	_	_	14	3.5	49			1				
20 5	57	5	-4	0	1	-	4	2	2							
20 S	59		12	_	_	<u>.</u>	- 1	22	20							
4 !	59		1	_ (_ 1	_ (23 149	41	44	1	l .	j	į į	1 1	- 1	
12 :			21	_	_	_		62	211	1				1		
	7	í	i	_	_		71 205	45	94	Į.			ļ			
	7	6	î	1 4	_	_		159	364	1	1					
	19	-	15	17		14	210	44	214	1						
				_	- 1	-	50	60	110							

DATE					IANO.	ACTIVITY IN 1	#AID	_		BA		THAT IN FLAN				DACTIVITY IN W	
	ı	X	Let		ALIHA			PITA			97		ATTYTT Y			AND ANTIVIT	
TARRE					D44504.1700	TUTAL		DIESENL VIED	TOTAL			ALPHA	= TA			DIESELVIED	TOTAL
DAT	1774	100	DAY	H-4			 1	4441	<u> </u>	100	DAT		- Ar/a		PP-/1		
. 4	59		13	_	- Ì	_	93	3)	120								
	59		19	_	-	-	1	0	1		- 1					Į.	
	59	•	31	-	-	-	4	10	14							- 1	
	59	7	3	0	0	0	•	_ 0			- 1	l					
	59	•	15	_	-	-	815)Z	847							ļ	
	59	11	2	-	-	-	734	2	734						1	Y	
14		9	23	-	-	-	184	0 10	186 37								
22		10 10	1 12	2	_ 1	-	14	7	23						1		
29	77	10	12	_	_	_	1.	'	**		i						
					1				j		ì				1	1	
		\ \							i			'		ł	\		
							1		j	ì	i)		1		
															1		
		1							1	1				Ì	1 .	Ì	
		ĺ															
		1			\		1	<u>'</u>		ļ	1		ļ	l)		
							1								1		
)	i i			Ì		Ì]				
					1		i)]				
											l						
)]]		Ĭ	Ì]		1						
					i l						ļ			l	Į.	Į į	
		Ì]													
		1					1							ļ			
		1			1						1			1	1		
]		ļ				1		
							1										
		1		Į.	[[1								ļ	
														1		1	

MADI				9,404	OACTIVETY BY V	MATE				4	CTMTT IN FLA		144	HOACTIVITY IN W.	AII
	_ 3			41744			MACE A		24)	NE		VOTT TOTAL		ACTIVITY	,
TARRE	_ ™	A STATE		District VIII	TOTAL		Description (VIII)	TOTAL	TA		ALFFIA	META .		DESERBLYTED	TOTAL
- DLT TI	1 100-17	E WAY	PP-P	FF-e/1	H-V	PF/1	4	ре-/		DAT	<u> </u>	A/3	P/1	AF-e/1	PP-41
0 6 58	10	15	1 _ 1	_	~	,,									
0 13 54			<u>-</u>	_ [_	14 12	77	91 19		1		' I			
0 20 58			-	_	_	19	31	50							
0 Z7 58		13			-	19		16	l						
3 16 37	1 2	26		_	_	104	26 27					1	- 1		
3 23 5 9	7	2	-	-	_			131	ľ						
3 30 37]	í				130	63	193							
4 6 59	7	14	-	-		4.	30	9.8	ł		1	1	1		
4 13 59]	23	_ 1	_	_	322	73	397			1			1	
4 ZO 59]	29	-	ĺ	_	93	1 3	176							
4 27 59	7	12		0	0	25	34	37	- 1	- 1	J				
5 4 57		10		-	-	17	73	90							
11 59	5	21				17	205	222				1		1	
5 10 59	4	18		-	_	14		92							
25 59	7	9	_ [-	7	109	55	164							
6 1 59		-	•	2	•	12	89	101			ļ	ĺ			
6 8 57		12	-	-	-	61	47	125							
15 59	7		-	-	-	0	0	0		- 1		1			
22 39	1 1	2	-	-	-	61	46	107							
29 39	7	9 L4	-)	-	-]	251	235	454		- 1					
7 7 59	Í		-	-	- 1	_0	0	0	[
	1 7	15	-	- 1	-	31	16	47							
7 13 59 7 20 59	1 7	28	-	-	-	1	•	2			1				
7 27 59		31	-	_	-	0	•								
	2		- 1	•	٥	61	11	72							
3 57 1 10 57		13	-	- 1	- 1		0	6			1				
	:	19	-	-	-	227	162	309							
		26		-	-	130	19	157							
24 59	9	. 1	14	•	22	74	5	70							
31 50	9	11	-	-	-	0	101	101				ł			
8 51	9	21	-	-	-	0	24	24							
14 59	9	23	-	-	- [41	80	121	- 1			ĺ			
21 59	10	1	0	0	0	0	8								
29 57	10	6	-	-	-	26	•	34							

	DATE					84.00	MUMILY IN	WATER			BADROAC	INIT N FLA	8DOH (±1)	W	MOACHVITY IN W	AID
			DAT	LE		ALPEA			-TA		MILIT		AFTITUT		AND THE	
1		•	꿦			DAMOLVED	TOTAL.		DESCRIPTION OF THE PERSON OF T	TOTAL		ALPHA	META.	e Director	DUSTOLVED	TOTAL
, •0	DAY	TILL	December 1	DAY	A44/1	A=-/1	A/1	Pre/1	F44/1	P#=/1	MO DAY	/***/I	1	1	FF-e ¹	
0	4	54	10	14	\	_	_		14	24	- {		\	}		
	14	50	lió	24	-	- 1	_	5	7	12						
	20	50	10	J 1	-	-	-	9	14	23]	ļ]	
	_	50	11	7	1 1	2 (1	9	13	22						
1	_ <u>;</u>	50	11	13	ì <u>-</u> ì	- 1	_		76	76			i i			
_	10	58	11	21	-	. - }	_)	31	34	} }))))	
_	_ 17	50	12	1	í - 1	_ (_	A	777	1						
2		50	12	18	_	_	_	9	o	5						
. 2		58	1	5) - '	- 1	-	•	7)	11	1)))))	
2		50	1	13	i - I	[_	33	■ 1	114						
ī	- 6	59	l	21	2	0	2	39	13	82						
1	12	59	1	30	-	- 1	_) 0) o)	o i	ì		ì ì	j))	
	20	59	2	5	_	_	_	7	1 🛮	25				i i	1	
	26	59	2	9	_	_	-	10	7	17						
ī	2	59	2	13	1 1	0	1	10	7	17						
Ž	9	59	2	24	_	_	_	24	17	41						
Z	16	57	3	4	-	- 1	_	24	19	43	1 1		ì l		i (
3	2	59	1	16	2	2	4	30	2 🗎	58	1				1	
1	16	59	3	26	_	-	_	29	11	40					1 1	
_	23	59	4	-1	_	-	_	33	34	67						
3	30	59	4	8	0	0)	0	54	47	101]]	
4	6	59	4	13	_	_	_	1 31	39	70			1			
4	13	59	4	23	-	– [_	80	25	105	1 1		1		1	
4	20	59	4	30	_	_	_	20	19	39	-					
5	•	59	5	14	1	4	5	20	14	34	1					
5	11	59	5	21	_	_	-	5	3	•				ľ		
5	16	59	5	29	-	-	-	14	14	2.						
5	25	59	6	5) -) –)	_	10	10	20)]]	1))	
6	1	59	6	12	(0	1 1	1	11	16	27			1			
6		59	6	16	_	- 1	-	7	12	19]]]	
6	15	59	6	30	-	_	-	6	13	29						
	ŽŽ		7	7	_	_	-	8	14	22						
	29		7	9	_	-	-	11		19	1		1		1	
7	Ĺ		7	3.7	1 ^	1 ^ 1	Λ	17	40	ו ום י	i i		1 1	1	,	

	МП						DACEMENT IN Y	HATE			BARROAG	TYDY IN MA			ADACIIALLA IN A	
			BAT.	1 -		44784		Γ -	- TA	_			ACTIVITY		AUTYTT	7
	W				(Part)(000)	DI PERLYTO	TOTAL		Date VID	TOTAL	TITLE I	ALPHA	META		DESCRIPTION AND	TOTAL
9	DAY	7724			/F-4/1	pp-A	A-page(1	77	49-47	//1	 MED DAY	<u> </u>	40-/-		<u> </u>	A444/ 1
													1 1			
	. 3			11	0	0	0	1 !	38	57	1 1					
		57		19 27	-	(-	10	16	22 16	1		\ \ \	\	1	
		37 57	9	1	_	_	_	14	9	ii			1 1	ĺ		
	31		9	ģ	-	0	0		14	îâ			J I	ļ		
9		59	9	15	~	_	-	1 7 1	7 .	8.5	1 1		l i		!	
9		37	9	22) _	_	_	11	25	36			l i	}		
		57	10	1	-	- j	-	0	•	4			1			
9	20	59	10	6	- !	-	-		13	13	}		l	l]	
						1		1	ı	1	1		1		1	
						ł				1			1		1	
						1		ľ	1		1					
						Į									[
		- 1				ľ					1 1				ŀ	
						l			ì							
				ı												
		Ì			1	1		ì	ì	i	1				1	
					1	ł		İ								
								1	ļ							
		ļ			ļ				- 1	((1	
					1]		1						
				ĺ	ľ	Ĭ				J					1	
		l		- 1		1						ì			ľ	
]				1							1		ľ	
		ľ		ľ			ł							- 1		
				ĺ		1	1	1	- 1		1 [<u> </u>			
		1							1		\	}	· \	1		
					1	ł		}	}	J		ĺ				
					1	ł			- 1						(
				1	1)))	1			
				1	1			- 1	1	[ļ	-			

BATHDACIMITY IN WATER MANCACTIVITY IN FLANEIGH HA DATE MOTORCHYTY IN WASH PATES 44.754 THE ASSESSMENT COLUMN AUTOMIT TAKEN DISTRICT TOTAL TOTAL ALITHA META TOTAL HO DAY YOUR ROOTS DAY **/--**/ Aprel 1 -//-/1 ED DAY -P4-4/1 AP-/1 - 6 10 20 10 27 58 J Z 11 10 - 54 Ò 11 17 50 11 24 58 O . 12 15 58 _ 12 22 58 -12 29 50 1 12 1 19 59 1 26 59 D 2 16 59 1 🗷 2 59 _ 3 23 59 3 30 4 13 59 **Z3** 4 20 _ 7∎ 4 27 59 В _ 4 59 5 11 59 5 18 59 5 25 59

MARCACITYTTY IN FLANEIGH (My) MEDACINET IN WATER EADEDACTIVITY BY WATER PATE ALPHA. MIL A STREET ACTIVITY ACTIVITY LATER DISTRIBUTION TATE! VIII.710 TOTAL ALIFICA **≡**ΕΤΑ TUTAL MO DAY *** HO DAT MAK! HOW DAY 7 **##***/ A---/2 A-----A# -/1 A-1 A Park -1 **~**~√1 8 3 59 10 0 0 12 8 10 57 14 9 B 13 59 z s 15 1 12 1 39 11 0 0 8 57 16 23 9 21 59 Z۵ 12 10 9 28 59 10 15 0 0 1

	40						ACTIVITY IN	WATER			MANOA	AN H YOU	COCH PLY	M	HOACEMITY BH WE	ATE
_	ш.	J	PAT			ALIMA			BETA		BATE OF		COTTENTY			,
_ t		•	TAX			DECEMBER 1	TOTAL	pierro colo	Describer VIII	TOTAL	TA FIGURE	ALHA	PETA	4.07000	DI SECULVED	TOTA
	DA T	TLA	ROSTE	DAY	APRIL 1	1	P#=/1	PP-7	Para 1	H=41	HED DAY	/ ** />		P#=/1	pp-e-1	-
0		54	10	16	_	_	_	4	12	18				1		
		бē	îŏ	23	-	_	_	1 5 1	iō	10				1		
		54	10	29	_	_	_		33	41						
1	•	58	11	17	- 1	_	_	1 2	15	1 7]			
-	10	54	11	20	_	_	_	ا ع	37	57				l i		
	17	50	12	1	_	_	_	1 1	19	zo]					
	4	54	12	1ī	1 0 1	_ z	2	1 6 1	16	25	l l		l I			
12	1	31	12	12		<u> </u>	3	ا هٔ ا	2	2			1			
12	i	58	17	23	_	_ [_	44	25	94	1					
12	15	50	~ī	- 6	_	-	_	7	13	20						
	22	54	l ī	9	_	_	_	4	22	27	l l					
12		58	ī	20	0	1 1	1	10	31	4i			1			
· - ·	5	37	ī	22	_	_	_	1 3	ĩi l	14	I I					
i ·	-	59	ī	30	_	_	_	1 4	-6 I	4						
	19	59	Ž	- 5	_	_ \	_	17	19	34	\ \ \					
		57	1	13	2	1	3	30	25	63	1					
7 '	2	39	2	16	-		_	6		14	\ \		1	l l		
2	9	59	ĵ	1	1 _ 1	_	_		22	27						
2 .	16	57	1	5	_	_	_		41	Ãģ l			\ \	1		
_	23	50	,	11	1	1	2	29	44	73			1			
1	7	59	وَ	13	1 1	1 1	_	51	21	72	1 1		1	}	1	
-	9	5,	3	20	_	_	_	20	24	44					1	
•	14	57	,	27	_	_	_	1 7	17	26	1 1					
-	23	59		1		2	2	20	25	45						
-	30	59	4	10			-	20	35	63	1 1					
	3 U	57	7	21	_		_	22	20	42						
7	13	5 9	1 7	23	_		_	19	64	105	1 1					
-	20	57 57	4	30	_		0	17	71	94						
	_	59	4	11	1 -	<u> </u>	_	21	19	40	1 1		}	ì		
7	27		5	_	ļ	_	-		17	34						
2	•	59	5	1 5	-	_	-	32	1	30	1 1)	
	11	59	5	25	_	- !		12								
5	T Q	59	•	1	_	-	-	130	100	234	1 1			1		

	DAT					pull-	04C0FY07 IN 1	PATE				BARROA	CIMITY IN FL	HECKSH (4474)		PA.	N HI TINITOACH	MID.
	IANE.		24			ALPHA			■UA		7			AUTHITY]		ACTIVITY	7
	М	-		5		BERNOLVED	TOTAL		DISCOUNT	TOTAL		LYHE!	ALFRA	■TA]		DLESSOL VIED	TOTAL
_	DAY	701		BALT	Parage	~	4=4	Parel		7-4	1	MO DAY	A/2		 	P/1	Apa/1	A4=/1
7	4	37	7	15	_	_	_		,	,								
7	1)	37	l i	ìó	_	_	_	7	15	ZŽ	1			1	J]	l l	
7	20	59		1	_	_	_		17	25					ŀ			
7	27	59		6	2	2	2]	0	0		1						
	3	59		12	(- 1	- 1	_	3	34	37	l	1 1		1	1	1 1	1	
	10	37		1.	-	-	_	5	25	30	I	1			Į.			
	17	39		27	_	-	_	0	- o	0								
	24	37	9	Z	0	1	1	0	17	17		1 1			1	[[ĺ	
	31	57	9	10	-	-	-	14	11	25							1	
9		5 7	7	71	1 - 1	-	-	5	19	20	l	1 1		}	ļ	, ,	1	
9		H	•	23] -	-	-		12	12	ļ	1 1			J]	1	
9		37	10	1	0	1	1	0	0	0								
9	26	37	10	•	- 1	- [- 1	0	5	3	ĺ			1	ĺ	i i	1	
					}			ļ	1			1 1		ļ	l	1 1	J	
												1 1					1	
		- 1				1		ĺ			ľ	1 1		}	1	1 1		
]	J						1						
								1	1						[[
							- 1	- 1		- 1		1 1					1	
					1	1	1		1	-		1 1				}		
				ĺ	Ĭ				Ì	i		1 1						
		- 1]	1	1	ļ	J	J								
																	1	
		- 1		ł		İ	ł	1	1			1		l				
		- 1		1						j				J	J]		

BATT					BADIO	MODERNIT IN V	MATER			BARRIA.	CIMIT IN FA			ENCHART IN A	ATEL .
144		DAT			ALPHA			■UA		ратк от		VETTY T		AOTIVIT	T
TAJO	H	TAT			DHEDLYED	TOTAL		LVE	TOTAL	12 Hou	ALITHA	INTA			TOTAL
O DAT	784		DAY	Page 1	7,000	M=-/1	77	P1	P#=-/1	MED DAY	/ **/ 1	P#=/g	استوم	Pa-41	
	34	10	17	_	_	_	0	20	20			l l			
D 8	50	10	20		I	Ξ	1 2	13	15					' I	
22	50	111	3	_	_	_	1 7 1	ii	17						
0 29	54	lii	13	1 -	- 1	_		14	10						
1 5	50	11	18	_	_	_	0	16	16						
1 10		lii	24	_	_	_		21	22))					
		12	1	_	_	_	l ô	17	17	1 1		\ \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1		
1 17 1 26		12	12		2	2	1 6	1 6 1	i i	i i		1 i	i '		
2 1	58	12	16		5	ì	6	11	11						
2 .	30	1	5			_	١	· • • • • • • • • • • • • • • • • • • •	- 6			i i	\ \		
2 17		l î	ź	_	_	_	1 5		i			1 1	1		
2 24	_	l i	7	_	_ \	_	1	23	31	1		1 1	1	1	
2 31		l î	20	ه ا	z	2	l ā	27	29			1			
1 5	59	1 2	• 5	\ <u> </u>		_	2	17	19			1		i 1	
1 12	59	1 1	z 9	· _ '	_	_		13	19			1	ì	ì	
1 21		l 2	Ĩ,	l <u> </u>		_	3	22	25				Į.		
1 20	99	2	12	1	lal	1	31	20	51			1			
7 4	59	lz	18	l <u>-</u>	_	_	10	30	40		ļ	1 1			
2 11	59	3	4	_	_	_	7	13	22						
2 16	_	3	i	-	_	-	22	22	44				l l	l l	
2 23		1 3	12	1	2	3	23	28	51						
3 2	_		12	_	_	_	16	24	40					[
3 9	_) 5	23) -) <u>-</u> 1	-	14] 24]	30	ì)	1	Ì	i i	
3 16		1 5	27	_	_	-	12	37	47	1					
3 23		1 4	- 6	0	1 0 1	0	1	21	22			ì	Ì	1	
3 30		i	19	-	-	-	7	23	30			1			
4 6	59	4	21	-	- I	-	13	35	4-8	\ \	1	1 1)	1	
4 13	59	4	28	_	i - I	-	10	32	42		1				
4 20		5	٠,		2	2	13	38	51	1	1	1			
4 27	-	1 5	12	_	_	-	47	105	152		1	1 1			
5 4	59	1 5	18	_	1 - 1	_	27	9	36	1	}	1		1	}
, 1			30	_	i – l	_	-	9	17						

M	_						ACTYUT IN T					Į.			# (PC# (# p)	EA4	EVACTIVITY IN W	/AIT
-			MI	LE		ALPEA			■UA			ATE.	97		опупт		ACTIVITY	T
TAIC	=			#			TOTAL		0.00	TOTAL			# [ALPHA	META		DIMOLYED	TOTAL
- 0 DA	τ 1	T44	PART	DAY	ppe/I	1	pp-ell	Page 1	ł	A7			DAY.	/ **			<u> </u>	##=/1
D 4		58	10	20	_	_	_		10	10		1						
0 14		58	10	24		_	_		43	51			- i					
0 21		50	ii	3	_	- 1	-		18	1 i								
0 2		58	ìi	7	1	2	3		16	16				l			ſ	
1 4		58	ìi	17	_		_]	21	āī								
1 12		60	11	74	_	_	_	ا ه ا	3.8	11			- 1					
1 14			12	1	_	-	_	اةا	21	21					ı			
1 25		58	12	10	0	o l	0	ا قا	37	42								
2 2	: :	54	12	16	0	0	0	5	1 .	23								
2 9		5 B	12	24	-	_	_	اما	10	20						[
Z 15	. :	58	1	6	-	-	-	lıl	30	31	J							
2 23		5 B	1	12	-	-	_	7	23	30								
2 29	, ,	•	1	19	-	- 1	_	10	18	20								
1 6	. ,	99	1	26	- 1	- [-	3	ī.	21				1				
1 13		5 9	1	30	-	-	-	9	15	24								
1 20		59	2	5	-	- [4	30	34	- 1							
1 27	•	39	2	12	-	- 1	-	1	12	13				1	ľ			
2 3		5 9	2	17	-	- 1	-	22	17	37								
2 10			3	2	1	1	2	16	37	35	ı							
Z 17		59	3	- 6	-	-	-	27	20	47	l			ł				
2 24		9	3	9	-	-	-	12	34	44								
33		19	3	13	-	-	-	35	60	93	ľ		- 1					
3 10		19	3	23	0	0	a	25	29	54	- 1						1	
3 17	_	9	3	27	-	-	-	38	9	47							1	
3 24		9	*		-	-	-	17	11	44								
3 31			4	10	-	-	-	26	37	63								
4 7	_	9	4	17	1	0	1	23	43	6-6								
4 14		9	4	27	-	-	-	14	34	B 0	l				1		1	
4 20		7	4	30	-	-	-	98	6-4	164								
4 20		9	5	17	-	-	-	15	31	53					l			
	_	-	5	1.	-	-	-	11	32	43								
12			5	25	0	0	0	15	216	233				[J		į	
19		21	6	1	-	-	-	15	21	36								

DATE						DACTIVITY #1 Y	YATE			BADROAC	TIVITY IN FLAN	100 H		HOACHVITY IN W	400
		BAI	H		ALIMA			■ TA			(Michael A	an dir		ACTIVITY	
TAKEN					DIMEDLYED	TOTAL		D#MINE YES	TOTAL		ALPHA	■ETA			TOTAL
DAY Y	==		DAY	PP-/1	<u> </u>		pp.	///1		MED DAT	444/4		FF-41	/ 4-4/	
7 6 5	,,	7	15	_	_	_	2	ا ء ا	20					1	
	66	7	28		_	_	6	26 104	104				1	[
	,	i	4	-	_	_	7	23	30					1	
	9	i	10	l –	_	_	1	-4	7					!	
	9		13	-	_	_	11	107	11#						
11 5	99	8	1	1	1 1	2	0	J 1	₽1	1 1		1	1 1	i i	
10 5	5 9	•	27	-	-	_	0	J 1	31						
	59	9	2	-	i - i	-	0	12	12					1	
	9	9	11	· -	-	_	0	21	21	1 1		ı	1	1	
	59	9	17	1 1	0	1 -		24	32	} }		1	1	1	
) 15 5) 22 5	9	9	24 30	1 -	- -	_	0	11 16	14 16				- 1	Į.	
	,	10	8	(]	l <u> </u>	_		13	13			, ,			
27 2	"	10		_	_		"	**	•						
)	J)])]]]	j))]))	
	ì			İ	l		l							l l	
								1		1 1				1	
]								
												l i			
				1	1		ì		l	i i		Ì		ì	
					١	}	1	1	\ \	1 1		1	1	\	
				ļ	ļ	ļ	ļ		!	1 1		}	ļ	1 1	
									1						
					Į			Į.		l l		l l		l l	
	1				1		1		\ \ \	- 1		ļ ļ	l		
				1										[[
				1]]]]	1]]	
]					1	
								ł							
				1	}	1		1	1 1	- 1		1	\	1 1	

						JAD1	DACTIVETY IN T				ı	BADIDA:					~=
	-		PA.	TE 07		ALTHA			met y		1			∠ σπνπ τ		ATTIVIT	T
1	7		1 27			I THE PLYED	TOTAL		OF STREET	TOTAL	1		ALPHA	META.			TOTAL
<u>=</u>	DAY	TLAI	1000	DAY				Pa-41	P-4	المحجم		MO DAY	//~/g	A/1	A440/1	# * •∕1	AP/1
	_					J] _									_
11 11	3 10	H	11	14	1 2 1	-	-	l .º 1	16	16		[[1	1 1		
		-		_		-	_	24	•	30		1			l l		
11			12	. 2		-		. 5	12	37		1					
	24		12	11		5	13	44	23	71		l !					
12		54	12	10	-	- /	-	_0	ייי	13		1 1	1	1	- }	ļ	
12			17	24	-	-	-	37	101	134		1					
12			1	- 6	-	-	-	16	.0	14							
12			1	12	- 1	-	-	•	43	47							
12			1	22	-	- 1	-	0	53	33		1					
1		57	1	22	-	-	-		31	34							
	12		1	30	-	-	- 1	0 1	86	- 84		1	1	ļ	,		
_		39	2	•	-	- (-	13) P	3 Z							
1	Z 6		2	9	-	-	-	9	32	41			1		1 1		
2	_	39	Z	10	-	-	- 1)	1■	21					1 1		
2		39	3	- 4	0	3	3	0	22	22							
		5 9	3	3	0	4	4	2	2	4						1	
2 3	23	59	3	9	-	_	-	6	20	34							
3	9	57	3	20	-	-	- 1	87	165	Z32			1			ľ	
3 .	16	59	3	27	11	0	11	103	150	333		1	ĺ	- 1	- ()	ĺ	
3 2	23	59	4	5	-	-	- [270	99	377							
3 3	0	59	4	10	-	-	- 1	280	110	390	ſ	[ſ	ı	ĺ	ĺ	
4	6	39	4	20	_	-	-	40	47	■7			ł				
4 1	13 !	57	4	27	1	4	3	0	20	20	- 1						
4.2	20	59	5	4	-	-	_	104	109	213							
4 2	17	59	5	12	-	-	_	11	23	34				i			
5	4	59 j	•	18	- (_ [- í	163	410	781	ľ	1	i	ľ	ĺ	ľ	
5 1	11 !	59	,	25	_	_	- 1	203	112	315			1				
5 1		59 [6	2	6		6	72	24	96							
5 2	15 5	59	6	8	_	_	_	25	34	57							
6	1 :	59	6	12	_	_	_	111	62	173							
6		59	6	17	-	_	_	232	72	304							
4]	5	59	6	30	0	0	0	63	6	63			1				
6 2		59	7	7	_	_	_	26	21	47							
			7			1	ĺ	• •	7.1	<u> </u>	- 1			1			

BARROACTIVITY IN WATER MANDACIMITY IN FAMILIEN (4-) PARENCHIMIT IN WATER STREET, STREET, APPRINT ALPHA META الانتبار District, VICO TOTAL PLESOLVIDO. DISTOLVID ALTHA TARRE TOTAL TOTAL ---/ 1,047 Are/ HID DAY TELL ROSTS DAY ---**A44**/ /--/1 -/--A Prop 1 HO DAT 1 1 3 59 13 1 11 ٥ 11 ■ 10 **39** 27 22 18 10 Z 8 24 59 17 29 10 0 9 31 39 10 13 18 28 15 34 9 21 59 10 80 10 9 28 39

Duluth, Munn.	0 .7	0.1	0.2
Gary, Ind.	0.7	1.0	0 .4
Detroit, Mich.	0.5	0.4	0.6
Buffalo, N. Y.	1,1	1.3	0.B
No. Atlantic Constal Rivers**			
Hagerstown, Md.	1.4	1.3	0.7
Great Falls, Md.	2 .4	1.0	0.8
Easton, Pa	-	2.0	_
Philadelphia, Pa.	0.B	1.1	0.6
Poughkeepsie, N. Y	4.5	1.1	1.0
Lowell, Mass	1,6	2.1	1.2
Northfield (Amhurst) Conn	-	-	1.9
Savannah River			
No. Augusta, S. C.	0.6	2.8	0.3
Savannah, Ga.	1.4	1.9	0.7
Tennessee River			
Chattanooga, Tenn	4.7	4.8	3.8
Rio Grande River			
El Paso, Texas	0.7	1.1	0.3
Laredo, Texas	0.3	1.1	0.2
Colorado River			

Great Lakes

Goolidge, Kans	2 .4	1.7	1.4
Ponca City, Okla	1.6	2.4	0.5
Pendleton Ferry, Ark	_	2.2	0.3
Fort Smith, Ark.	_		2.1
rott outton, Alki tittatiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii			
Snake River			
Weiser, Idaho	0.4	0.4	-
Wawawai, Washington	0.5	0.9	0.4
Columbia River			
Wenatchee, Washington	0,6	O.B	0.5
Pasco, Washington	1.4	1.2	1.0
Bonneville Dam, WashOre	0.9	1.1	0.5
Beaver Army Term., Ore	0.7	1.2	0.5
Red River			
Denison, Texas	2.0	Z.3	1.0
Index, Ark	-	Z.5	0.6
Alexandria, La	0,3	2.2	0.4
Ohio River			
E. Liverpool, Ohio	0.9	2.1	1.2
Huntington, W. Va	0.8	1.1	1.0
Cincinnati, Ohio	0.6	0.9	0.9
Evansville, Ind.	1.8	1.6	2,0

			U.U
DISIDSTUK, Na Dassessanda protestanten etter ett	0.7	2.2	0.4
Yankton, S. D.	0.8		
Omaha, Nab,	0.5	2.1	1.1
St. Joseph, Mo.	0.7	1.3	0.6
Kansas City, Kans.	0.B	1.7	0.3
St. Louis, Mo	0.7	0.6	0.5
Mississippi River			
Red Wing, Minn	-	1.6	0.5
Dubuque, In.	1.1	1.5	1.6
Burlington, Ia.	1.1	2.1	1,1
E. St. Louis, Il.	1.4	3,4	1.2
Cape Girardeau, Mo	1.2	1.6	1.2
W. Memphis, Ark.	0.9	2.1	1.3
Vicksburg, Miss	1.0	_	_
New Orleans, La	1.2	0.8	1.0
Delta, La.,	-	-	1.3

PLANKTON POPULATION

DA	TE O	+ ″				~	,				ı		HOU	LEUA		ı	ا ما	I i	l . I	• •
	MPL	П			ZHEEN	0470			LLATES	DIAT	Ĭ	E 1	8			R	Ž.	_		扫
F 20	ΑΥ	YEAR.	TOTAL ALGAE	000000	FILA- MENT OUT	20000	FILA. MONT OUM			оден Тарко	PERMATE	PARTITURE	CT LATE	.	סדאנה	ROTTELLA	CALLETT	WORD	OTHER ASSESS	
	11 1 6 13	59 59 59 59	1970 4930 1180 520 4010 1350 7210		70 70 90	610 90 30 450 70		50 120 120 50 270 140 830	70 30 50 160	3680 290 200 2170 520	200 470 140	10 20 20 10 10 10	10	6	50	10	10	*	10	20 dr -4-7- -4327 -4 84877 -4-7- -4-77

DA	NT:	T c	_	ı		-		ALOA	ر سيسان کا					L	PROT	DZTDA_			≰			1.1
-	<u> </u>		-E	[THE EN		CILH		LATE	DIAT	OM#	§ 1		_	l e	5	Ž	•	N CONTRACT	3811
Į.		PA.	,	5	TOTAL ALGAE	спасою	FILA MIDHT GUO	,0000e	FILA MEDIT OUG		-	оватёзо	PENEATE	CHANGE OF THE STREET	מוואדם	Cyell	•нто	MONTH.	CHIP	CARDAN .		807
10 11 1 2 3 4 5 6 9		10	2 5 7 5 5 5 1 5 1 5	99999	31330 59630 2640 3540 5690 24060 3480 37080 101220	170 170 70 290 580 8340	19920 330 20 210 320 220 360 1780	1640 20 50 850 4780 110	30	1470 5100 370 510 1280 4390 90 410 830	370 20 180 70 180 440	11450 49780 410 350 470 6460 700 29890 64180	12240 1800 2400 2520 7820 2530	100 100 20 40 10	100 600 400 1000 11000 6600	600	300 10 20 20	300 10 200	100			-6-35 -4-77 -4773 -4773 54737 -4773 -4373 -4323

DA	TE	OF	,]				٨١٩٨	E (*****)						PROT	170A						1 -
	T T	7	<u> </u>		BLUE (OFFICION	D#C			LATE	DIAT		Ęī				<u> </u>	ð	_	TV TV	支취
HONTH	2	Y	¥.	TOTAL ALGAE	200000	FILA- MIDHT DUM	COLORDO (0	FTLA- M D-IT D-UM				PDEATE		CILLATE	£	OTHER	ROTIFE	(18/18/2)	WORTH	OTHER ANGLAL	80 T
10			54	970		40			50			840									 77-
11		_	58	1130			70		90		70					[[77-
12 1			58 59	920 970		20	20 20		70 20	ı	70										 7-
2			59	2490		50	20		_ ~	20	50 70		ļ				1				77-
•			59	2470		70	90		70	50	90			100		100	100		190		— 77- -57 7 -
4	+		59	7870	30				110	, ,,	310			15200		100			1 1		-577
5	1	1	59	3860			700	30			30	2920			l						-8771
6		_	59	11850		30	110		260	30	310	11110	20	10			10				-4773
7	'		59	10070	1	30	240		30		930		20				10	ľ			-477-
8			59	3400	30						370		40				10				-4771
	, ,	ьT	59	5080		1350	110		240	330	580	2470		10		10			1		-2771

D.	TE		. 1				مستم								<u></u>	_	1		1	1 .	l 1 a
	Ī		\dashv			CHIELEN	0.79	CECH		LLATE	DIAT	OME:	Ęτ	8			B	Į	l _] =	\$]
	2	ă	2	TOTAL ALGAE	0.000	PILA- Mart Cus	000000	FBA B DIT DUB				PERMIT	PLANDLATE	CHUATE	£	1	TO TO	5	POLOM		
101211221333567770099	3	7220416	54 59 59 59 59 59 59	1580 020 790 410 210 650 340 1080 1270 1770	70 120 1210 290	30 30 90 120	250 110 20 70 180 250 270	30E	190 40 190 110 30 70 70 70 70	30 30 30	170 110 170 70 30 30 260 90 120 270		20	100	100	10		100			-4772 -7- -477- -7- -4-7- -8372 -4-7-

DA	TE	. of	, [ALGA	E (4					FROT	OZOA						1 7
	T				■LUE (JAEUN .	g Pd		FLAGE	LATES	DIAT		Ei				2	Į į	_	3_	5
Ħ H H H H H H H H H H H H H H H H H H H	2	λ¥	71	TOTAL ALDAE	000000	PILA. MENT OLD		FILA- MIDIT DUM	-100 H	BRETHAN	синтико	PERMATE	PLANDLATO Desirent	בוראום	E	отнава	North-Ed	CALLETY	WOR		DOMINANT
10 11 12 11 23 4 55 66 77 8	l 2 3 4 5 7	859554661662	55555555555555555555555555555555555555	910 1130 7100 1000 80 30 150 150 440	90- 30- 30	30 30	110 110 50		150 270 210 190 120	90 90 50 30	170 370 30	350, 130, 330, 30, 30, 90, 50,	10	100 100		100		100			-4-7- -1-7- -3- -4-7-

	TE	0	•				<u> </u>	-	 - -					PROT	TOZOA						
	A 140	<u> </u>			₩.IJŒ		040		FLAGE	LLATE	DIAT		Ęĩ				8	Į	_		5
HERE	2	4	YEAS	ALGAE TOTAL		PILA. INCRIT CASS	0000000	FILA- MESHT OLM	-	MORN	оютнос	POPLATE	TAMBLATE Primary	TATE	.	E E			2 D	OHER ANTAL	Nuno C
10 11 12 1 2 3 4 5 6 7 8 9	1	0963365264	558 555 555 555 555 555 555 555 555 555	350 170 430 270 150 30 30 30 160	20	20 20			70 20 30 70 30		50 70 20 50 50		100				100				77-

DATE	О	•				٧٢٠٠٠							PROTE	DZC)A					<u> </u>	-
					ZALDON		DDN	FLAGE	LLATE	рил) 	E 1	8			ŝ	Į	_	3	덳
	DAY	YEAR	TOTAL	000000E	PILA- NIDIT OLD	undernage	FTLA- MEDIT DUB			GEO RTINO	PERMIATE	הייים	GLIATE	כייודו	ОТН			NO.		
11 1 12 1 1 2 3 4		555555555555555555555555555555555555555	1659 2350 2890 1590 2650 2130 3480 4150 2170 3740	5 0	50 50 70 30 30	60 20 70 110 30 30		20 90 30 30	50	50 290 1090	2230 2700 1510 2550 1650 2190 3750 2060 3420 4100	1 0	1000 1000 200 300	100	:	¥	10	*	Б	

Į

DA.	TR C	×				ΑLΦΑ	-						FROT	OZOA						
		Т		B LU⊈		CORPLE	DDH	FLASE	LLATE	DLAT		Ęſ				Ŋ	Į	İ _	3	5
Ė	ΔĀ	1	TOTAL ALGAE	OMEGOE:	PELA: MEDIT CELO		FFLA- MADIT Class		-		PERMITE	C. ATE	CYTT	E HE	ROTOR	Callera	THOM:	OTHER ANDRAL	7000	
10 11 12 1 3 4 5 6 7	25 27 10 28 26 29 28	58 59 59 59 59 59 59 59 59	2210 940 1050 140 920 2880 3740 3510 4050 3070	20 40 50 230 140	20 70 20 30 90 30 140	450 90 90 250 240 210 510		270 20 20 30 90 30	70 30 50 30 50	940 190 310 160 230 670 1410 1120 1470	490 590 570 540 1680 2170 2210 920	100 20 10 40	200 10 30 10	100	100	100	10		6	-41 -4- -4- -3- 34- 34- 34- -4-

DA.	TEL					AL GLA	ر سنسبور پر	-4					PROT	DZDA						1 7
	TE C	$\overline{}$		BL.UE		a Pa		PLAGE	LLATTE	DIAT	OME				•	1 8	🐧	_	3	521
HE NO	ă	Y.	TOTAL ALGAE		PTLA MODELT DILM	OD GEODELIO	PILA. MIDRIT CILIN			растина	PENNATE	2	CALATT	באבוו	OTH CA		i i	#0.50 #	OTHER AND	8 T
10 10 11 12 1 2 3 4 5 6	20 17 15 12 9 11 15 20	5 56 5 56 7 56	2550 2100 2144 1770 750 108 108 2420 6200 2710 3720	50 20 31 31 31 31 31 31 31 31 31 31	40 20 20 30	170 130 40 70 50 70 50 30	20	90 90 90 50 50	40 20	960 890 800 410 310 250 570 2080 810 1260 650	840 1420 1210 370 100 700 1780 3960 1570		200	100 2200	b	P. Company of the com	U		5	6 dl -417- -477- -477- -477- -4-7- 3477- 3477- 34-71- -4-78

DA	TE C	,				ALDA		- -4)				L	PROT	UZÓA			_			
				■			EEDH	PLAGE	LLATE	DIAT	OLF.	ĘŢ	Į į				Į		N N	şgH
номин	DAT	ž	TOTAL ALGAE	Carrest D	FILA- MICHT OLM	(C)=(C)=(C)				овитем	PEDELATE			CYTT	É	P P P P P P P P P P P P P P P P P P P	8	NO.	E	
10 11 12 1 2 3 4 5 6 7 8 8	3 5 2 2	59 59 59 59 59	1520 1240 690 830 500 840 1520 4370 3770 1340 780	30	50 50 30	40 90 90	30	70 90 90 20	90 50 90 140	370 430 290 190 100 70 440 910 600 200 290	720 270 620 370 660	10	10	10		100	10			

——	т о	_	_			AL GLA	E (Parador)						PROT	TTOA		 -			l .	
		П			DREEDN	ur.	DICH		LLATTED	DIAT	2445	ŧ1	8				VII V	_	3.	551
HE AGE	DΑΥ	YEAR	TOTAL ALGIAE	00.0CO10		CECCOOLD	FTLA- MERT GLM	-		сонтвю	PERKATE	PASELATE Pase	COLATE	CYTT	ОТНЕ	ROTE		MOM.	OTHER AND	
11 12 1 2 3 4 5 6 7	5 9 2 6 4 8 6	59 59 59 59 59 59	650 940 520 220 510 1560 3690 1490 1330 410	50 70 30	16U 3U 30	70 20 250 30) 0	500 210 580 30 120	30	250 190 90 70 90 850 230 180 70	330 470 390 190 440 480 3050 1070 1150 230	100	100	220		100	100			7 75 3

-		2 1	_			~							-			J	I ∢	1	1	1 1 2
		\Box		-UE:	REED	aure)		FLAGE	LLATES	DIAT	D)	ĘŢ				8	💆			5]
HENCH	₽ĀŸ	ž	TOTAL ALEAE	(D)	FOLA- MART BUS		FTLA- MENT DLM			овитью	POSTATE	PARTIAL STATES	GLATE	.	1		Carling	NO.		881
7 9	1)	59 59 57	24490 21.70	200	140	1000		290 330 140	110 130 50	\$40 810 940	470 2020 360	13200	_		10 10 10	10	10			54335 54373 — 77

	TE		Т				٨٠٠٨	E (2)						PROTO	77004						U.T
	T		4			RIIN	nured			LLATED	DLAT		Ęį	8				ğ	_	3	됳
Ĕ	PAG	Š	1	TOTAL ALGAE	D00000	FILA MEDAT GLM	-	FILA MONT CLO	Marion	-	святью	PERMIT	PASSLATE	CILIATE	CYPITE	6	T L		2		
10 11 12 12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15		600592651648	8 9 9 9 9 9 9 9 9	2700 2070 1150 1470 880 1270 2410 4750 3160 2150	110 330 330 160	50 70 90 30 50	680	30	190 50 50 40 120 50 130 90 110 720	50 50 50 50	480 2100 1150	1370 660 860 840 830 1820 2010 290 890	1200 10 20 30 20	11000 20 20	100	20	100 10 10	10	20		-477- -4773 -477- -4773 -4773 -4776 -477- -4377 -4327 -4-71

- -

0.4	TE (AL OL	رسند ی						PROT	uz oA			<	T		
	1				DREEN	BR	EDDN .	FLAGE	LLATES	DIAT	هيره	ĘŢ			5				1 5 .	製
HE-SON	DAY	YEAR	TOTAL ALGAR	CBC00780	FOLA- MERT MAS	ODCCORD.	PTLA. MEDIT CILM			авитыю	PERATE	PLACELATE	בויא)וני	L V	6	жотры	נאר	WORK	OTHER ANDRAL	
4 5	6	5 59	930 1310	70	90 30			50	30 140	180 120	570 850	200 10	100	100						
									1											
																		ł		
														ı						
															.3					
								J		J	J	J	J		J	J			J	

ALONE OF THE PROTOTOA DATE OF FLAGELLATES DIATOMS BILLUE GROUN DAY FILA. FILA TOTAL ALGAE ODGODIO I MEDIT HODRIT CENTRAC PERMIT OUT. 2 54 ---7-3 50 5 59 4 59 2 59 30 59 4 59 5 59 īō 2 59

- -- -

DA SA	TE C) F				- ALGA	-						THE T	OZOA		1	_ ا		_	1 2
		\top			SA IDEN	ord	DEN	FLAGRE	11.4710	DIAT			Ę	_	,	<u> </u>	Į	•		\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
H C	¥	YEAR	TOTAL	10000	PTEA- MEDIT DUM	arcana	PILA MENT ELI-S		-	CEDATTRIAG	PERMATE	3	ם	Ł.	6			Q.	OTHER ASSESSED	
10 11 12 1 2 3 4 5 6 7	3 3 3 3 7 2 2 6	51 51 51 51 51 51 51 51 51	540 830 500	100 30 70		130 20 100	70	90	70 40 90 160	210 270 130 20 50 110 140 170	150 600 350 70 180 1000 120 320		10			100	U		0	-4

	л.	or	Т				AL CA	F 24	- -					PROT	OZOA						1.1
	1	T	\neg			ARIEN .	040	DECH .	FLAGE	LATE	DIAT					R	E	Ì		3	扫
HENCH	ă	5	¥	TOTAL ALGIAE	98888	FTLA MODET OUB		PILA- MODAT DUM			овитые	рожите		GILLAT	OYET	отно			NO PY	OTHER AFILM	
10 11 12 1 23 4 5 6 7		1 1 2 2 6 4 1 6	58 59 59 59 59 59 59 59 59 59 59 59	200 780 170 140 50 220 300 230 330			3 W O		30 90		40 100 50 90 70 90	220 130 90 50 70 130 50 160	100	440	200			10			-8-7

DA	ATE.	9					M dv	<u> </u>						PROT	OILOA			1 5			
	A) O	Т	_			RUCH	□ *.			LLATTE	DLAT		ĘŢ	B			8	Ì	_	₹.	5
HEADY	ă	3	YEAR	TOTAL ALGAE	ORGODOED	FILA.	COMMODED	PILA. MEDIT OLM			оютью	PERMITE	TANK THE PARTY OF	CILATE	E C	6			20		
10 11 12 12 13 45 56 7		2 2 4 9	58 59 59 59 59 59	1730 1780 1360 2220 1360 9740 3195 760 2300 450	30 290 140	20 70 50 270 90 120 30	420 230		90 3150 90 50	50 90	340 240 100 170 180 2930 870 360 200 610 110	1590 1220 820 510 470 2060 2120 480			100	100	100	10		10	-436; 34-84; 3-8-8-9-8-7-9-8-7-9-8-7-9-8-8-8-8-8-8-8-8

DA.	TE 0	+			AL DIA	F						PROT	<u> </u>					Ι.	1 -
	<u> </u>	Т		REEDN	04 7 4		FLAGE	LLATED	DIAT	D44	Ęſ	8			B	10	_	7	5] H
HE TO	DAY	YEAR	TOTAL ALGAE	 FILA- MENT OUM	and the same of th	PTLA. MEDIT OUT	-	BREATHA	olormulo	PERMATE	PARTICIA DE PARTICION DE PARTIC	מדאויים	CYAT	ОТНЕ	ROTT	CHUMET,	MORE	Ý.	影
10 11 12 12 3 4 5 6 7 8 9	3 5 4 6 6 1 6 5	58 59 59 59 59 59 59	1350 1700 1340 510 1160 590 830 940 1810 1030 560	150 20 50 70	310 130 70 30 30 290 160		30 70 110 30 70 30 90		470 640 620 210 330 30 160 310 710 440 180	590 430 190 440 70 290 440 200 380 330	100 20 10		100	100	10	20			-4-2- -4-77 -47- -4-75 -4-7- -4-7- -4-7

DA	ίT.	. 0	_				AL MA	ر سنسام ی	-					FROT	COZOA			•			
	—				₩.L.E	O PRESENT	are			UATE!	DIAT	ОМВ	§ 1	į į			1	į		3 9 5	類析
Ē		ž	YEAR	TOTAL ALGEAE	000000	FILA MEDIT OUR	-	FILA. MEDIT MAD	-		СВОТТЕК О	HOMATE	31	TA T	E E	1			*	OTHER AND	DOMINANT
10			54			70								100			100				54-1
11 12			3-0 3-0	800 770		۱	.40		170						l						-4-7
12	•	7	59	770 410		70	110		150 170		190 1 5 0	250 70		200				100			-4
ź		_	3	410		290	3.0	30			150	3-0		400	100						
_]		9	340		70	50	30		50	110	70		100	100		100				-6
4			59	710		70					70	570		•		ľ				i	7
5	1		59	2470							290	1140	20	30			10		ľ		34-7
			29	5100					610		440	1020						1		}	5437
			59	16250 6860	830 450		720		90		J70	740	10								2437
9			5	B330	310		2930 780	140	540 220	340 30	90 5 6 20	630 1300	20	13200		4400	10 4400				2887
•		-	٦٠	23,0	710	'5	/ •••	ŀ	220	,,,	3620	1300	,,,	19		++00	4400	10			-4-7

	TE 6					ALGA		-4					PROT	72OA			5		٦.	1.1
		<u>.</u>		BLUE	I PHILIDIN	O.FU	ODN	FLAGE	LLATED .	DIATE			Ē			8	ğ	. 1	¥ .	3811
Ŧ.	ă	Ĭ	TOTAL ALGAE	00C000	FTLA. MERT OUR	0000000	FELA- MENT CLES	#ID	BETWA	оюнтис	FDBIATE	2	1	δ	отно	ROTE		1	OTHER ANIXAL PORTES	
2 3 4 2 6 6	30	58 59 759 59 59 759 759 759 759 759 759	1400 1500 4220 1380 2700 2100 2230 1710 510 1320 720 2310	40 50 30 70 30	30 30 140 50 30	30 110 50 220 50 200 160 50	70	30 50 30	30 30	740 1150 760 1280 1650 780 270 960	110 260 1260 140 570 500 290 160 160	100 30 20 20 10 10 30 30			10	100	10 10	10		-4-7 -4-7 -4-937 -4-77 -4-7 -4-7 -4-7 -4-7 -4-7 -4-7 -

		E												UZDA						
;				■L UE	OW REACH	187 4			LLATTE	DIAT	O111	81					🖠		7 8_	支
	ă	YEAR	TOTAL ALGAE	Carcina	FILA M.DIT OUG	отогово	FILA- LIENT GLM	-	-	ожетные	FEMILITE		CILIAT E			TLO		AT ON		80 C
10		54 54	350 2540			70		20		320		_								
12	1		3250	40	100	3 8 0 2 5 0		40		1690 7440	470									-4-7
ī	ĵ	59	6760	7-0	100	90		50	20	4390	350 210	·		ĺ			ĺ	i i		-4-7
2	2	59	2590		70	[30		2030	460						100			-4
4	6	59	2540	1	50	160	70	50	30	1860	340	200	100	-	100	200	.~	100		-4-7
4		59	1710		70	50		50		1250	290	30	20	10	20	10		10		-4-7 -4
•	. 4	59	3260		50	90		50	30	2300	740	10			10	10				-4-7
7	-	3 T	12 90 1240			70	- 1	,	1	700	520	10			10					-4-7
	1 15	59	890		30 30	70 50				700	440	10	.		10	10		10		-4
7	-	39	1850	30	30	160	ł			550	260	50	10		10					-4-7
7	_	5 1	130	50	ارد	30		120	30	1280 540	350 120	1	10	ľ	1			- 1		-4-7
8	3	59	510	1	1	30	l	110	-01	370	110	20		ľ	ľ	i	i	ì		-4
	17	59	1840	70	50	160	ļ	250	30	1010	270	20	4400		10		10			-4
9	-	59	1230	70		70		140	30	740	180	10	10				101	10		-4-3
9	21	59	2130	i		130	l	90		1520	390	• •	• • •					10		- 4 -4-7
					İ				İ		i		ĺ							-4-7
		- [ĺ	(ĺ	ĺ	ĺ	ſ	ĺ	(1	ĺ	1	- 1	ľ	1	- 1	1		1
		- 1						1	ı											
		1		Í					- 1					1						
							1		1											
				- 1	- 1	1	- 1	- 1		-		- 1	}		1	1	1	1		
		- 1	ļ	J	- 1	J														
			1			ŀ		- 1		1		[[ĺ	ĺ	1	i	
						l			1											
			1	}	1	}		j	J	J	J	J	}		J	J]	J	J	
									1	1									ľ	
]			
				1	1	1	1		[1			- 1	1			J]	

D.4	TE	-	1			ALGIA							FROT	ZOA					 0 . r
	MPL	# 		₽LUE 0	REEDN	0 F0	I		1	DIATI	74	DIVID.	ATT]	.	\$31
Ē	DAY	YEAR	TOTAL ALGAE	000000	FTLA- MEDAT OLD	0000000	FILA MENT DUR				FEDRIATE	774	מוראן	£	9			WOR	881
		58999999999999999999999999999999999999	970 2870 2700 5510 1580 2150 1930 1900 1900 15600 1600 2130 3000	100 30 50 50	30	410 220 100 50 160 90 70 50 390 50 70		140 70 30 70 30 30 30 110 240	30 30 70 90	1190 930 370 610 3310 1190 720 540 1260	5 80 600 160 350 850 430 850 470 740 440 480 400 290 710 230 440		10 10 20 10	100 100 2200	20	100	100	10	-4-7 -4-77 -4-77 -4-77 -4-77 -4-77 -4-77 -4-77 -4-77 -4-77 -4-77 -4-77

D./	ATE		-				ALGA							PROT	UZDA					, -	1 -
	AM				m_lig_i		acre.			LLATTE	DIAT		§ 1	8				Į		₫.	5
H.		DAY	75.	TOTAL	0=0000	PILA- HEDIT DUM		PILA: MEDIT FLM		MOTH	авитию	PENHATE		GILLATTE	CYST	6			WON	OTTOR AN	
10			56				100		400		680	250									-47
11		_	50	3260			820				1130				100						-4-27
12	Ľ	_	50	3340		100	160				2160	-									-4-77
2		5	59	10570		50	130		150	170	9510			200			}	ļ	1 1		349
1			59 59	3140 1190	70	190 50	370		190	30	1900		20-0		100						54
			59	2300		50	30 30		30 70	i	430	650	400		100				_		34-7-
4			59	3230		230	, ,		180	70	1480 1610	720 1140	400 20	2200	100		100		100		-4-77
5			59	1770		30	70	30		,,,	1210	-	30	2200							-4-77
5			99	2820	30	90	180	اد	110		1560		20				l .				34
6			59	840	30		151		30	30	350	440	10	20							34977
6	1	5	3 7	1110		30	90	i	70		570	350	10	10			ĺ		i i		-4-7- -4
7			5 7	4130	50	70	310	ł	160		2910	630	^-	20	1				}		-4-7-
7	2		57	2230			140				1690	400									-4-7-
5			59	2090	ľ		70		180	3.0	1500	310	20					10			-4-77
8			59	680		ľ			30		390	260	10	60				•••			-4
9			59	4530	130		350		90		3200	760				10					-4-77
y	Z	2	59	3710	30		670	l	120	100	2310	480				_					-4-77
			Í			İ	1	ľ	ĺ	Í		ĺ	1	i	f				1		7 ''
			- 1			- 1															
			ł	ł	}	- 1	}			ł		' I	1	ł	ł				}		
																			1		
									1												
								ľ					1								
			J	ļ	į.		}	J	- 1	,		J	J	ļ			J]]		
						1				- 1											
								ĺ													
																	- 1				
			- 1	ľ	ł	- 1	1		- 1	1	1	ł		1	1	l	- 1			1	
						ļ				1		1		1	I						
				- 1													ŀ				
			'	1	ı	1	1	1	I	- 1	J	1	ı	ı	ļ		I		ı I		

DA:	TE	D#	$\overline{}$				ALGA		باد سر					PROT	770A			_,			1
	in the		-		DLUE :	MICH .	070			LLATER	DIAT	O##	ELVE I	ē		•		Ì	•		53
HE CASH	2	\$	Ĭ.	TOTAL ALDAE	30000	FTLA- MODIT DLM	000000	PTLA. MODET OUR			сюнтеро	POPUL		TALE	CYBIA	ОТНЕС	Active	Cath	WORLE	A COLOR	
101121122334455566677888999	77	3 3 1 5 2 6 1 1 6 3 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1	35555555555555555555555555555555555555	6730	50 160 200 30 90 500 110 90 420	70 390 90 180 90 140 90 140 30 50	410 330 1420 70 110 1350 310 580 140 90 530 270		700 760 50 50 310 70 320 130 70 200 70	70 50 10 70 30	3740 2320 1980 1230 3370 2280 1010	910 250 250 210 1000 1110 1430 1240 470 960 360 720 330 320 1020	300 200 20 10 30 20 20	10 10 6500	200 100 100 4400		100 200 10 10	10			

	TE	¥				ALOA	-	 					HOT	OZOA _		Ţ	5			1.
		Т		PLUE :		970			<u> </u>	DIAT		ĘŢ	Ę			_ B			VE BY	製
Ē	¥	YEAR	TOTAL ALSAE	000000	FTLA- MENT OUM		PILA- MEDIT DUM	-	100-7-700-1	оритера	PERATE	PLANELATE	ם ביי	6	0 1 1	La Llog	Cortifer	WORL		
10		5 9				300				2910						100				-4-7
11				70		910				7620										-4-27
12			15210 4980		150	410				14390										-4
1 2			478 0	20	30	ZO 140		330	50 30	4410 690			100			100				-4-3-
3		59	4190		200	130			30	2640		1				100				- 4
Ā	6		3450	70		470		140	Jo	2280			100							-497- 54-77
4	20		25930	30		1220		500		22730		100	2200							54775
5	4	5 9	4850	50	70	520		200	200	3130		300				10	10			34-43
5			18780			1890		670	130	13460	1800	10	15000		220		10	'		34977
_	1	5 0	7440	70	90	340	30			1250					[·				-4-17
								200		3 640 0		10				10	10			-47
								70		1350		_								-4
								220		2410	330	30						_		-437-
								110 1 2 0	160	7670 1 85 0	780 100	20	20		l l		J	10		-4977
								70		4440		10	20		10	10				-43-7
					- 1	- I		, 5		7875	'''	10			10	- 10	1	ĺ		-4377
			1										ĺ							
				i	ı				1				- 1							
											ĺ						l			
				ĺ				ĺ	i											
		- 1						ľ										l		
					ĺ							- 1								
						1			ľ								ŀ			
			j				1								ľ			}		
					J		ľ													
						[Ī			l	- 1								
		- 1	1	1	- 1	1	}	1	1	1	l	Ì		ľ	ľ	- 1	1	ľ		ı
					1	1			1				- 1							

	4TE	O.	-				AL DLA	-	- 4)			Ī		PROT	020A						
		-1_0	_		■LUE:	NEEN.	ord	DDN		LLATTE	DIAT		ξī	Ē			膜	ğ	_	4	TANATI TANATI
HUND	2		¥1	TOTAL ALGAE		PILA MIDIT CILIN		FTLA.	-	PROPERTY.		POSATE		 		отнати	ROTHER	È	MOM	OTHER AME	
12 1 2 3 4 4 9 6 7 8 8 9 9	1	5226341007414	54 51 51 51 51 51 51 51 51 51 51 51 51 51	6040 1630 2090 3420 26470 9210 3030 4210 3280 2770 3450 3750 3760	250 200 450 160 470 110 470 50	50 30 90 120 1350 940 120 220 160 70	130 70 140 30 720 180 340 720 490 110 30 160 320 190	10	310 70 50 160 470 200 30 230 90 470 30	70 30 50 70 10 120 70 90 120 50	5590 920 1640 110 1480 25300 7140 1680 1160 2350 2790 2100 1240	120 170 180 1020 700 1480 90 700 90 230 290 180 120	100 100 10 10 10 20 20 10	1000 22000 100 100	100 100 11000 10	200 100 100 20	100	10 30 10 10		20	34-3- -4-3- -4-3- -4-77 34-28 34-77 54-37 -2323 243-7 -4-7 -4-337 -4-7

	TE					ALO.A	I 0	- 4					PROT	DZOA			<		-	1.7
	 	7		BLUE () (GEODY	0.70	100 4			DIAT		§1	l a	_	J	B	¥.			35
нонин	P.	15	TOTAL	EDGE:040	PILA- MENT DOM		PILA: HISHT ISH			ошитина	PERMATE	PLACELATE	CILIATE	<u></u>	6	TO N	1726	жом	OTEN ATIEN	DOULHANT ORGANIE
10 11 12 1	10 10 10 10 10 10 10 10 10 10 10 10 10 1	1 59 4 59 5 59 2 59	10450 3010 2520 9040 81590 62490 29890 15190	50 180 180 220 450	130 100 70 240 270 380 850 200 140	2340 570 470 20 330 5170 410 2280 1100 3230	50	130 40 40 70 30 350 650 830 610 420 700 410 940	70 20 120 240 90 120 330 250 110 240 50 610 90 360	21220 11610 9430 2840 1530 69510 58920 22900 11880 16910 15190 40380 21230 5590 3380	410 440 20 160 310 1920 2430 2660 1160 2410 1190		1000 400 200 400 200 440 2200 10 4400 13200 6500 4400 11000 4400	300 100 220	10 20 10 10 10 8800 10	2000 100 10 20 20 20	200 30 10 10 10	10	10	54-27 -4-77 -4-75 -4-25 54-25 54-75 -4777 -48777 -4977 -4977 -4977 -4977 -4977 -4977 -4977

	TE	of	Т				AL.q.A							PROT	ZOA				_		1
			\dashv			DREED!	040			LLATES	DIAT		E 3	8			Ř	Ì	_	ABELEAL	摄机
Ě	ž		\$	TOTAL	00000	FILA- MINT DLM	(MARKO)	FILA- MENT GLD		- TEDWH	Свочтиваю	PENHATE	TART!	CALIATE	EL C	6		CHEMET.	WOND	7 11 6	80 T
10 11 12 12 3 4 5 5 6 6 7 7 7 6 6 9 9	1; 1; 1; 1; 2; 1;	8299348156037	58 55 55 55 55 55 55 55 55 55 55 55 55 5	390 4890 1790 1660 720 3420 1660 910 1330 370 2610 2300 1450 10840	30 30 70 70		50 200 50 50 90 70 160 50 120		40 460 30 240 50 50 70 230 270 780	30	1760 520 230 370 500 140 2140 1390 560	290 1130 270 190 450 1170 1040 410 380 740 160 380 270 340	100 20 20 30 30 30 20	400 2200 4400	100	20	10	100	100 100 10	10	-4-77 -4-7- -4-7- -4-7- -4-7- 34-7- -4-7- -4-77 -4-77 -4-77 -4-7-

	TE						AL DIA	E (H						PROT	OZOA						
ī		1	_			OPLICEN.	- MARI	CC)		LLATE	DIAT	D4		P		N.					521
3	PA		YEAR	TOTAL ALGAE	00000000	FILA- MID(T DUS		PILA BLDT OLD		-	овитыс	PERMITE		CILLAT	CY ET	6			2 0	OTHER ALC: PORTE	NING L
10		7	30	3100	100		1440				2000	1560						 			
11			50	1670		40	190				160	7 60					ĺ				-4-7 -4-7
12			58	1700			220			1	320	1160		[[34-7
1	-	_	59	B 9 0					90	130	360	110		i i	1			i			-4
2	ţ	9	59	1850	50	190	530		250		350	510		100							54~3
3	,		59	2170		160	110	1		50	570	1280	100		100						-477
4			39	4270		120	700	70	250		1480	1650	100		300] .	l l		5437
4	21	_	59	1090			30		140		160	760									7
- 5	1,	_	59	1370		50	30	30	90	120	36 D	490		10							-4
5	11		59	1970	3-0		270		70		1300	1900		4400							-4-7
-		_	99	820	1	90	ł		90		290	410	40	10	-	10		1 1	- 1		-4
•	1:		37	850	70			ľ	30	30	260	460	30	20							-4-7
7		_	59	610	50		30		50		340	140	20	_							-4
7	20		59	3470	90	70	290		180	150	2230	430	30	10	10						-4-
	. 1	_	59	2480	30	50	2 4 D	ĺ	110	ſ	14-80	570	20	30	1	10		í í	ĺ		-4-7
8	17		59	1390	50	50	70	J	290	30	70-0	200	30	10	1	/		J J	J		-4-3
9			59	3080	120	30	390	ľ	430	50	1010	250	اوو	_	1				10		-4-3
•	2]	1	59	21.50		50	110	- 1	130	ļ	1020	870	-	1	1	- 1		50	10		-4-7
			- 1			ľ												ا '' ا			-4-7
								1													
			- 1						ľ												
			ı	1	- 1		- 1	ł	ľ		i	1				- 1		} }	1		
			ſ		- 1	ľ	ĺ		- 1	- 1	Í	i i	ľ	ľ	ľ	- 1		ĺĺ	1		
									1												
			J																		
				ſ		ĺ	[ĺ	1	1	[i	1	Ĭ	- 1	1		ĺ	i		
						ľ															
											1	İ					1				
			- 1	1	1	1	Į.	1		-				J		J		l	J		
							- 1				ł										
			- [1	ĺ			[ĺ	[ĺ				
										1							İ				
			- 1	1	ı	- 1		- 1		I			- 1				- 1	I		ı	

	тес	-				ALGA.	-	- -4					PROT	JZOA				Ī		1.2
		╄┤		BELL C	REEN	0.20			LATE	DLAT	DAME				_	8	Į		7	33
H CA	PΑ	YEAR	TOTAL ALGIAE	anamo (n	FILA. MIDIT OUR	apreno@	FILA MENT OUR		50 07774	o lo muc	PERMATE		CILLATE			ROTTE		¥	OTHER ASS	POMINAN
4 5 6 6 6 7 8	2 1 2 1 2 1 1 1 1 1 2 1 1 1 1 2 1 1 1 1	555555555555555555555555555555555555555	4790 2290 1300 2720 1160 6570 500 8430 650 730 520 3370 7290 1040	50 50 160 70	70 30 30	1520 810 980 70 550 450 910	30	70 50 50	3.0 70 120 50	140 2980 230 450 200 2870 250 1480	810 410 130 160 850 2860 1050 360 4200 160 180 1120 160 270 700	100 100 20 10 20 20 20	500 100 100 10 10 10 20 4400 4400	200 109 100	10	100	200	10	100	-4-77 54-74-7- 34335-7- 54773 54-74 -4775 -47 -4-37 -4-75 -4-7-

288 2848 8 31 87

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAR

STATE

NEBRASKA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER M642 AT

OMAHA, NEBRASKA

	ATE	OF					ALOA	<u> </u>	per est.)					PRO	OZOA			\			¥ .2
	AMP	1.			BT_UK	OREEN	GRI	EEN		LLATES	DIAT	OME	1	2	_	8 4	2	TACEA	9	AMILEA	FAST I
MONTH	ÞĀ	2	Ž.	DTAL	200 CCD-13	FILA MIDHT OUS	COOCOID	FILA MENT OUR	COLEDA	BROWN	CELPTRIC	PENNATE	FLABELLATES	CILIATES	CYBTB	B E	ROTI	сяивт	WORMS	OTHER ANIMAL FORMS	DOMINANT ORGANISMS Fe Francis
11 12 3 4 5 5 6 6 7 7 8 8	24 25 11 16 16 16 16 16 16 16 16 16 16 16 16	663555555557	8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	890 1730 950 1970 2130 3010 2740 5540 0340 6820 1310 4840 3410	490 90 30 30 70 30 160	290 230 110 30 30 120 30	110 100 100 1370 630 340 30 440 440 400 50 1000 400 540		90 140 220 180 30 240 390 260 160 1030 200	90 50 50 780 30 30 30 50	570 1280 470 1580 250 1030 1810 5360 6050 7780 9080 5120 2920 1100 1820	350 380 210 320 580 540 1650	200 10	100 100 30 10 4400 10 20	100	100 10 10 4400 10 20		10 10	30		-4

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATE

SOUTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER MB41 AT

YANKTON, SOUTH DAKOTA

DATE OF BAMPLE	<u> </u>			ALGA	E (Hamber)	-L)					PROTO	DZOA			∢		7	9.1
	-	BLUE	GREEN	ORI	TEN		LLATES	DIAT	OMB	F F	3			ER.5	Y CEY		AIR)	PAN I
DA)	TOTAL ALGAE	coccoid	FILA. MENT Due	90000ID	FILA MENT QUE	DREEN	BROWN	сентяіс	PENNATE	FLAGELLATES	CILIATEB	D CY O	OTHERS	ROTIFERS	сяивт	WORMS	OTHER ANIMAL FORMS	DOMINANT ORGANISA
588 12 1 5 5 5 5 9 9 9 9 5 5 5 5 5 5 9 9 9 9 9	1290 370 710 910 1390 12960 3840 1590 3480 750 3150 900 1430 1170	30 250 70 740 130 70 30 50 180	30 50 470 90 140 70	50 8340 210 50 1050 30 650 250 90 160 430	30	20 70 780 180 70 230 50 180 680	180 50 320 30 140 70	540 850 190 620 300 4202 2320 1110 870 350 1600 270 540 720	250 100 70 350 350 420 410 310 230 370 290 50 310 30 120	100 200 100 10 10 10 20 20 10	20 4400 10	400	10	100	100		100	-4- -4- -4- -34- -543 34- -4- -4- -4- -4- -4- -4- -4- -4- -

Hes 2043 2

WATER QUALITY BASIC DATA - MONTHLY REPORT

STATE

NORTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

MISSOURI-SOURIS RIVERS

PLANKTON POPULATION
NUMBER PER 100 MILLITERS, EXCEPT ALGAE

STATION LOCATION MISSOURI RIVER M1377.4 AT

BISMARCK, NORTH DAKOTA

	TE	OF.	Т				ALGA	E Olimber	per mL)					PROT	OZOA			5		귤	317
	MI	LI	\dashv		DLUE (PREEN	GR	EIEN	FLAGE (Page	LLATET	DIAT	OMS	5		_		2	ซื	ų.		NA T
H-DNTH	2	DAY	YEAR	TOTAL ALGAE	соссоно ,	FILA. MENT OUR	coccolo	FILA MENT OUB	ORLIN	BROWN	CENTRIC	PENNATE	PLAGELLATES	CILIATE	CY	отнеяв	ROTIFER	CRUSTACEA	WORL	OTHER ANIMAL FORMS	DOMIN
	1	9 5 5 6 5 5 5 6 5 6 5 6 5 6 5 6 5 6 5 6	89999	150 110 160 170 60 90 770 870 700 560 320	30 120 30	20 50 90 30	50 20 70 50		30 50 120 30	50 120	50 40 110 70 740 160 130 30 110	40 70 30 90 560 140 270 570 500 180		200 100 220	220	100					

Pies 2848 8

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATE

NORTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

SUD BABIN

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER AT

WILLISTON, NORTH DAKOTA

	TEO	_				ALGA	E (H-aber)	== = L 1					PROT	DZOA						<u>u</u> -
	MPL	E .		BLUE	REEN	gR	ŒN.		LLATES	DIAT	OMS	E TY	5			8 H	race.		AHIRA EB	INI
HENON	١٩٨	YEAR	TOTAL ALGAE	80CER D	FILA MENT OUR		FILA. MENT OUE	O'N ELDN	RADWN	CENTRIC	PENHATE	PLACELLATER	CILIATE	CYSTE	OTHERB	ROTIFERB	CRUET	WORNE	OTHER ANIMAL FORMS	DOMINANT ORGANISME (Se Impered
10 11 12 12 3 4 5 6 7 8 9	5 10 7 4 2 6 4 8 8 5	58 59 59 59 59 59 59 59	\$850 1300 390 460 270 420 1100 2740 510 7330 9970	50 200	70 50 30 50 310 110	70 70 70 630 1370		30 90 140 160 350	30	1720 130 70 330 70 180 230 140 2680 2650	2530	100 10 20	100	100	10	100				34773 7- 7- 4- 7- 4-43 77- -4-73

PHO ESLS S

WATER QUALITY BASIC DATA - MONTHLY REPORT

STATE

ILLINOI5

MAJOR BASIN

OHIO RIVER

PLANKTON POPULATION

SUB BASIN

OHIO RIVER MAIN STEM & MINOR TRIB.

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATION LOCATION OHIO RIVER AT

CAIRO, ILLINOIS

DATE OF				ALGA	Columbia (-L)					PROT	DZOA						9.2
SAMPLE		BLUE	DREEN	GRI	EEN	FLAGE	LLATES	DIAT	OMS	LY I	B		2	5	Į	99	A STEAM	1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
DAY YEAR	TOTAL ALGAE	coccoip	FILA MENT OUS	CDCC0010	FILA MENT DUS	GREEN	BROWN	СЕНТВІО	PENHATE	FLAGELLATES (Newported)	CILIATEB	СУВТВ	отнем	ROTIFER	CRUST	WORKS	OTHER AMMAL FURMS	O T
10 28 58 11 24 58 11 24 58 11 26 59 3 2 59 4 6 59 4 20 59 5 4 59 5 18 59 7 20 59 8 17 59 9 1 59 9 21 59	6750 6750 5100 5100 3400 370 2990 1770 3130 1800 1160 3410 610 120	1310 120 70 30 50 140 180 50 90 230 50	390 70 20 140 90 320 70 70 140	1060 600 150 30 90 30 190 180 90 720 200 30	20 70	330 370 130 130 50 70 50 70 50 30	20 20 30 90 30 30 70	3930 4750 2370 2370 2400 1430 2550 1020 6000 1250 1830 1400 70	290 860 230 670 140 140 480 260 160 530 50 50 30	100 10 50 10	200 200 100 100 10 220 10 10	100	10	200 200		10	5	-433-4-7-4-7-4-7-4-7-4-7-4-7-3-3-7-3-7-4-7-1-4-7

PMS 1945 B

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

STATE

INDIANA

MAJOR BASIN

OHIO RIVER

BUB BASIN

OHIO RIVER-MAIN STEM & MINOR TRIB.

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATION LOCATION OHIO RIVER AT

EVANSVILLE: INDIANA

		C OF					ALQA	E (Phonbor)	- - L)				_	PROT	OZOA						¥ .2
	AMI	PLE			BLUE	D PLEEN	GRU	LIEN	FLAGE	LLATES	DIAT	омв	S I	•		A	E.R.	ACEA		NINA B	F 2
MONTH		DAY	YEAR	TOTAL ALGAE	CDCCD1D	FILA- MENT OUR	coaccio	FILA MENT DUB	GREEN	BROWN	CENTRIC	PERNATE	PLABELLATES	CILIATE	€יי	OTHERB	ROTIFE	CRUBTACEA	WORMS	OTHER ANIMAL FORMS	DOMINANT ORGANISMS
10 11 12 12 33 44 48 9		3 8 12 2 30 6 29	555555555555555555555555555555555555555	9130 6210 8060 780 920 820 840 1830 9250 3210	450 30 120 50 1240	250 70 100 70 160 50	2680 1980 20 50 120 50 30 2680	1 63 0	350 150 370 20 50 70 180	20 30 230	6210 2270 4800 310 210 2300 200 1410 1310 410	410 840 410 530 1050 120 490 340 480	300 100 100	300	200	200 100 10	100	10			-4977 54327 -4-7- -7 -5-7- -4-7- -4-7- 14322 16327

WATER QUALITY BASIC DATA - MONTHLY REPORT

PHI 2544 E

STATE

OHIO

MAJOR BASIN

OHIO RIVER

SUB BASIN

OHIO RIVER-MAIN STEM & MINOR TRIB.

PLANKTON POPULATION
NUMBER PER 500 MILLITERS, EXCEPT ALGAE

STATION LOCATION OHIO RIVER M510 AT

CINCINNATI, OHIO

	TE	OF				ALGA	E (H-1-)	<u></u>					PROT	OZOA						9.7
	MP	-		BLUE	GREEN	ORI			LLATES	DIAT	OMS	1	E.9	_	9	ER8	YOK.	wa .	SIEA	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
HONTH	DAY	YEAR	TOTAL	ССССОЮ	FILA MENT OUR	соссото	FILA- MENT DUS	OFFEN	BROWN	CENTRIC	PENNATE	PLACELLATES	CILIATEB	CYBTB	OTHERB	ROTIF	CRUBT	WORKS	OTHER AMINAL FORMS	DOMINANT ORGANIBMB
10 11 12 12 3 4 4 5 5 6 6 7 7 7 7 8 8 9 9	10 10 11 11 20 20 20 11 11 12 12 13 14 14 15 15 15 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	7 59 4 59 1 59 5 59 5 59 5 59 5 59 5 59 5 59 5	9860 11870 2420 820 750 530 890 1100 3520 3040 10610 23430 7610 5570 3220 18980 1480 30010	70 330 350 310 630 920 240 1170	\$50 70 50 30 50 180 50 160 2810 180 350 13590	2120 1840 150 30 70 130 1580 1420 830 1810 1770 240 1460 240	290 20	780 270 20 30 70 70 70 930 640 310 30 30	70 50 70 50	\$840 6700 1130 330 200 1200 850 6550 18970 16280 800 2080 1190	780 2170 980 430 410 370 570 1590 1870 1890 330 610 240 350	200 400 100 4400 6600 20 70 10 6600		100 100 100 220 10	20 100 1100 10 10 10 4400	10 20 10	10 20 10 10 10 20 10		200	-4-37 34-77 -4-77 -5

PHE 284E E

WATER QUALITY BASIC DATA - MONTHLY EEPORT

PLANKTON POPULATION

STATE

WEST VIRGINIA

MAJOR BASIN

OHIO RIVER

SUB BASIN

OHIO RIVER MAIN STEM & MINOR TRIB.

NUMBER PER 100 MILLILITERS, EXCEPT ALGAR

STATION LOCATION OHIO RIVER AT

HUNTINGTON, WEST VIRGINIA

	TE O	- 1				ALGA	و سلسه و					Τ	PROTO	DZOA						
	MPL	Г		BLUE	3 PLECEN	GRI	DICN		LLATES	DIAT		ATE9			Na .	E.R8	ACEA		MIKAL B	LAN THE
MONTH H	DAY	YEAR	TOTAL	8	FILA- MENT OUS	œccon	FILA- MENT DUS	GRLDA	BROWN	CENTRIC	PERNATE	PLAGELLATES (Duplemented)	CILIATED	CYBT	OTHERS	ROTIFE	CAUST	WORNE	OTHER ANIMAL FORMS	DOMINANT
8 8 9	3 1 5 2 6 20 4 18 1 15 6 20 3 17 8	59 59 59 59 59 59	3410 9660 1340 710 810 420 2460 1310 2320 2400 8650 4580 9100 6420 10340 11430 10930		70 490 50 70 180 30 70 110 4110 1690 220 2150	300 120 90 1240 790 740 1450 2320 1020 6670	30 70 30	190 20 30 50 50 160 260 200		2810 540 150 140 70 330 520 610 900 4340 2620 6130 2990 1230 1610 290	1270 310 640 570 1830 680 1580 1490 1610 1110 1120 1430	2000 20 20 20 10 30 20	10 24200 8800	100	20 10 10 17600 4400 4400	100 100 40 100 1000	10 10 10 10	100	100	54-7 54-23 -4-7- -5775 34-7- 34377 -4-77 -6-23 26-77 -8335 -4377

Pel 2845 8 11 87

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATE

OHIO

MAJOR BASIN

OHIO RIVER

BUB BABIN

OHIO RIVER-MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

EAST LIVERPOOL, OHIO

DATE OF	F]				ALQA	09	per =d.)					PROT	DZOA			<			8.7
BAMPLE			BLUE	BREEN	GRI	EEN		LATES	DIAT	DMB	S T	2		E R8	ERB	I Ver	<u> </u>		\$3 3
МОМТН	YEAR	TOTAL ALGAE	صححوال	FILA MENT OUS	50CEO#0	FILA MENT OUF	CALLEN	BROWN	CENTRIC	PENHATE	PLACELLATES (University)	CILLATES	субтв	отне	ROTIFI	CRUSTACEA	WORMS	OTHER ARIBAL FURME	DOMINANT ORGANISMS
11 6 12 1 1 6 2 3 2 4 7 4 20 5 4 5 19 6 1 6 15 7 6 7 20 8 10 8 24	58 59 59 59 59 59 59 59 59 59 59 59 59 59	1260 1390 1390 920 270 90 1020 1370 1550 4920 9540 3110 6380 5150 919C 10940	70 30	20 50 110 20 70 90 140 70 70 70 180 140 110	450 370 40 90 940 2260 3960 1170 1370 5170 1330 4980		110 490 130 230 720 650 700 90 130 200 60 180	20 50 30 50 250 110 30 320 310 30 50	330 210 150 110 30 70 670 250 2210 1130 480 1760 2510 2830	330 270 560 740 100 780 640 550 610 420 1040 2420 2570	100 10 30 6600 20 70 10	4400 100 4400 5800 10	2200	10 10 10 10	100 100 10 20	10 20 10	10	100	-8-73 -4-3- -77- -77- -1-77- -1-335 54375 -4-725 -43775 -4-727

PHE 1848 B

WA IR QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

STATE

MARYLAND

MAJOR BASIN

NORTH ATLANTIC

SUB PASIN

POTOMAC RIVER

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATION LOCATION POTOMAC RIVER AT

GREAT FALLS, MARYLAND

DA	TE	OF				ALGA	E (N-b-	<u>=</u> L1					PROTI	DZOA						
	MP	T_{-}	-	■ LUE	GREEN	O RI	EDEN	FLAGE Pro-	LLATES	DIAT	OMS	ATES	8		œ ·	<u> </u>	ACEA	a .	NIE AL	FAN
MOMTH	DAY	¥.	TOTA	1 200	FILA MENT OUB	coccoip	FILA. MENT OUR	ORIEN	BROWN	CENTRIC	PENNATE	PLAGELLATES	CILIATEB	CYBTIB	ОТНЕЯВ	ROTIFERS	CRUSTACEA	WORNS	OTHER ANIBAL FORMS	DOMINANT ORGANISMS
12 1 2 3 4 5 6 7 8	1:		3 25 3 10 7 1 9 18 9 12 9 39 9 36 9 50	60 60 60 60 60 60 60 60 60 44 60	20 110 30 230 70 50	670 1590 2830		12080 90 20 30 50 580 90 50	30 50	1880 290 130 30 240 90 1190 580	330 640 640 100 480 1520 1010 610 310 380	10	100		100		10	100		-4-33 -4

PHE 2848 S

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATE

MARYLAND

MAJOR BASIN

NORTH ATLANTIC

BUB BASIN

POTOMAC RIVER

METATION LOCATION POTOMAC RIVER AT

WILLIAMSPORT, MARYLAND

DA	TE	01	- 1				ALGA	E Di-	per sel.)					PROT	OZOA						2.7
BA	MI	PLE	\dashv		BLUE	DREEN	QRI	LEN	FLAGE	LLATER	DIAT	OMS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9		æ	PER] ACE		N S	F B
HOM	3	DAY	YEAR	TOTAL ALGAE	COCCOID	FILA MENT OUS	Сессою	PILA MEHT DUS	WILLIAM	EROWN	CENTRIC	PENHATE	FLAGELLATES (University)	CILIATES	CYTTE	OTHERB	ROTIF	CRUSTACEA	WORMS	OTHER ANIMAL FORUES	DOMINANT ORGANIBME
6 7 8	1	1 8 5 2 2 6 1 8 3 3	58 59 59 59 59	2600 1020 640 390 330 190 1890 1920 480 1000 670		200 200 500 300 300	70 200		310 130 20 30 220 30 70	30 30	1710 130 150 70 70 30 830 440 200 50	760 290 210 210 110 1070	100 10 10 10	100	100	100	100	10			-473- 7-3 773 -477- -43-

PHS 1845 E 11 87

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATE

LOU[5]ANA

MAJOR BABIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

BUB BASIN

LOWER RED RIVER BELOW DENISON

STATION LOCATION RED RIVER AT

ALEXANDRIA, LOUISIANA

DATE OF				AL GA	(Number)						PROT	DZOA						9_2
BAMPLE		BLUE	REEN	GRE	EN		LLATES	DIAT	ОМВ	ATES	E.B.		5	848	Ş.		VALE OF	FISH
MONTH DAY YEAR	TOTAL ALGAE	صحتان	FILA MENT OUE	сэссо1р	FILA MENT DUE	CORPECEN	BROWN	CENTRIC	PENNATE	FLAGELLATES (Uspigmented)	CILIATER	СУВТВ	OTHER	копрев	מאטפּדי	WORW	OTHER ANIMAL FORMS	DOMINANT ORGANISM OR Lessender
10 10 58 11 10 58 12 15 58 2 3 59 3 9 59 4 6 59 5 18 59 7 6 59 8 24 59 9 1 59	4760 3990 1580 6310 1780 1480 4440 1340 6850 8350 29070	110 270 30 140 810	2030 630 100 30 490 50 3750 4550 17090	520 70 490 110		2940 50 90 240 30 160 50	50 140 90	1000 1380 3170 550 780 520 2170 890 1540 1100 2400	250 160 110 320 310 540 810 230 470 1050	10 10 20 10	200 30 10 20	700	100	100	100	10		54-74 -4825 -47 -4-77 54-77 -4-77 -4-77 -4-77 -26873 26373 26374

Prof. 18-85 S [1 17 WATER QUALITY BASIC DATA - MONTHLY REPORT

STATE

ARKAN5A5

MAJOR BABIN

SOUTHWEST LOWER MISSISSIPPI

BUB BASIN

LOWER RED RIVER BELOW DENISON

PLANKTON POPULATION
NUMBER PER 1000 MILLILITERS, EXCEPT ALGAE

STATION LOCATION RED RIVER AT

INDEX, ARKANSAS

DA.	TE O	_		_		ALGA	E (Namber)						PROT	DZOA			<			¥.7
	MPL			BLUE	REEN	GAI	LIEN	FLAGE (Pign	LLATES	DIAT	OMB	1	2	_] #2	B	TACE	9	ANIMA MS	AN IN
HLL	ρΑΥ	YEAR	TOTAL ALGAE	COCCOID	FILA MENT DUS	COCCOID	FEAT OUR	SALES	BROWN	CENTRIC	PENNATE	PLAGELLATES PLAGELLATES	CILIATE	CYNTB	ОТНЕЯВ	ROTHERS	CRUSTACEA	WORMS	OTHER ANIMAL FORMS	PONI PRO
9	1	59	8460	2640	2730	560		270	830	560	870	20	20				10			26371
						i 1										l				
		ļ																		
												l								
													ı							
									1											
														,		·				
				J																
															[[l			

PRO 2848 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, RECEPT ALGAE

STATE

TEXA5

MAJOR BABIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER RED RIVER BELOW DENISON

STATION LOCATION RED RIVER AT

DENISON, TEXAS

	TE	OF	\neg				ALGAI		 			· — т		PROTO	77.0A						
BA	MP T	ᄩ	4		BLUE	REEN	GRI	III.N	FLAGE	LLATES	DIAT	DMS	E T				9 4	ACEA	•	VALIENT VALIENT	FAST
F C	AY		YEAR	TOTAL ALGAE	cascasco (p	FILA MENT DUS	соссоно	FILA MENT OUR	CREEN	BROWN	CENTRIC	PENHATE	FLAGELLATES (Dajkiramica)	CILIATED	CYETB	OTHER	ROTIFERS	CRUST	WORMS	OTHER A	DOMINANT ORGANISMS
10 11 12 1 2 3 4 5 6 7 8 9	1	53274163	58 59 59 59 59	2870 680 1510 2080 760 150 200 340 110 1010 1920		1070 30 30 330 540	410 690 40 280 70 50		680 160 310 50 30 180	30	100 130 350 1210 140 70 120 220 90 250	920 100 470 150 70 460 70 30 420 290	100 200 10 10 10	100 20				100			5637- 54-7- -4-3-

11 =7

WATER QUALITY BASIC DATA - MONTHLY REPORT

STATE

TEXA5

MAJOR BASIN

WESTERN GULF

SUB BASIN

LOWER RIO GRANDE BELOW PECOS

STATION LOCATION RIO GRANDE RIVER AT

LAREDO, TEXAS

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

DATE OF				ALGA	F (14-1-	per =L)					PROT	DZOA				T		9 -
EAMPLE I		BLUE	GREEN	GR	LEN	FLAGE	LLATES	DIAT	OMB	到	19	_	.	1	- ACEA		NA BEA	NNISME
MONTH DAY YEAR	TOTAL ALGAE	coccaio	FILA MENT DUS	COCCOID	FILA MENT DUE	CHEEN	BROWN	CENTRIC	PENHATE	PLAGELLATES (Oxperment)	CILATEB	СУВТВ	отнвяв	ROTIFER	СВИБТА	WORNE	OTHER ANIMAL PORMS	00 m
10 6 58 11 10 58 12 9 59 2 3 59 3 6 59 5 4 59 6 59 9 1 59	100 34510 3170 790 550 4940 3800 1260	250 20 70 720	100 250 50	110 490 170 470 130 320 3750		20 6980 150 120 110 230 200 50		310 20 26080 450 50 230 180 960	60 660 2310 570 440 3100 2930 380	10 20	10 20 10	10	440	10				-4

PHS 1848 8

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATE

TEXAS

MAJOR BASIN

WESTERN GULF

SUB BASIN

UPPER RIO GRANDE ABOVE PECOS

STATION LOCATION RID GRANDE RIVER AT

EL PASO, TEXAS

DATE OF				ALGA	E Dimber							-				,	,	
5AMPLE		PLUE	REEN	ORI		FLAGE	LLATES	DIAT	OMS	- Î	PROT	OZUA_		#. #.	¥G.	_	MIKAL	55
MON DAY	TOTAL ALGAE	CDCCC010	FILA MENT DUM	69G201p	FILA MENT OUB	ФШН	BROWN	COUNTRIC	PENNATE	FLAGELLATES (Usydenesis)	CILIATEB	CYBTE	OTHERS	ROTIFERS	CRUST,	WORM	OTHER ANIMAL FORMS	DOMINANT ORGANISM (C.) INTERNATION
10 6 58 4 6 59 5 4 59 6 1 59 7 7 59 8 3 59 8 31 59 9 8 59	19100 4650 3040 4970 2970 7580 7570 2050	160 270 270 30	30 140 50 50 30	2470 110 250 250 250 350 50	30	50 30 210 130 70 70 230	40 120 90 90 50	14350 590 1190 3150 2600 6120 6120 1520	4010	10	15000 10		100	100	U		3	-4173 34773 -4777 54-77 -4-7- -4-7- -4-7-

Plat 1448 8

WATER QUALITY BASIC DATA - MONTHLY REPORT

STATE

GEORGIA

MAJOR BASIN

SOUTHEAST

BUB BASIN

SAVANNAH RIVER

PLANKTON POPULATION NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATION LOCATION SAVANNAH RIVER AT

PORT WENTWORTH, GEORGIA

DA	TE	o-					ALGA	E (House)	-L)					PROT	OZOA		_	_ <			9.7
	MP	\neg	~		BLUE	GREEN	GRI			LLATES	DIAT	OMS		9	_	88	100	YCE.	 #2	AN EA	FAS 1
MONTH	DAY		YEAR	TOTAL	соссою	FILA. MENT DUB	СОССОНО	FILA MENT OUS	SALESH	ENOWN	CENTRIC	PENHATE	PLAGELLATES (2) presental	CILIATES	CYBTE	ОТНЕ	ROTIFERS	CRUSTACEA	WORNS	OTHER ANIMAL FORMS	DOMINANT ORGANIBMB
10 111 12 3 4 5 6 7 8 9	1	0869961163	58 56 59 59 59 59	1490 1860 360 510 470 1040 3130 960 1470 1780		20 50 50 210	20 20 30	50 20	20	20 70	620 1110 860 140 120 2580 800 560 190 480	470 250 250 320 270 490 330 520 140 320		100			20	100			-477- -47-7 -4

MM 1948 8

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATE

SOUTH CAROLINA

MAJOR BASIN

SOUTHEAST

SUB BASIN

SAVANNAH RIVER

STATION LOCATION SAVANNAH RIVER AT

NORTH AUGUSTA: SOUTH CAROLINA

DA	TE C)F				ALGA	E (N-1-)	一上)					PROTO	DZOA						
	MPL	T		BLUE	REEN	ORI	2	FLAGE	LLATES	DIAT	ОМВ	ATES	8			Ē	ACEA	_	MINAL	5
MONTH	DAY	YEAR	TOTAL ALGAE	50CED ID	FILA MENT OUR	2002010	FILA MENT DUE	STATES	BROWN	CENTRIC	PENNATE	FLAGELLATES (Undermeted)	CILIATE	СУВТВ	OTHER	ROTIFERS	CRUST,	WORMS	OTHER ANIMAL FORMS	DOMINANT ORGANISMS
10 11 12 1 2 3 4 5 6 7 8 9	3 1 5 2 6 4 2 6 3	59 59 59 59 59 59 59 59 59	900 630 820 540 660 1470 940 870 310 230 1170	50 70 160 50	50 30 50 70 120	50 30	20 30	50 70 70 90	30 90 30	110 90 130 210 230 190 210 230 160 300	210 530 290 370 1100 470 70 270 70	1000 10 10 20 10	10	100	10	100		10		

FRE 3843 1

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

BUB BABIN

MIDDLE AND LOWER SNAKE RIVER

STATION LOCATION SNAKE RIVER AT

WAWAWAI, WASHINGTON

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE STATION LOCATION SNAKE

DATE OF ALGAE (Nombre of all)

EAMPLE

FLAGELLATES

FLAGELLATES

FLAGELLATES

FLAGELLATES

FLAGELLATES

			LE	1	BLUE	GREEN	gr.	EEN	FLAGE	LLATES	DIAT	OMS	¥ Z			وا	F	\ \ \ \ \	<u></u>	N N S	Z Z Z
	HONTH	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	YEAR	TOTAL ALGAE	COCCOLD	FILA MENT OUS	coccop	FILA MENT OUE	e) LDI	BROWN	CENTRIC	PENNATE	PLACELLATES PLACELLATES	CILLATES	СУВТВ	OTHERB	ROTIFERS	CRUBT	WORKS	OTHER ANIMA FDRMS	DOMINANT ORGANIBA Terrescolor
,	11 12 1 2 3 4 5 6 7	1	308592648604	2070 1210 1090 1260 1770 1820 2230 1330 790 1830	5 0	50	4 0	30			410 690	1820 940 620 440 1340 1560 1590 1010 260 1070	100 100 30 10 10	10		100		10			-477- 773 77- -477- -4-7- 34773 -4773 4- -4-77

PHE 1848 E 11 87

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, EXCEPT ALGAE

STATE

IDAHO

MAJOR BASIN

PACIFIC NORTHWEST

EUB BASIN

CENTRAL SNAKE RIVER

STATION LOCATION SNAKE RIVER AT

WEISER, IDAHO

	TEC) P				ALGA	I (N-1-)	- 1					PROTO	OZOA						9_=
BA	MPL	<u>E</u>		BLUE	BREEN	GRE	EN.		LLATES J	DIAT	DMS	P F F	5		•	2	YOU.		S S S S S S S S S S S S S S S S S S S	F X
MONTH	₽	YEAR	TOTAL ALGAE	CDCC2010	FILA MENT OUS	шесон	FILA MENT DUS	GREEN	BROWN	CENTAIC	PERKATE	FLAGELLATES Watercard	CILIATES	CYBTE	OTHER	ROTIFERB	CRUST	WORM	OTHER ANIMAL FORMS	DOMINANT ORGANIBMB (To Introduction)
11 12 1 2 3 4 5 6	13 16 2	5 59 5 59 5 59 3 59	3400 1280 8400 7360 6760 12680 3270 3710 6560 2790	70 90 540	20 350 300 200 10 250	40 120 40 50 4370 90 30	30 9000	40 600 210 100 130 50 250	70 70	450 3900 3900 4260 3020 1040 1190 50	640 3250 3140 2050 4860 2080 1810 43080 5750	100 100 10 30 10 20	200 100 4400	4400	100	10 10 10	10	10		-4773 -4773 -4773 -4773 -4773 -4773 -4773 -4777

11.67

WATER QUALITY BASIC DATA - MONTHLY REPORT

PLANKTON POPULATION

NUMBER PER 100 MILLILITERS, RECEPT ALGAE

STATE

TENNESSEE

MAJOR BABIN

TENNESSEE RIVER

BUB BASIN

TENNESSEE MAIN STEM & MINOR TRIB.

STATION LOCATION TENNESSEE RIVER M465.3 TVA AT

CHATTANOOGA: TENNESSEE

		0					ALGA	f (*****						PROT	OZOA			5		7	\$, 7
	AMI		\neg		BLUE	GREEN	QLRI	EDEN	FLAGE	LLATES	DIAT	OMS	ĘŢ	3		19	84) y		¥	5911
HON		DAY	YEAR	TOTAL ALGAE	coccoto	PILA- MENT	200	FILA MENT OUE	GREEN	BROWN	CENTRIC	PEDOLATE	PLAGELATES	CILIATES	כאפדו	OTHER	ROTIFERB	CRUST,	WORMS	OTHER AMIKAL PORIIS	DOMINA ORGAN
11 12 1 2 3 4 5 6 7		15 15 17 17 14 12 13 18	58 59 59 59 59 59 59	1210 1580 7660 2840 400 1080 1150 470 880 1060 670 1060	20 160 30 50 50 70	70	230 130 40 90 70 130 50 200 90 230		190 370 150 390 70 90 50 30 30 30	40 20 40 50 30 50 70 50	580 860 510 2210 340 370 290 630 460 180 350	110	100 20 30 10	2200 10 10		100	10	100			-497 -4-3 -4-3 7 -43- 7 -4-7

.

PHE LEAD 0

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER (For par bellia)

STATE

ARKANSAS

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI

BUB BASIN

ARKANSAS RIVER-VAN BUREN TO MOUTH

STATION LOCATION ARKANSAS RIVER M44.5 AT

PENDLETON FERRY, ARKANSAS

	ATT	DE 64	WFL			-	TRACTABL						CHI OFOE	ORM EXTRA	CTABLES				
	IINNI								 	Γ			NEUTRALE					т	
нтнош	PAY	1	н	DAY	EALLONE FILTERED	TOTAL	CHLORO FORM	VTC0HOT	ETHER THEOLUGIES	WATER SOLUBLES	TOTAL	ALIMATICS	ABOS ATIO	EXTRACTS ATTO	Lome	WEAT ACTOU	STRONG ACIDS	EASTS	LO#3
	3			13	2947	245	81	164	2	10	31	5	•		1	11	4	2	11

Prin-2 min-p

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER
(Poor per Miller)

STATE

OKLAHOMA

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

ARK. RIVER. KANS-COLO LINE TO TULSA

STATION LOCATION ARKANSAS RIVER NEAR

PONCA CITY, OKLAHOMA

_	STE	o	MPL			10	CTRACTABL	TS					CHLOROF	ORM EXTRA	CTABLES				
	LINENS			9		 	T	<u> </u>					NEUTRALE						
HUMUH	D.A.Y	YEAR	HONTH	DAT	FILTERED	TOTAL	CHLORD- FORM	ALCOHOL	ETHER INSOLUJEES	WATER	TOTAL	AUPRATICE	ABORATICS	DETENDED OF THE POST OF THE PO	<u> </u>	WEAK ACIDS	STRONG ACIDS	BASES	Loss
10	6	58	10	13	5000	196	64	132	1	11	29	5			0	•	4	1	10
11	3		11	9	4300	349	177	172	0	16	94	19			16	41	7	4	15
12	1				4560	304	123	181	0	9	77	25	20		6	20	 	1	12
1	5	59	1		4890	338	176	162	0	11	120	34	40	36	10	26	5	4	10
2	2	59	2		5040	341	163	178	0	5	120	37	28	26	29	15	5	2	16
3	2		3	9	4350	263	119	144	0	5	85 45	23 8	19	31 27	12 2	6 7	2	1	20
4 5	6	59 59	5		4920 4980	210 1 54	73 85	137 69	0 2	10 1 4	36	9	8 6	18	3	15	2	1	. 8
6	1		6	1 8	4280	146	56	90	1 1	1 4 B	29	6	4	17	2	B 1	3	1	11

11 57

WALER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER

STATE

KANSAS

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

ARK. RIVER. KANS-COLO LINE TO TULSA

STATION LOCATION ARKANSAS RIVER AT

COOLIDGE, KANSAS

DAT	T 01	F EA1	4PLE			D	TRACTABL	<u> </u>					CHI OFOE	ORM EXTRA	CTABLES				
BEDIN	HIND		Di	D]					 	Γ	l -		NEUTRALE		WINDLES				
МОМТН		YEAR	HUMAH	DAY	BALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHICK IMPOLLUPEES	WATER SOLUBLES	TOTAL	ALIFICATION	ANDEATICE	CETTO-ESI ATED COM POULEDII	LOSS	WEAR ACIDS	ACIDS	EASES	LOSSI
5 4 6 I	6 :	59	3 7	23 25 10	5146 5194 2026	161 176 514	23 42 63	138 134 451	1 1 5	5 12 16	9 13 21	3 2 2	2	4 6 15	3	5	3	1	5 7 9
														1	}				
													T						
															<u> </u>				

41 87

WATER QUALITY BASIC DATA - MONTHLY BEFORT

ORGANIC CHEMICALS PRODUCED BY CARROW FILTER TRANSPORT

RESULTS IN MICROGRAMS PER LITER (Periodo per Million)

STATE

ARIZONA

MAJOR BASIN

COLORADO RIVER

BUR BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER AT

YUMA, ARIZONA

_													CHI OFOE	ORM EXTRA	CTABLES				
	DATE		_		_		XTRACTABL	. []					NEUTRALE						
T N	PA	NO.	HE MON) Y	GALLONS FILTERED	TOTAL	CHILORO- FORM	ALCOHOL	ETHER SKINGLUNLES	WATER SOLUBLES	TOTAL	штапо	ABOBATICS	CONTYNEEN ATTED COMPOSITION	LOM	WEAK ACIDS	STRONG ACIDS	BASES	LOB
12 2 3 3 5 6 6	11 6 2 3 0 4 1 1 2 9 4 3 1	58 59 59 59 59 59	1	2 1 2 1 5 1 5 1 5 1	5 3310 2 5960 7 5190 2 6000 5 5980 2703 2 6100	260 204 91 123 99 98 286 145 135	48 40 34 38 31 20 66 54 25	212 164 57 85 68 78 220 91 110	00 22 1 0 3 2 0	9 11 10 10 8 5 11 14 6	19 13 6 10 8 21 15 9	1 1 1 1 1 1 1 1 1	1 0 1 1	14 100 7 8 5 6 17 12 6	2 1 1 1 0 1 1 1 1 1 1	3 3	2 2 3 3 1 4		12 9 8 9 7 4 19 13 5

PM-1848 8

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS RECOVERED BY CALIFORN FILTER TRESPUBLIES

PERSULTS IN MICROGRAMS PER LITTER (Pers per letties)

STATE

CALIFORNIA

MIZAS ROLAM

COLORADO RIVER

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADS RIVER ABOVE

PARKER DAM: ARIZONA-CALIFORNIA

DATE	E O	7 EA	HPL			_ ED	TRACTABL	TS.	1				CHLOROF	ORM DITRA	CTABLES				
BESING	4114	•	D	6									NEUTRAL				,		
MONTH DAT		YEAS	HTHOM	DAY	GALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL.	ETHER THEOLUBIES	WATER SOLUELES	TOTAL	ALIPEATICS	ARUBLATICS	ATES COM POSTERS	Lond	MEAE	STECHS ACIDS	Maga	1053
10 1 10 26 11 26 11 21 12 21 3 22 5 6 1 7 13 8 19 9 24	9 6 1 1 5 4 0 0 0 5 3 9	55889999999999999999999999999999999999	11 12 1 1 3 4 5	5 2 4 30 4 1 26 24 22 29	5150 6542 5010 4830 5170 5030 5650 6160 4970	96 274 154 115 173 1643 156 185 179 174 180 150	42 127 49 30 50 32 40 64 57 45 51 41 28	54 147 105 85 123 135 103 94 128 134 123 139 122	0 4 1 0 5 2 1 3 1 1	12 29 14 8 11 18 15 12 12 10 7	13 35 12 7 10 10 10 8 13 13 14 11 10	1 7 1 0 0 1 1 1 1 1 1 1	1 1 1	21 9 5 8 10 10 10	1 1 1 1 1 1 1 1 0 0	3 15 4 2 4 6 5 4 5 3	11 3 2 3 1 2 7 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 32 14 10 18 9 7 14 16 10 12 11 5

715-2440 d

WATER QUALITY BASIC DATA - MONTHLY EXPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER (Pers per Miller)

STATE

NEVADA

MAJOR BASIN

COLORADO RIVER

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER NEAR

BOULDER CITY, NEVADA

	AT.	C OF		717			F)	CTRACTABL	F6					CHLOROF	ORM EXTRA	CTABLES				
960			Ī	EH	_		<u>_</u>	T	Ţ <u></u>	 				NEUTRAL						
HE NO.	DAY	3		HE AG	DAY	GALLOHS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHEN	WATER	TOTAL	шрыпа	AROEATICS	DETRICES ATED COM PODITOR	LOSS	WEAK ACIDS	STRONG ACIDS	BASES	Loss
10 11 12 1 3 4 5 6 6 7 8	17 27 27 12 29 20 18	7 50 7 50 7 50 7 50 7 50 7 50 7 50 7 50	8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	10 11 12 3 4 5 6 7 8 8	23 28 9 20 22 21 22 15 9 1	5170 4953 5105 5076 5220 5319 5063 5008 5008 5008	166 194 214 232 173 165 195 196 230 183 167 191	40 58 41 65 347 44 48 64 56 43 2	126 136 173 167 139 118 151 148 166 127 123 159	0 1 0 2 2 1 2 3 1 2 2 2 2	10 14 12 17 7 12 10 12 14 15 12 7	11 10 9 11 10 10 11 13 11 8 11	10 00 00 00 00 11 11 00 0	2 1 1 0	8 5 7 10 7 10		5 5 4 5 4 5 4		1 2 1 1 1 1 1 1 1	22 10 22 9 13 12 12 24 15

PHOS 8844 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER

STATE

OREGON

MAJOR BABIN

PACIFIC NORTHWEST

SUB BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER M552 AT

CLATSKANIE, OREGON

	DATE	OF EA	MPL			Ð	TRACTABL	T3					CHI OBOF	DRM EXTRA	CTABLES				
	INNI			.									NEUTRALE		C I ABELLO			T 1	
н ожин	DAY	YEAR	HENOM	DAY	GALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ELHER THEOTORYER	AVLUE	TOTAL	ALIPEATICS	ABOEATICS	CETTER ATED COMPOSITION	LOSS	WEAK ACIDE	STRONG ACIDS	N.ES	Logs
11 12 1 3 4 5 6	20 25 27 10 26 30 28 29	58 59 59 59 59 59 59	12 1 2 3 5 6 7 8	27 24 8 5 16	3280 3060 4010 4620 3500 2520	220 159 150 144 110 178 183 215 192 99	48 46 35 31 34 75 55 68 30 22	172 113 115 113 76 103 128 147 162 77	2 0 0 1 1 3 2 2 3 1 0	9 10 8 8 8 20 13 14 4	15 11 13 10 9 22 13 23 16 12	2 1 2 1 1 3 3 1 1 3 3 2 2	1 2 1 3 1 2 2	5 8 7 7 13 10 18	01110033122100	6 4 4 9 6 8	4 2 2 3 9 4 5	0 1 1 0 1 1 1 1	12 15 7 5 9 11 16 14 1

710-2945 6 (1 07 WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER (Fore per LETTER)

STATE

OREGON

MAJOR BASIN

PACIFIC NORTHWEST

SUE BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

BONNEVILLE, OREGON

		_									CHLOROE	DRM EXTRA	CTARLES				
BEGINNING	AMPLE			B	TRACTABL	-		Γ—-			NEUTRALE						
DAY YEAR	н	ρΑΥ	GALLORS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL.	ETHER IMBOLUMLED	WATER SOLUBLES	TOTAL	ALIPHATICS	ARGRATICS	DETECT ATED COMPOUNDS	Load	WEAK ACIDS	STRONG ACIDS	BASES	Lo ss
10 6 58 11 3 58 12 1 58 12 29 58 12 24 59 3 30 59 4 27 59 6 1 59 7 6 59 9 21 59	11 12 1 2 3 4 5 6 7 8	17 15 12 9 13 11 15 20	8864 7005 6424 8720 5180 4192 4737 3127 4092 5592 5078	52 60 69 80 82 113 118 81 120 134 79 77	16 21 20 20 27 24 26 33 25 22 23	36 39 49 60 61 86 94 55 87 109 57 54	0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	454555679756	6 9 7 6 6 10 7 7 7 7 7	1 1 1 1 1 1 1 1 1 1		7 5 4 6 7 5 5 6 5 5 5	0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2222333333	1 1 2 2 1 1 2 2 1 2		336446458544

FHE 2848 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

SUB BASIN

MIDDLE AND LOWER SNAKE RIVER

STATION LOCATION COLUMBIA RIVER AT

PASCO, WASHINGTON

BEGINNING END NEUTRALS		
_ GALLONS		
FI. e f . ELITEREN . CHIOPO ETHER WATER	WEAK STRONG ACIDS ACIDS	BASES LOSS
10 7 56 10 27 11190	2 1 1 1 2 2 1 1 1 3 8 8 6 4 1 1 3 1	0 0 0 0 0 0 1 2 0 1 2

755-1849 S

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

BUB BASIN

COLUMBIA RIVER ABOVE YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

WENATCHEE, WASHINGTON

		_	F SA											CHLOROF	ORM EXTRA	CTABLE				
	ED IN			D				TRACTABL		 				NEUTRALE						
номи	74		15.5	HENDM	DAY	EALLONS FILTERED	TOTAL	CHLORO- FORM	VTCOHOT	ETHER INSOLUBLES	WATER BOLUBLES	TOTAL	тыто	ABOBATICS	ONTERN ATED COMPOUNDM	LOSS	WEAK ACIDS	STRONG ACIDS	BASES	Loss
102333333333333333333333333333333333333	3 3 4	2 0 4 1 6 4	58 59 59 59 59 59 59 59 59 59	3 4 5 6 7 8	30 11 8 11 11 14 17 14	4933 4371 5200 4373 4620 3640 5640 6420	83 81 68 83 81 155 97 68	26 21 15 28 26 37 32 22	57 60 53 55 55 118 65 46	1 1 0 2 2 1 1 1 1 0 0	6 5 4 7 8 10 8 5	10 9 6 8 7 11 10 10	3 2 1 2 1 2 3 3	2 1 1 1 1 1	5 4 5 4 7 6 5	0 0 0 0 1 1 1 0 0 0	2 1 3 2 4 4	1 1 2 1 3	10000	43366864

FHE 2848 F

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER
(Fee per Miller)

STATE

PENNSYLVANIA

MAJOR BASIN

NORTH ATLANTIC

SUS BASIN

DELAWARE-SCHUYLKILL RIVERS

STATION LOCATION DELAWARE RIVER M90 AT

PHILADELPHIA, PENNSYLVANIA

BETINNING BIND TOTAL CHURS ALCOHOL STRONG ACIDS STRONG FILTERLS TOTAL CHURS FILTERLS TOTAL CHURS SOLUBLES SOLUBLES TOTAL CHURS SOLUBLES SOLUBLES TOTAL LIPERTITS ASSERTING ACIDS CORPORED TOTAL CHURS SOLUBLES TOTAL LIPERTITS ASSERTING ACIDS CORPORED TOTAL CHURS SOLUBLES TOTAL LIPERTITS ASSERTING ACIDS CORPORED TOTAL CHURS SOLUBLES TOTAL LIPERTITS ASSERTING ACIDS CORPORED TOTAL CHURS SOLUBLES TOTAL LIPERTITS ASSERTING ACIDS ACIDS ACIDS ACIDS ACIDS TOTAL CHURS SOLUBLES TOTAL LIPERTITS ASSERTING ACIDS AC
TOTAL CHLOROL FORM ALCOHOL INSOLUBLES SOLUBLES TOTAL ALIMENTICS AMERICAN COMPOUNDS COMPOUNDS COMPOUNDS
3 30 59 4 7 4998 41 14 27 0 3 1 3 1 4 0 1

F10-1140 (

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER
(Pers per billion)

STATE

PENNSYLVANIA

MAJOR BASIN

MORTH ATLANTIC

BUB BASIN

DELAWARE-LEHIGH RIVERS

STATION LOCATION DELAWARE RIVER AT

EASTON, PENNSYLVANIA

DATE OF S	LALVE	-			TRACTABL	F.E.					CHI OROF	ORM DITEA	CTABLES				
EEGINNING	_	CHO	1		, , , , ABL	<u> </u>	 		Γ		NEUTRALE				Γ		
MONTH DAY YEAR	HENNETH	PAY	BALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER ENSOLUBLES	WATER WOLUBLES	TOTAL	ALIMATICS	ABORATICA	COLVERN ATED COS POUR DE	LOggs	WEAK ACIDS	STRONG ACIDS	BASES	LOwn
10 1 58 12 1 58 1 2 59 2 1 59 2 23 59 3 30 59 5 1 59 6 1 59 7 5 59 8 4 59 9 1 59	1	0 100 2 100 1 122 2 100 3 11 4 100 5 11 6 11 7 11 3 13 10	5137 5460 6180 6082 5565 5895 6353 3212 5992	76 105 84 104 - 97 88 79 129 92 87	33 30 29 37 42 27 38 28 25 33 26	43 75 55 67 70 50 51 104 59 61	3 0 1 3 6 3 1 1 2 1	8 11 8 9 10 4 10 6 6 7 6	10 9 11 11 7 10 10 12 12	1 1 1 1 1 1 1 1 2 2 2	1 1 1	6 6 8	1 0 1 1 1 1 1 1 1 1 1 1	2 3 3 3 2 2 3 2	2 1 2 2 1 1 2 1	1 0 1 1 1 1 1	7 7 6 9 11 5 9 6 4 6 3

11 87

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER
(Pers per Miller)

STATE

NEW YORK

MAJOR BASIN

MORTHEAST

BUB BASIN

LAKE ERIE-NIAGARA

STATION LOCATION LAKE ERIE AT

BUFFALO, NEW YORK

	OF E	AMPL			- B	TRACTABL	TTE .	1				CHI OROS	ORM EXTRA	CTABLES				
BEGINN			ND ND									NEUTRALE		CIABLES				
E M	47.	ном	ž	GALLONS FILTERED	TOTAL	CHLORO- FORLII	ALCOHOL.	ETHER INSOLUBLES	WATER BOLUBLES	TOTAL	ДІРЫТ СІ	ANGEATICS	CENTERS ATED COST POSTEDS	Local	WEAK ACIDS	ACIDS	BASES	Logs
11 5 12 3 2 16 3 18 4 29 5 20 6 8 7 6 8 3 9 2	59 59 59 59 59 59 59 59	12 3 3 4 5 5 6 7	26 15 8 28 16 13	5400 4561 4807 3613 5032 3638 4563	132 235 171 177 176 181 169 261 214 215 158	25 59 40 44 53 54 55 64 58 41	107 176 131 132 128 115 206 150 154 117	0 2 5 3 5 4 1 4 1 5	5 18 11 11 15 14 14 17 15 5	8 12 9 12 14 14 21 18 20 14	1 2 1 0 1 2 2 1 2 2 1 2 2	2 1 1 1 2 1 2 2 2	13 10 7 9 10 10 16 12 14	1 0 1 1 0 2 1 2 2 1	6 4 5 5 7 7	4 2 3 3 4 4	1 1 1 2 1 1	6 12 8 11 9 8 11 11 9

PHS 2548 4

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER
(Pumper billion)

STATE

MICHIGAN

MAJOR BASIN

WESTERN GREAT LAKES

SUB BASIN

ST. CLAIR-DETROIT RIVERS

STATION LOCATION DETROIT RIVER AT

DETROIT, MICHIGAN

	DATE	0 F &	HFL			ID.	TRACTABL	T.S.	T				CHLOROF	ORM EXTRA	CTABLES				
100	ainn	Na	- 10	ê									NEUTRAL						
HUNDM	DAY	YI'V	номтн	DAY	GALLONE FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER UMBOLLIBLES	WATER BOLUMEN	TOTAL	ALLEMATICS	AROHATICS	DETYGER ATED COMPOSITION	LONG	WEAK ACIDS	STRONG ACIDS	BASES	LOS
3 4 5 6 7	3 6 10 10 7 5 2 6 11	59 59 59 59 59	12 1 2 3 4 5 6 7	19 16 19 20 17 19 18 15	9720 7492 8910 8692	94 71 126 104 83 97 74 59 149 94 66	21 13 25 21 30 31 25 15 33 19 18	73 58 101 83 53 66 49 44 116 75 48	0 0 1 1 1 2 2 1 0 0 1 1 1 0 0	6 4 6 7 8 9 6 4 10 5 4	7 4 8 6 10 6 12 7 7	00 22 11 11 12 12 11 11 12	1 1 1 1 1	3 3 7 6 4 8	10000	3 2 3 4 2	1 1 2 2 1 1 2		5 3 6 4 8 6 3 2 4 3 1

PHE 2048 8

WATER QUALITY BASIC DATA - MONTHLY BEPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER
(Fee per Miller)

STATE

MINNESOTA

MAJOR BASIN

WESTERN GREAT LAKES

SUB BASIN

LAKE SUPERIOR

STATION LOCATION LAKE SUPERIOR AT

DULUTH, MINNESOTA

	DATE	OF BA	MPLE		_	ID:	TRACTABL	<u> </u>					CHLOROE	ORM EXTRA	CTABLES				
	INNI			-		_	1		 		Γ		NEUTRALI		~, <u>~DCEB</u>				
МОМТН	PAY	YEAR	НОМШ	DAY	GALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER ENGOLUBLES	WATER SOLUBLES	TOTAL	ALIPIATICE	AlkONEAT7CH	COMPOUNDS	LOSS	WEAR	STRORG ACIDS	EASE)	Lo as
111 122 3 4 5 6 7 7 8 9	1 5 2 6 4 1 6 3	588 559 559 559 559 559 559 559 559	1 2 3 4 5 6 7 8	15 19 16 16 20 18 15	4575 5617 5197 5258 6165 4843 6617 5325 5745	113 139 145 112 101 130 117 88 137 125 115	21 34 29 21 21 27 26 25 32 31 26	92 105 116 91 80 103 91 63 105 94 89	0 1 3 1 1 2 2 4 2 2 1	9 13 9 7 7 10 10 8 9 10 7	4443344476	01 00 00 00 00 00 11 11	0 0 0	3 3 3 3 3 5 5	000000000000000000000000000000000000000	221112211332	3 1 1 2 2 2 3	100010001	3 11 10 6 8 6 10 7

PRE 2848 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER

STATE

INDIANA

MAJOR BASIN

WESTERN GREAT LAKES

SUB BASIN

ST. JOSEPH RIVER

STATION LOCATION LAKE MICHIGAN AT

GARY, INDIANA

	DATE	OF E	WFL			10	CTRACTABL	D 3	1				CHLOROF	ORM EXTRA	CTABLES				
	O I NIN			θ					i				NEUTRALE						
МОМТН	DAT	YEAR	HTHOM	DAY	GALLORS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER (HEDLU BLES	WATER SOLUBLES	TOTAL	ALLMEATICS	ARGEATICS	OZYMETE ATTED COMPOUNDS	Loss	WEAR ACIDS	STRONG ACIDS	BASES	LOday
10 11 12 1 2 3 4 5 6 7 7 8 9	3 1 5 2 2 6 4 2 6 4	58 59 59 59 59 59 59 59	11 12 1 2 3 4 5 6 7	15 12 9 10 14 13 8 13	4870 4780 5000 5110 5040 4730 5000 5510 5020 5010	147 136 190 126 155 117 148 179 136 143 115 71	47 35 50 30 56 42 50 63 29 38 34 37	100 101 140 96 99 75 98 116 107 103 81 34	3 1 0 0 1 1 2 2 1 2 1 1	11 9 11 7 6 7 13 16 7 9	12 14 20 13 32 24 14 22 11 13 12 16	1 2 2 1 4 3 1 2 2 1 1 4	2	9 13 11 18 16 9 16 7 9	1 1 0 1 2 2 2 1 2 3 1	5 3 6 3 10 6 3 6 7 4	131211	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 6 9 5 7 5 7 13 5 5 4 5

THE 2545 6

WATER QUALITY BASIC DATA - MONTHLY EMPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER
(Form per billion)

BTATE

NEW YORK

MAJOR BASIN

NORTHEAST

EUE BASIN

LOWER HUDSON RIVER

STATION LOCATION HUDSON RIVER BELOW

POUGHKEEPSIE, NEW YORK

DATE OF EA	AMPL			ED	TRACTABL	Es					CHLOROF	ORM EXTRA	CTABLES				
BEGINNING		ND									NEUTRALE						
F PAGE	HEMON	PAY	EALLONS FILTERED	TOTAL	CHLORO FORM	ALCOHOL	ETHER INSOLUBLES	WATER SOLUBLES	TOTAL	ALIPHATICS	AROBATICS	CETALE ATED COMPOSIDE	LOSS	WEAK ACIDS	STRONG ACIDS	EAED)	LOSS
10 6 58 11 3 58 12 1 5 59 2 4 59 3 4 59 4 1 59 6 1 59 6 29 59 8 5 59 9 2 59	10 11 12 1 2 3 4	13 12 16 14 15 13 12 9	1016 1010 5000 5001 5005 5233 5000 5006 5360 5003 5218	1106 1426 356 331 395 268 281 239 287 312 266 214	284 486 111 132 194 135 124 108 120 124 123 81	822 940 245 199 201 137 131 167 188 143 133	3 29 3 8 4 7 4 5 10 4 5 2	62 92 24 25 43 32 29 28 25 22 27 15	77 122 29 41 64 43 42 26 8 31 33 28	3 4 2 2 2 3 3 2 1 1 1 2 2 2	13 3 5 5 4 4 2 2 2 2	56 93 21 30 50 33 34 14 23 23	3 12 3 4 7 3 2 9 2 5 2 1	53 12 15 21 11 12 8 12	31 49 9 11 14 15 11 8 16 14 16 7	5 5 1 1 1 1 1 1 1 2	68 136 331 44 24 24 28 38 24 15
															1		

F705-3040 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER

STATE

MASSACHUSETTS

MAJOR BASIN

NORTHEAST

SUB BASIN

MERRIMAC RIVER

STATION LOCATION MERRIMAC RIVER ABOVE

LOWELL, MASSACHUSETTS

DATE OF EL	WHILE		ED	TRACTABL	.E38					CHLOROF	ORM EXTRA	ACTABLES				
BEGINNING	10/10	7								NEUTRALE						
момпн рау	HOWTH TAG	#ALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL.	ETHER ETHER	WATER SOLUBLES	TOTAL	ALIPRATICS	AROMATICS	CONTRACTO ATTED CONTRACTOR	LOS	WEAK ACIDS	STRONG ACIDS	BASEs	LO SS
10 30 58 12 2 58 1 7 59 4 6 59 5 6 59 7 27 59 9 9 59	11 12 13 14 8 5 18 7 8 8	7160 6097 5782 615 5360 3275 5250	102 335 316 673 145 318 194 230	37 181 137 270 67 140 112 108	65 154 179 403 78 178 82 122	0 4 4 3 3 7 3 2	9 34 25 73 15 29 26 21	8 49 40 78 24 50 40 38	1 1 6 20 6 4 3 5	5 4 12	6 31 25 45 15 39 32 28	01251100321	3 45 23 41 13 12 11	3 13 8 21 5 14 11 11	1 2 1 5 1 3 2 2	13 34 36 49 11 24 10 23

PHO 1848 6

WATER QUALITY BASIC DATA - MONTHLY BEPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER
(Pers per Miller)

STATE

LOUISIANA

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER MISSISSIPPI-NATCHEZ TO GULF

STATION LOCATION MISSISSIPPI RIVER AT

NEW ORLEANS: LOUISIANA

	ATE	F EA				ID.	CTRACTABL	Fs					CHI ORDE	ORM EXTRA	CTARL ES				
) Ea	INNI	(0	D	<u>п</u>									NEUTRALE					\Box	
HOMTH	DAY	YEAR	HUMON	DAY	GALLONS	TOTAL	CHLORO- FORM	ALCOHOL	THEOLD BLES	WATTER SOLUBLES	TOTAL	ALIPEATICS	ARDEATICS	DETELEM ATED COMPOUNDS	Lom	WEAK ACIDS	STRONS ACIDS	BASES	Loss
11 1 1 3 4 5 6 6 7 8	8 27 12	59 59 59 59 59 59 59	12 1 2 3 4 5 6 7	20 13 8 30 21 15	7334 7896 5906 6372 5000 6229 6229 6229 6229	121 131 193 127 281 129 106 95 96 110 102	49 37 54 50 117 47 28 27 30 43 26	72 94 139 77 164 82 78 68 66 67 76	0001266311120	10 7 12 10 30 13 6 5 7 9 5	16 16 24 10 30 13 8 10 10 13 9	0 1 1 1 1 1 1 1 1 1 0 0	2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 17 7	1 2 4 1 1 0 0 0	5 4 6 4 11 5 3 4 5 3	3 2 3 3 12 4 2 2 2 2 4 2	1 1 1 2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 77 77 20 26 97 76 55 96

PR6 38464-6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER
(Pers per Miller)

STATE

ARKANSAS

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER MISSISSIPPI-CAIRO TO HELENA

STATION LOCATION MISSISSIPPI RIVER AT

WEST MEMPHIS. ARKANSAS

						TRACTABL						CHLOROF	ORM EXTRA	CTABLES	_			
DATE						IRACIABL			Γ			NEUTRALE						
MONTH DAY	YEAR	HEADM	PA	RALLONS FILTIDIZED	TOTAL	CHLORO. FORM	ALCOHOL.	11459 11459 11459	SOLUBLES SOLUBLES	TOTAL	ALIPHATICE	AROMATICS	ATION COST POST EDIT	Lom	WEAK ACIDS	ETRONG ACIDS	BASES	LONG
11 3	58 59 59 59 59	11 12 1 6 7	20772477290224 20	3690 5080 2540 1650 3270 4460 3970	158 141 292 532 162 194 139 129	49 34 73 127 41 60 47 26	109 107 219 205 121 134 92 103	2 1 1 5 1 2 2 1 1 1	10 6 16 30 9 13 9 4	16 18 26 39 18 20 13 12	1 1 2 3 3 1 2 1	3 3 4 2 2	11 20 29 12	0 31 3 1 3 1 3	6 4 0 13 5 8 7 3	12522	1 1 2 3 0 1 1 1 1 1	10 2 15 26 6 11 14, 3

PHE-1848-6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER (Pure per billion) STATE

M1550URI

MAJOR BASIN

UPPER MISSISSIPPI RIVER

BUR BABIN

MISSISSIPPI-CAPE GIRARDEAU AREA

STATION LOCATION MISSISSIPPI RIVER AT

CAPE GIRARDEAU. MISSOURI

	DATE	0F =/	MPL			10	TRACTABL						CHLOROF	ORM EXTRA	CTABLES	_			
	INN			Ð									NEUTRALE						
жон тн	DAY	YEAR	E S	PAY	BALLONB FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER IMPOLUBLES	WATER BOLUBLES	TOTAL	ALIFICATION	ABORATICS	CONTRACTO ATTO	Lores	WEAR	STRONG ACIDS	EASES	LOSE
111 122 1 2 3 4 5 6 7 7 8 9	3 1 5 2 6 4 1 6 3	58 59 59 59 59 59 59 59	11 12 1 2 3 4 5 6 7	16 20 18 15 20	4485 3585 4575	473 265 309 365 438 257 299 2249 2159	164 93 131 133 163 91 102 77 79 86 37	309 172 178 232 275 166 197 145 140 122	3 0 1 3 5 3 4 5 2 4 1	28 11 15 21 39 23 26 18 15 17 6	80 51 77 65 55 25 28 19 23 26 16	2 5 2 1 1 1 1 1 1 1 1 1 1 1	11 34 21 5 2 2 2	35 24 29 31 43 19 18 16	7 11 12 12 6 3 7 1 4 2	20 11 13 13 18 11 12 9 13 13 5	13 5 5 9 18 10 12 8 7 9 2	2 1 1 1 2 1 1 1 1 1 1	18 14 19 21 28 17 19 14 18 16

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER

STATE

ILLINOIS

MAJOR BASIN

UPPER MISSISSIPPI RIVER

SUB BASIN

MISSISSIPPI RIVER-ST. LOUIS AREA

STATION LOCATION MISSISSIPPI RIVER AT

EAST ST. LOUIS. ILLINOIS

D1	BA		_		E.)	TRACTABL					=	CHLORDE	ORM EXTRA	CTABLES				
Mg		D	Б					<u> </u>				NEUTRALE						
	155	НОМПН	DAY	GALLONS PILTERED	TOTAL	CHLORO FURM	ALCOHOL	ETHER MACLUBLES	WATER EDLUBLES	TOTAL	ALLMEATICS	ABORATICS	OXYUEN ATIED COMPOUNDS	Low	WEAE ACIDS	STRONG ACIDS	BASES	LO
. 5	899999999	11 12 1 2 3 4 5 6 7 8		3464 2905 3766 4158 3416 4102 3894 3517 4564 4563 3598 3329	299 383 264 301 409 430 295 345 208 -335	104 120 91 64 132 171 92 84 50 61 110 87	195 263 173 217 277 259 203 261 125 147 - 248	140112233322	29 30 19 18 25 34 21 18 13 12 22 19	26 32 35 36 46 58 28 24 12 15 30 23	1 1 2 1 2 1 1 3 1	2 3 5 4 3 4 2 2 1 2 4 1	22 26 26 27 35 44 23 21 10 11 20 19	123489120132	10 13 11 9 15 21 9 10 5 7 13 11	10 13 7 5 12 15 8 9 6 5 12 7	43 22 33 22 1 12 2	24 25 17 13 30 38 22 16 10 18 27 23

7) 87

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

HESULTS IN MICROGRAMS PER LITTER
(Part per billion)

STATE

10WA

MIEAS ROLAM

UPPER MISSISSIPPI RIVER

EUB BASIN

MISSISSIPPI-DES MOINES-SKUNK RIVERS

STATION LOCATION MISSISSIPPI RIVER AT

BURLINGTON IOWA

	TATE	OF SA				IDX	TRACTABL						CHI OROF	ORM EXTRA	CTABLES				
_	IINNI	$\overline{}$		_									NEUTRALB						
H	DAY	YEAR	HOWATH	DAY	WALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER RESOLUBLES	WATER WALLUFLES	тотя	ALIFEATICS	AROBLATICS	OTTYGEN ATED CON POUNDS	LONG	WEAK ACIDS	STRONG ACIDS	EASES	LOSES
10 11 12 1 2 4 5 6 7 7 8 9	3 1 5 2 6 4 1 6 3	58 59 59 59 59 59 59	11 12 1 2 4 5 6 7 8	15 8 12 9 15 17	5175 5000 3640 4890 5090 5000 5000 5000 5010 5090	194 202 123 175 211 226 208 151 205 199 167	67 64 604 55 79 83 43 63 47	127 138 63 111 156 147 125 108 138 136 120	1 1 1 2 1 2 4 2 3 1 3	17 17 18 17 12 21 22 10 18 12 10	15 19 17 17 17 23 20 12 18 19 12	1 1 1 1 1 1 2 1	1 1 2 1 2 1 1 2	12 15 14 13 20 14 10 15 14 9	1 1 1 1 1 1 1 1	6 9 10 5	46 B 6 B 6 B 6 B 6 B 6 B 6 B 6 B 6 B 6 B	1 3 2 1 1 2 2 1 1 1 1 1 1 1 1	21 8 13 16 16 19 13 19

2762 2547 B

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER
(Perm per leiben)

STATE

IOWA

MAJOR BABIN

UPPER MISSISSIPPI RIVER

BUB BASIN

MISSISSIPPI-WAPSIPINICON & TRIB.

STATION LOCATION MISSISSIPPI RIVER AT

DUBUQUE, IOWA

	ATE	07 1 /	MEL			- D	TRACTABL	F.6					CHLOROF	ORM EXTRA	CTABLES				
	IHHI			·			1		t				NEUTRAL						
HTMON	DAY	YEAR	HUNOM	DAT	BALLONS FILTERED	TOTAL	CHLORO FORM	VTCD HOT	ETHER ENSOLUBLES	WATER WATER	TOTAL	ALIPEATICS	AROMATICS	COMPOURDS	Los	WEAK ACIDS	STRONG ACIDS	BASEB	LO
12 1 2 3 4 5 6 7 8	85 59 96 44 11 77 43 31	55555555555555555555555555555555555555	1 2 3 4 5 6 7 8	18 14 22 17 15 13 11 15 11 10	3712 2400 3744 3D45 6150 4357 5512 3398 4845 6255	227 501 367 396 196 210 161 364 210 137	71 106 80 131 74 67 57 99 90 42	156 395 287 265 122 143 104 265 120 95	1 12 3 9 2 4 2 6 5 0	17 22 20 35 19 16 13 24 21 8	16 18 21 26 19 19 13 20 21 13	2 1 1 1 1 1 1 2 1	1 1 2 2 1 1 1 1 1 2 1	10 15 16 21 16 10 17 17 10	3 1 2 2 1 1 1 1 0 1	14 10 8 10 7 9 6 10 10 3	6 10 6 13 5 6 5 9 8 1	1001331111111200	16 34 21 35 21 17 29 23 17

PRIS 1545 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

HECOVERED BY CARBON FILTER TECHNIQUE

RESULTS IN MICROGRAMS PER LITER (Pers per belles)

STATE

MINNESOTA

MAJOR BASIN

UPPER MISSISSIPPI RIVER

SUB BASIN

UPPER PORTION UPPER MISSIE 7

STATION LOCATION MISSISSIPPI RIVER LOCK DAM 13 5.2

MINNEAPOLIS, MINNESOTA

11 4 5 5 6 11 10 3946	DATE OF	EAHI	-1				TRACTABL						5111 6365						
S				5											IABLES				
11 4 59 12 10 3944	DAY YEAR	TEAST.		PA4	BALLONS FILTERED	TOTAL		ALCOHOL	ETHER INSOLUBLES	WATER SOLUBLES	TCTAL			CETTRETE ATED	LOSS			BASES	F3-7
	10 6 54 11 4 54 12 2 54 1 6 54 2 3 55 3 3 55 4 6 55 5 5 5 6 3 55 7 6 56 8 4 56	18 1 18 1 19 19 19 19 19 19 19 19 19 19 19 19 19 1	0 1 2 3 4 5 6 7 8	10 9 13 10 11 14 12 9 14	3348 4134 3693 3960 4520 3401 2532 3477 3547	261 260 395 361 362 271 379 315 302 303	83 71 151 146 137 78 152 106 110 85	178 189 244 215 225 193 227 209 192 218	2 1 5 9 5 3 8 6 4 2	22 18 38 32 33 20 41 27 29	21 23 50 51 49 27 41 30 29	1 1 2 9 2 1 3 4	2 2 7 4 3 2 3 3 3	16 16 18 38 38 37 23 33 22 22 22 21	2 2 3 6 7 1 2 1 1	7 7 18 16 15 7 17 11 12	7 4 15 10 4 15 10 9 9	2 1 3 3 4 2 3 1 2 2 2 2	17 22 17 22 21 15 27 21 25 13 10

11 \$7

WATER QUALITY BASIC DATA - MONTHLY REPORT

MI55OURI

ORGANIC CHEMICALS RECOVERED BY CAMBON VILES TECHNOODS

RESULTS IN MICROGRAMS PER LITER

(Pers per 1-25-a)

MAJOR BASIN

MISSOURI RIVER

EUE BASIN

STATE

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER M36 AT

ST.LOUIS, MISSOURI

	_	_	HPLI			ı ı	TRACTABL	5.5						ORM EXTRA	ACTABLES				
TEG IN	NIN	+0	0	10								т	NEUTRAL						
MONTH		7Z	HOMIN	DAY	FILTERED	TOTAL	CHLORD- FORM	ALCOHOL	ETHER UNDOLUBLES	WATER SOLUBLES	TUTAL	ALIPEATICS	ABOBATICE	OXYMER ATED COMPOUNDS	LOSS	ACIDS WEAK	STRONU ACIDS	BASEN	LOSS
10 1 1 1 2 1 3 3 4 2 6 2	3 9 6 0 7 2		10 2 3 4 5	27 2 2 13 11	7200 4777 3248 3307 6322 5056 6465	98 207 354 250 130 123 106	36 73 122 68 42 41 36	62 134 232 182 88 87 70	1 1 2 3 2 1	10 18 32 16 11 9 8	9 22 44 19 11 15 14	0 1 2 2 1 4 4	3 3 2 1 3	7 16 37 14 8	2 2 1 1 1	11 5 4	6 7 5	1 4 1 1	17 23 17

PHIS 2648 8

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER (Para per Miller)

STATE

KAN5A5

MAJOR BASIN

MISSOURI RIVER

SUB BABIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER AT

KANSAS CITY, KANSAS

		OF 84					TRACTABL												
	INDIL	_	D .	_	•	<u> </u>	ACIABL		 				NEUTRALE	DRM EXTRA	CIABLES		1		
НОМПН	DAY	2	HONUTH	FA.	QALLONS FILTERED	TOTAL	CHLORO- PORM	ALCOHOL	ETHER INDOLUMES	WATER SOLUBLES	TOTAL	ALIMEATICS	ABORATION	CETTO EN ATED COMPOSEDO	LOSS	WEAK	STRONG ACIDS	BASES	LO GS
11 12 1 3 3 4 5 6 7 8	20 10 25 26 6 30 27 18 15 13 18 21		1011121294556677910	23 15 17 13 20 13 11 1 29	4+64 3718 46123 4711 4484 4932 3085 3289 3627 4736 4974 4400	118 134 131 170 228 160 83 99 87 67 75	20 28 21 41 35 67 28 23 19 14 11	98 106 110 193 93 55 76 62 48 61 71	0 0 0 1 0 0 3 1 0 0 0 1 0 0 0 0 0 0 0 0	5 6 4 10 6 17 8 4 3 3 3 1 2	8 11 10 14 15 19 8 12 13 8 6 6	1 2 2 2 2 1 1 2 1 1 1 1	1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		10112100000	2 3 2 5 5 6 3 2 2 2 3 1 2 1	1 1 3 2 5 2 1 1	1111110000	4 6 3 6 16 5 3 1 1

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RECOVERED BY CAREON FILTER TECHNIQUE

RESULTS IN MICROGRAMS PER LITTER (Pour per Lillion)

STATE

MI55OURI

MAJOR BABIN

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI BELOW NIOBRARA RIVER

STATION LOCATION MISSOURI RIVER AT

ST. JOSEPH, MISSOURI -

			TRACTABL	F.G.					CHLOBOF	ORM EXTRA	CTABLES				
	1		INALIFE		<u> </u>	I			NEUTRALS		CIADELES				
\$ 1	LEYS TE'SS	70-12	CHLORO FORM	ALCOHOL	ETHER HNSOLUBLES	WATEP SOLUBLES	TOTAL	ALIPRATICS	ABORATICS	OTTO EN ATED COMPOUNDS	Loss)	WEAR ACIDS	STRONG EDIDA	BASES	L0 ss
58 10 20 5 58 11 17 1 58 12 15 5 2 59 1 76 5 15 59 4 76 5 15 59 4 76 5 15 59 7 18 5 15 59 7 18 5 15 59 7 18 5 15 59 7 18 5 15 59 7 20 5	5025 4050 5395 5395 5395 5272 4792 5265 5257 5257 5515 5471	74 195 172 192 228 70 242 51 86 102 167 89	3 B 5 B	54 157 114 132 176 52 155 39 75 78 123 69	0 0 1 3 1 1 4 0 2 0 2 3	6 11 15 15 10 5 24 3 2 6 12 2	7 12 19 18 18 6 17 4 9 8	1 1 2 1 1 1 1 1 1 0 2	1 2 2 1 1 1 1 1 1 1 1	5 9 13 13 14 4 13 2 2 6 7 5	0 0 2 3 2 0 0 1 0	4 6 5 6 2 10	3 5 4 1 10 1 1	1 2 1 1 1 1 1 0 0	3 6 13 13 12 2 21 1 1 5 12 2

11 87

WATER QUALITY BASIC DATA - MONTHLY SEPORT

ORGANIC CHEMICALS

MICOVERED BY CARBON FILTER TECHNOLIE

RESULTS IN MICROGRAMS PLR LITER (Pura per billion) STATE

NEBRASKA

MAJOR BASIN

MISSOURI RIVER

SCE PASIN

LOWER MISSOURI RIVER

STA ON LOCATION MISSOURI RIVER 4042 A

OMAHA: NEBRASKH

	DATE	OF BA	MPLE			ED	TRACTABL	EB					CHLORGE	DAM EXTRA	CTABLES				
	IKNI	но	-	ID.									NEUTRALS				1		
HON THE	PAY	YEAR	МОНТН	DAY	SALLONS FILTERED	TOTAL	CHLORO FORM	ALCOHOL	ETHER INSOLUBLES	NATES SOLUBLES	TETAL	AL PRATICE	ARDBATICS	CHYCEN ATED COMPOUNTS	Loss	MEAK ACIDS	AUIDE AUIDE	uASES	FSF
11 12 1 2 3 4 5 6 7 8	10 8 5 2 30 27 25 22 20	58 59 59 59 59 59 59 59	11 12 1 2 3 4 5 6 7 8	22 19 16 16 13 11 8 5	1322 9312 9999 2522	175 120 159 131 134 142 233 215 294 72 28 107 72	50 30 34 33 32 53 79 67 48 19 22 14	125 90 125 98 1029 154 148 246 53 85 56	100011224.2211001111	16 5 9 13 23 15 14 5 3	10 9 7 8 10 12 17 12 15 6 6 7			7 6 7 8 10 15 13 4	011000000000000000000000000000000000000	7 4	3	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	

Photo 2 644 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER (Parts per leffen)

STATE

SOUTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER M841 AT

YANKTON, SOUTH DAKOTA

			_									CHLOROF	DRM BOITRA	CTABLES				
DATE OF			\dashv			TRACTABL		 	Γ			NEUTRALE						
PAY YEAR	\top	<u> </u>		EALLONS FILTERED	TOTAL	CHLORO FORM	ALCOHOL	ETHER ENGOLUBLES	WATER SOLUBLES	TOTAL	ALIMENTO	AMORATICS	CETATES ATES DO SPOUEDE	LOSS	ACIDS WEAK	STRONG ACIDS	BASES	Loss
11 24 5 12 23 5 1 19 5 2 16 5 3 16 5 4 20 5 5 18 5 6 21 5	8 : 9 : 9 : 9 : 9 : 9 : 9	12 1 2 3 3 3 5 6 7 1	10 8 5 2 2 3 4 1 3 4 1 3 2 4 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	5320 3160 4450 3390 5230 4290 2580 3390 4930 3510	110 189 144 167 191 140 157 255 290 139 176	34 33 29 44 29 36 45 58 31 32	76 156 115 123 162 108 99 210 232 108 144	100011312211	11 11 8 9 17 10 15 7 9	7 10 9 10 12 16 18 10 11	0 0 0 1 1 2 1 1 1	1 1 1 0 1 1	6 8 7 9 9 10 13 13 8 9	01111100003110	33253387643	31142264412		8 7 8 10 2 7 11 6 12 7 5

PR 10 2545 0

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER (Page Miller)

STATE

NORTH DAKOTA

MAJOR BABIN

MISSOURI RIVER

SUB BASIN

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER M1377.4 AT

BISMARCK, NORTH DAKOTA

		OF EA		$\overline{}$		-	TRACTABL							=					
	DAIL		D.	-		—— <u>—</u>	TRACTABL							ORM EXTRA	ETABLES				
HENDM	AV.	YEAR	E PO	À	GALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHEM Mesolubles	WATER SOLUBLES	TOTAL	ALIFFATICE	ABPLATICS	OETTE EN ATIES CONFOCTALES	LOSS	WEAK ACTOR	STRONG ACIDS	LA EZS	LOE
10 11 12 1 3 4 6 7 9	5 9 15 5 14 2	59 59	10 11 1 2 3 5 6 8 9		2460 2340 2340 2400 2242 2320 2340 2385	144 161 150 148 149 203 251 259 192	35 38 25 27 24 46 66 72 31	109 123 125 121 125 157 185 187 161	0 0 0 0 2 3 3 1	10 11 7 8 7 12 17 19 7	14 13 10 10 9 13 16 19 13	1 2 1 1 1 1 1 1 1 1 1	1 2 1 1 2 1	7 7 6 10 13	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 2 3 2 6 7 6 3	2 2 1 1 1 4 5 4 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 8 4 4 8 17 20 4

7HB 145 K

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER

BTATE

NORTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

MIS'SOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER AT

WILLISTON, NORTH DAKOTA

									CHLOROF	DRM PYTRA	CTABLES				
TAL F AMPLE	 	mEXIT	TRACTABL	C.W	ļ				NEUTRALE						
GAL	TEMED	TOTAL	CHLORO- FORM	ALCOSOL	ETHER MINOLUBLES	WATER SOLUBLES	TOTAL	ALIFEATICE	ABOHATION	OTYGEN ATED Codi POG EDII	Lone	WEAK	STRONG ACIDS	BASES	L0 5 6
10 8 58 10 26 4 11 10 58 11 19 4 12 1 58 12 16 8 1 7 59 1 29 7 2 16 59 2 25 4 3 30 59 4 15 5 5 4 59 5 20 9 6 1 59 6 19 10 6 29 59 7 16 5 8 5 59 8 21 8	192 19505 1012 1950 1950 1955 1961 1677 1775 1362	138 63 51 117 107 104 60 39 79 69 64	19 13 9 17 19 29 11 8 22 19 20	119 50 42 100 88 75 49 31 57 50 44	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 4 4 4 8 3 2 6 6 5	65466544766	0 1 0 0 0 1 1 1 1 0 0	0 1 0 0 1 1 1 1 1 1 1 1 1	63464733544	0000001	1 1 2 2 2 2 2	1 1 0 1 1 2 2 0 2 1 0	0 1 0 0 1 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0	6 12 4 5 6 2 1 3 2 6

PHE 1848 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER
(Per per billion)

STATE

ILLINOIS

MAJOR BASIN

OHIO RIVER

AUB BASIN

OHIO RIVER MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

CAIRO, ILLINOIS

	DAT	E OI	F EAJ		-		- ED	TRACTABL	F.S					CHI OROS	ORM EXTRA	CTAEL ES				
	ашь	HING	•	-	0									NEUTRALI						
HENOM	DAY		YEAR	HENOM	DAY	EALLONS FILTERED	TOTAL	CHLORÓ- FORM	ALCOHOL	ETHEN 1850LUELES	WATER SOLUBLES	тотац	ALLPIATIO	ABORATICE	CONTRACTO ATED COMPOSITION	LOS	WEAK ACIDS	STRONG ACIDS	BALES	1,0485
11 12 1 2 3 4 5 6 7	2: 1: 1:	B : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6		12 1 3 4 5 5 6 7 8	24 6 4	2349 2750	262 258 223 283 181 237 128 109 107 116 168	82 76 50 66 36 79 33 35 36 38 43	180 182 173 217 145 158 95 74 71 78 125	1 1 1 0 2 0 1 1 1 2 2	21 16 8 11 6 17 6 8 10 7 11	28 27 23 40 21 30 16 13 10 14 15	4 2 3 3 5 5 6 2 2 2 1 1 1 1 1	3333333552211122	19 13 29 13 18 12 9 7	1 2 4 4 2 0 0 1 1 1 1 1 1 1 1 1	87 54 39 54 54 5	2 2 1 5 2 2	2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16 10 10 7 4 15 3 6 7 9 6

PHA 2545 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PÈR LITER

STATE

INDIANA

MAJOR BABIN

OHIO RIVER

BUD BASIN

OHIO RIVER-MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

EVANSVILLE, INDIANA

DATE OF EA	MP F	- ۱	ı	1 50	CTRACTABL	Tu	1				CHLOROF	ORM EXTRA	CTABLE	_			
BEG HONING	D	-			I		 	,	Γ		NEUTRALE				Γ -		
монтн рау	нсмом	DAT	EALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER ETHER	WATER MOLUBLES	TOTAL	ALIPRATICS	Alecellation	DETERMINATION ATTED COMPOSITION	سما	WEAK ACIDS	STRONG ACIDS	BASSES	LOSS
1 27 59			5040	107	31	76		5	17		3			3		1	•
								_									

1 **11 17**

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER (Pers per letter)

STATE

OHIO

MAJOR BASIN

OHIO RIVER

SUB BASIN

OHIO RIVER-MAIN STEN & MINOR TRIB.

STATION LOCATION OHIO RIVER M510 AT

CINCINNATI, OHIO

DATE)F #/	MPU	_		ID.	TRACTABL		_				CHI OBOR	DRM EXTRA	CT 1 51 55				
IINNIN	$\overline{}$			1		T	T	 				NEUTRAL		CIABLES				
ě	YEAR	HUMUH	DAY	GALLONS FILTERED	TOTAL	CHLORO FORM	ALCOHOL	ETHER Husolubles	WATER SOLUBLES	TOTAL	ALIFEATICS	ABORATICS	CATTALES ATIED COLLEGE COLLEGE	LOSS	WEAK ACIDS	STRONG ACIDS	МЯЭ	LOS
9 6 6 1	555555555555555555555555555555555555555	12 1 2 3 4	19 15 17 25 23 14 17	6173 5063 3308 3833 3075 3750 4358	497 168 235 271 237 318 235 249 772 386	177 97 76 109 99 138 88 104 280 149	320 71 159 162 138 180 147 145 492 237	5 3 4 2 6 8 2 4 3 3	37 22 14 1 21 33 18 20 50 31	57 36 31 60 39 46 41 40 104 55	3 5 4 10 9 8 12 3 5 3		21 20 32 23 28	3627032246	18 10 9 10 9 11 9 16 39	14 85 46 14 5 8 28 11	4 2 2 2 2 1 1 1 2 6 3	42 16 11 30 16 25 12 14 50 30

PHE 2749 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER

STATE

WEST VIRGINIA

MAJOR BABIN

OHIO RIVER

BUB BASIN

OHIO RIVER MAIN STEM & MINOR TRIB.

BTATION LOCATION OHIO RIVER AT

HUNTINGTON, WEST VIRGINIA

CATE	or .	ANT	LE			10	CTRACTABL	<u>Re</u>					CHLOROF	ORM EXTRA	CTABLES				
BEGINE I		T	ENI	\neg			1						NEUTRALS						
ACN111	TEAR	1		DAY	GALLONS FILTERED	TOTAL	CHLORO FORM	ALCOHOL	ETHER Unsolubles	WATER BOLUBLES	TOTAL	ALIFHATICS	AROMATICS.	DOLLAR ICH Atted Composition	LO	WEAK ACIDS	STRONG ACIDS	BASEE	LOSs
	58 59 59 59 59 59 59	3 1 3 1 3 1 3 1 3 1 7 7	012123456789	20 16 16 21 18 15 20 17 21	4492 4140 3375 4012 2925 3465 3662 3780 3662 3780 3780 3780 3780 3780 3780 3780 3780	352 416 474 422 263 309 323 218 369 482 639 577 364	148 156 183 197 83 117 129 94 140 197 295 318 94	204 260 291 225 180 192 194 124 229 285 344 259 290	3 3 5 10 2 8 9 5 10 6 6 6 6 3	34 31 39 33 17 26 31 18 31 35 59 76 22	37 62 64 85 41 41 37 34 42 55 109 108 35	1 1 3 6 6 6 5 4 4 4 1 2 2 2 1 1 1	4 37 9 7 5 4 6 3 3 7 3 3	51 42 57 25 29 27 21 36 44	10 7 12 13 3 2 2 3 2 6 4 9	15 16 18 16 5 8 12 10 15 24 35 20	16 12 15 14 2 8 14 10 15 24 32 29 10	154422112332991003	42 27 35 14 25 124 25 124 11

71 87

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER (Part per letter)

STATE

MARYLAND

MAJOR BASIN

NORTH ATLANTIC

SUB BASIN

POTOMAC RIVER

STATION LOCATION POTOMAC RIVER AT

GREAT FALLS. MARYLAND

					TEACTAB!	7.5					CHLOROF	ORM EXTRA	CTABLES				
DATE OF &	EN	$\overline{}$		├ ──₽	TRACTABL						NEUTRALE						
PAY YEAR	нимин	DAY	GALLONS FILTERED	TOTAL	CHLORO FORM	ALCOHOL.	ELHER THER ETHER	WATER SOLUBLES	TOTAL	ALIPHATICS	ADOTTA HORA	OSTYPE EPH ATTED COMPOUNDED	Loss	WEAK ACIDS	STRONG ACIDS	BASES	LD:55
10 6 58 11 10 58 12 18 58 1 12 59 2 9 59 4 6 59 5 4 59 6 1 59 7 6 1 59 8 11 59	11 12 1 2 3 4 5 6 7	20 29 27 24 24	5304 5337 6404 3088 3853 2942 3428 2810 32797 2797	157 141 204 502 291 341 424 325 379 364 393	53 41 57 183 86 145 137 112 136 101	104 100 147 319 205 196 287 213 241 263 292	1 0 1 9 7 12 12 5 2	14 10 14 36 22 33 36 29 36 19 22	17 12 20 46 21 45 25 20 26 24 30	1 1 1 2 1 1 1 1 2 0 1	1 1 1 4 1 6 2 2 2 2 2 2 2 2	9 18 38 16 33 21 14 22	11003513093	6 4 7 15 11 15 12 10 10 10 11	2 3 15 6 10 16 7	1 1 2 4 2 4 1 1 3 3 1 2 2	10 12 10 58 29 40 33 84 22 27

P)85-6845 E

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

EXCOVERED BY CARROW FILTER TRANSPORTE

RESULTS IN MICROGRAMS PER LITTER (Person person bellium)

STATE

MARYLAND

MAJOR BASIN

NORTH ATLANTIC

SUB BASIN

POTOMAC RIVER

STATION LOCATION POTOMAC RIVER AT

WILLIAMSPORT, MARYLAND

	DATE	of s	LAM	-			Ð	TRACTABL	E6	_				CHLOROF	ORM EXTRA	CTABLES				
D E0	HHI	На		100	D									NEUTRALE						
HEMOM	λ	YEAR	i i		DAY	WALLONS PILTERGED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER INSOLUBLES	WATER BOLLIBLES	TOTAL	ALIPEATIO	ABOSEATICS	OZTERNI ATED COMPONINSM	LOSS	WEAK ACIDE	STRONG ACIDS	MSD	ம க
10 11 12 1 2 3 4 5 6 7 7 8 8	64 11 55 22 66 44 11 63 33	56 59 59 59 59 59		1212345678	13 13 12 10 10 15 11 15 10 10 10 10 10 10 10 10 10 10 10 10 10	4690 3902 5016 5210 4925 5165 4849 5337 5019 5215 5000	204 252 244 268 223 413 207 195 204 223 248 194	88 80 77 142 90 161 83 80 73 112 62	116 172 167 126 133 252 124 115 131 130 136 132	2 1 1 6 2 6 3 5 4 4 3 1	23 20 16 21 13 35 19 20 20 27 25 13	23 25 27 43 32 42 23 20 18 25 35 22	1 1 2 1 1 1 1 1 1 1 1 0 0	2 2 3 3 3 2 1 1 1 2	19 22 33 25 34 14 16 15 20	3 3 1 6 3 2 6 2 1 3 3 3 3	7 8 16 14 18 10 8 7 9	8 5 6 13 8 6 7 10 10 2	1 2 2 1 1 1 2 2 3	23 20 17 42 23 44 19 20 16 16 24 13

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER

STATE

TEXA5

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BABIN

LOWER RED RIVER BELOW DENISON

STATION LOCATION RED RIVER AT

DENISON, TEXAS

2 ATE OF WA	ur_E	-			CTRACTABL	.ES	Τ				CHLOROF	DRM EXTRA	CTABLES				
ا قاو آستو	EN			-	1	1					NEUTRAL						
n min	HUUNTH	UAY	GALLONS FILTERED	TOTAL	CHLORO FOILM	ALCOHOL	ETHER INSOLUBLES	WATER SOLUBLES	TOTAL	ALLERATION	ABORATICS	OEYGER ATED COMPONINGS	Loss	ACID#	STRONG ACIDS	BASEs	L053
10 6 58 11 3 58	10 11 12 1 2 3 4 5 6 7 8	12 9 12 9 9 13	5110 6340 5350 5160 5180 5190 5040 5150 5230 5030 5160	102 157 206 232 204 238 269 232 283 274 268 265	51 42 59 60 49 66 72 68 63 68 66 64	51 115 147 172 155 172 197 164 220 206 202 201	1 1 1 2 2 4 3 4 4 2 2 3 3	14 11 17 16 13 16 19 19 14 18 16 6	12 11 13 15 14 15 17 17 17 13 16 18 19	1 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 2 2	9 12 12 12 12 14 14 10 14	1 1 1 1 1 1 1 2 2 2 2	445546665776	436546877766	2 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 11 15 16 10 18 20 13 17 15 23
					ı												

MB 5845 1 11 17

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS RECOVERED BY CHEECH FILTER TECHNOLIS

RESULTS IN MICROGRAMS PER LITER (Fee per letter)

STATE

TEXA5

MAJOR BASIN

WESTERN GULF

SUB BASIN

LOWER RIO GRANDE BELOW PECOS

STATION LOCATION RIO GRANDE RIVER AT

LAREDO, TEXAS

DATE OF EAMPLE			=						CHLOROF	ORM EXTRA	CTABLES				
BEGINNING END	ŀ	X	TRACTABL	<u> </u>					NEUTRALE						
DAY YEAR BOAY	SALLONS FILTERED	TOTAL	CHLORG- FORM	ALCOHOL	ETHER IMSOLUBLES	WATER BOLUBLES	TUTAL	ALIPLATICE	ANGEATICS	CETTERS ATED CORPOLICES	LOID	WEAK ACIDS	STRONG ACIDS	EAST.	LOSS
10 14 58 10 21 11 4 58 11 25 12 9 58 12 15 1 5 59 1 14 2 9 59 2 9 59 3 3 59 3 3 59 4 4 20 59 5 12 59 6 2 59 7 6 59 7 6 59 7 6 59 9 14 59 9 14 59 9 30	10589 5362 5362 6736 4889 5385 3824 4668	531 134 73 64 53 91 94 62 86 107 80 71	77 21 24 23 17 24 19 19 22 28 31 24 9	454 113 49 41 36 67 75 43 60 58 76 56 62	0 0 0 0 0 0 1 1 2 2 1 0	18 5 2 2 3 4 5 8 6 2	41 11 17 17 13 15 10 10 9 13 11 9 5	9 4 12 12 8 8 9 4 5 3 3 1	2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 3 4 4 5 5 5	0	2 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1	000001110000	2 1 2 3 3 1 3 2 2 3 3 6 5 5 1

PM-3848 8

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

PESULTS IN MICROGRAMS PER LITER (Pers per letter) STATE

TEXA5

MAJOR BASIN

WESTERN GULF

SUB BASIN

UPPER RIO GRANDE ABOVE PECOS

STATION LOCATION RIO GRANDE RIVER AT

EL PASO, TEXAS

DATE OF S	A 1/4	-			CTRACTABL	F9					CHLOROF	ORM EXTRA	CTABLES				
BEDINNING	_	ND N		├──~		<u> </u>	 				NEUTRALE						
HONTH TAN	HUNTH	74	GALLONII PILITEMED	TOTAL	CHLORO- FORE	ALCOHOL	FLH EN	MATER BOLLHOE	TOTAL	ALIFEATION	AROHATICE	ORYGEN ATED COMPOSITION	LONG	WTEAK ACIDU	STROMS ACIDS	BARES	Lotte
10 6 58 10 27 58 4 6 59 5 4 59 6 1 59 7 7 59 8 3 59 9 8 59	11 4 5 6 7 8	1 17 10 5 14	4665 2096 4807 5107 4982 5512 4980	140 196 187 167 141 152 118 105	35 44 46 46 26 42 34 27	105 152 141 121 115 110 84 78	0 1 2 1 3 2 1	8 11 12 7 11 9 6	11 17 19 12 9 13 11 8	1 2 1 1 1 1 1 1 1 1	1 2 2 1 1 1 1 1 1 1	8 12 16 9 6 10 8 6	110011100	34553432	22341221	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 8 6 10 4 8 6 8

PHS 8948 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER (Feet per letter)

STATE

SEORSIA

MAJOR BASIN

SOUTHEAST

SUB BASIN

SAVAMMAH RIVER

STATION LOCATION SAVANNAH RIVER AT

PORT WENTWORTH, GEORGIA

	DATE	OF EA		_			TRACTABL	55				_	CHLOROF	ORM EXTRA	CTABLES				
	IHHI			-									NEUTRALE						
HEMON	PA	3,	HUMON	DAY	MALLONS FILTERED	TO ĀL	CHLORO- FORM	ALCOHOL	ETHER IMSOLUBLES	WATER SOLUBLEB	TOTAL	ALIPSATICS	APARATICS	CITGER ATED COMPOUNDS	Loss	WEAK ACIDS	STRONG ACIDS	BASES	LOSS
3 4 6 7		59 59 59	4 5	3 12 22	2830 4230 3780 4240 4020	668 329 337 182 315	207 115 120 73 138	461 214 217 109 177	19 3 7 4 8	39 25 29 16 28	31 26 20 17 36	2 0 1 2 3 3	2 2	24 21 16 12	3 2 1 1 2	19 14 16 10 18	19 15 12 7 12	2 1 1 1 1 1 1	78 31 35 18 35

PRG 2845 4

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER (Part per Miller)

STATE

SOUTH CAROLINA

MAJOR BASIN

SOUTHEAST

SUB BASIN

SAVANNAH RIVER

STATION LOCATION SAVANNAH RIVER AT

NORTH AUGUSTA, SOUTH CAROLINA

	411==				TRACTABL	T.					CHI OBOE	ORM EXTRA	CTABLES				
DATE OF E		ND			THACTABL	1					NEUTRAL						
H PAG	HEADM	DAT	EALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER INSOLUBLES	WATER POLUBLES	TOTAL	ALIFFATICE	ABORATICS	OZTUEN ATED COMPOSEDS	Loss	WEAK ACIDS	STRONE ACIDS	EASEB	LOSS
10 28 58 1 12 59 2 7 59 3 23 59 4 20 59 8 8 59 8 28 59	1 2 4 5 6 8	21 16 7 1 24	6381 5444 5553 5221 6038 9386 5089 7292	111 125 207 202 151 109 178 139	40 40 87 55 60 38 69 42	71 85 120 147 91 71 109 97	1 2 3 1 3 3 5 2	12 11 24 15 15 11 19 11	9 10 19 10 11 8 13 12	1 1 0 0 0 1 0	1 1 0 1 1 0 1 1	8 18 7 10 7	0 0 1 2 0 1 1 1 1	4 3 6 6 3 6 5	32646364	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 12 28 16 19 19 7

PRE 3648 8

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITER (First per letters)

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

SLIB BASIN

MIDDLE AND LOWER SNAKE RIVER

STATION LOCATION SNAKE RIVER AT

WAWAWAI, WASHINGTON

	DATE	OF EA	MPLE			IDX	TRACTABL	IS .					CHLOROF	ORM EXTRA	CTABLES				
	INNI	_	D	-									NEUTRALE						
HONTH	DAY	YEAR	НОМПН) A	EALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER UNSOLUBLES	WATER SOLUBLES	TOTAL	ALIFRATICS	ARCHATICS	CATTLEN ATED CORPOURDS	Leio	WEAR ACIDS	STRONG ACIDS	MSG	1053
5 6 7	6 5 9 30 11	59 59	1 3 4 5 6 8	16 19 2 20 25 29	6110 5360 4-10 4-00 4-700 6-000 5-750 5-000	102 106 151 137 164 175 105 153 134	30 34 48 40 63 81 40 74 38	72 72 103 97 101 94 65 79 96	0 0 1 0 6 6 4 7 1	7 7 7 6 14 14 7 9	13 14 20 18 25 12 25 16	1 1 1 1 2 1 1 1 2 2 1 1 2 2	1 2 3 2 1 2 2 2 2	10 13 14 14 16 9 20	1 1 3 1 2 5 1 2 1	4 7 6 8 11 5	2 2 1 2 5 7 2 4 2	1 1 1 0 1 2 1 2 1 1	4 6 11 8 11 16 9 13 5

FHW SEAS 2

WATER QUALITY BASIC DATA - MONTHLY REPORT

STATE

IDAHO

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER

(Person pur bullions)

MAJOR BASIN

PACIFIC NORTHWEST

BUB BABIN

CENTRAL SNAKE RIVER

STATION LOCATION SNAKE RIVER AT

WEISER: IDAHO

	_	3F 8A					KTRACTABL						CHLOROE	ORM EXTRA	CTABLES				
DEGI				10		- -	I		 		Γ		NEUTRALE						
	ě.	TEAST	номин	DAY	BALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHEN INSOLUBLES	WATER SQLUBLES	TOTAL	АШРИАТІСЯ	ARGEATICS	OSTYBLES ATTED COMPOUNDS	Logs	WEAK ACIDS	STRONS ACIDS	BASES	LQ:58
1	12 11 9 5 8 9		1 2 3 5 7	23 19 30 18 19 20	794 2304 2497 2167 2034 2255	271 181 186 215 217 150	63 32 25 73 61 24	208 149 161 142 156 126	1 0 0 1 3 1	14 6 6 17 16 4	30 9 10 20 18 14	6 1 1 1 2 2 2 3 3	1 1 2 2	15 13	2 1 0 1 1 1 1 1	4	2 1 8	11113	7 10 4 14 12 2

Pics sa44 6

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS ESCOVERED BY CARBON FILTER TRANSPORTE

RESULTS IN MICROGRAMS PER LITTER (Pero per billion)

STATE

TENNESSEE

MAJOR BASIN

TENNESSEE RIVER

SUB BASIN

TENNESSEE MAIN STEM & MINOR TRIB.

STATION LOCATION TENNESSEE RIVER M465.3 TVA AT

CHATTANOOGA, TENNESSEE

_	DATE	DF 2/	MFL			ID.	TRACTABL	R.S.	T				CHI OFOR	ORM EXTRA	CTABLES				
_	JIHH			10			1		 		Γ		NEUTRAL		CIABLES				
МОМПН	PAY	YEAR	ном	DAY	GALLONS FILTERED	TOTAL	CHLORO- FORM	ALCOHOL	ETHER INSOLUBLES	RATER	TOTAL	шлипа	ABORATICS	QEY NEED ATED COMPOUNDS	LOES	WEAK ACIDS	STRONG ACIDS	BASES	LOSS
10 11 12 1 1 2 3 4 5 6 7 7 8	12 9 13 10 10 7 6 9	58 59 59 59 59	11 12 1 2 3 4 5 6	19 17 21 18 18	3833 4930 4440 3863 36630 4342 4815 4890 4500 4725 4881	120 125 182 233 182 135 170 158 131 188 152	40 38 53 75 55 55 62 55 43 47	80 87 129 158 127 108 103 88 141 103	1 1 0 2 1 3 2 2 3 2 2	10 9 12 17 12 12 14 14 19 11 12	13 12 18 23 22 15 17 14 12 13	1 1 1 2 2 2 2 1 1 1 1	2 2 2 3 1 2 2	9 13 18 15 10 10 12 10	1 2 0 1 1 0 0 1 0	45 60 10 44 76 55 55		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 7 13 16 13 18 17 11 9 12 12

7909-2046 B

WATER QUALITY BASIC DATA - MONTHLY REPORT

ORGANIC CHEMICALS

RESULTS IN MICROGRAMS PER LITTER

STATE

MONTANA

MAJOR BASIN

MISSOURI RIVER

SUP BASIN

YELLOWSTONE RIVER

STATION LOCATION YELLOWSTONE RIVER M30 NEAR

SIDNEY, MONTANA

	_	OF SA		_			TRACTABL						CHI DROP	ORM EXTRA	CTABLES				
Alfo F	_			<u>.</u>	ł	<u> </u>	TRACTABL		 				NEUTRALE			г			
	¥		н	1	BALLONS FILTERED	TOTAL	CHLORO- PORM	ALCOHOL	ETHICA INSOLUBLES	WATER SOLUBLES	TOTAL	шнипо	ADORATICS	COLTUIES ATTES COMPOSITOR	LOS	WEAK ACIDS	STRONG ACIDS	BASES	Lossa
4 5 6 7 1 9	5 6 10	5559 5559 5555 5555	5 6 7	15 12 14 15 18	5000 4990 5000 5000	80 69 80 52 105 129	20 16 30 16 30 30	60 53 50 36 75 99	101111111111111111111111111111111111111	348367	11 6 9 7 11 14	21 11 22 12 22	1 1 1	4 6 4 8	0 0 1 0 1 0 0	2 3 2 4	1 2 1	0 0 1 0 1 1 1	23 6 2 6 4

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ARKANSAS

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI

EUB BASIN

ARKANSAS RIVER-VAN BUREN TO MOUTH

STATION LOCATION ARKANSAS RIVER M44.5 AT

PENDLETON FERRY, ARKANSAS

DATE OF JAHU!		TUA	DISSOLVED				CHLORING	DEMAND										
	YEAR	(Dogram (Dogram Cartigrado)	DXYGEN mg/l	p#H	■ O D 	C O D ■ (1	1-HOUR	24-HOUR	AMMONIA- NITEOGEN mg/l	CHLOHIDES and/I	ALKALINITY ===/1	HARDMESS mg (COLOR (scene make)	TURNOTTY (seeds south)	EULPATES	PHOSPHATES Hy/I	TOTAL DISSOLVED FOLIDS TOTAL	Per 100 mi
3 23 3 29 4 6 4 13 4 20 4 27 5 11 5 25 6 16 6 23 6 29 7 7 14 7 20 7 27 8 30 8 17 8 31 9 14 9 21	555555555555555555555555555555555555555	27.0	9.9 9.4 9.4 9.1 8.4 9.7 7.0 7.4 8.4 8.1 6.5 7.6 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7	8.1 7.2 7.8 7.8 7.8 7.9 7.5 6.0 7.4 7.6 7.6 7.6 7.6 7.6 7.6 7.3 8.0 7.8 8.0 7.8 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9	1.8 2.3 .8 1.9 2.2 1.5 3.0 2.2 2.3 3.0 2.4 1.7 4.6 2.3 1.0 1.9 2.4 1.7 2.5 2.5 2.1 3.4	20.2 44.4 8.1 19.7 22.9 10.3 16.1 35.6 25.2 12.4 27.2 47.1 29.2 47.1 29.2 47.1 29.2	2.2 2.9 2.2 2.7 2.7 2.2 2.9 1.1 2.9		1.2 2.1 .0 3.1 3.4 1.5 9.6 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	80 44 64 160 230 94 118 148 90 134 68 145 34 67 92 110 149 135 205 280 155	44 522 78 100 64 84 96 110 84 82 92 52 90 64 76 -43 51 56 64 51 51 51 51 51 51 51 51 51 51 51 51 51	134 62 90 106 192 116 174 160 138 132 138 170 184 174 110 208 228 256 256	500 200 40 700 100 15 130 45 280 150 23 50 45 55 64 50 35	112 306 144 132 276 348 103 38 309 372 360 432 120 156 62 880 128 258 1620 310 429 768 3650 1200 1240	40 18 24 37 79 47 41 59 30 49 21 11 13 13 19 20		288 141 451 587 305 5329 5329 5329 5329 5329 5329 5329 532	7500 9100 9100 9100 17000 72 - 6200 - 1100 - - 15000 - - 3300 8000

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ARKANSAS

MIZAE ROLAM

SOUTHWEST-LOWER MISSISSIPPI RIVER

BUB BASIN

ARKANSAS RIVER, TULSA TO VAN BUREN

STATION LOCATION ARKANSAS RIVER MEAR

FORT SMITH: ARKAMSAS

DATE							CHOISE	DEMAND	AMMONIA								TOTAL	
DY AM		Title Degrees Configurated	DISSOLVED DISTREM mg/l	High	■ O D 	= 0 P = 1/I	1 HOUE	14-HOUE mg/l	HITROUGH mg/l	GG.ONIOES =∈/I	ALKALINITY =g/I	HARDNESS	COLOR -cale math)	TUISIDITY (ecole softs)	EJUATES III/I	PHOSPHATES	Misolved Mound Mg/I	COLIFORMS pair 100 pai
8 17 8 24 8 31 9 8 9 14 9 21	59 59 59 59	30.0 30.0 28.0 28.5 24.0 28.0 24.0	7.7 6.8 7.6 6.5 10.1 10.7 5.8	8.1 7.5 - 8.3 8.6 7.6	1.4 2=2 1.4 2.7 4.2 5.2 2.3	18.2 24.4 14.5 36.1 16.5 17.4 18.4	2.6 1.3 2.0 1.7	4.6 6.9 6.4	7.9 2.7 1.8 2.3 2.4 .6	136 170 285 365 245 195 340	112 124 132 140 116 94 504	226 254 320 236 180	65 150 40 40	110 212 276 2000 150 49 3840	46 38 62 60 27 3 14		479 473 644 775 534 509 717	1100 18000 - - 10 2300 3000
		!																

STATE

OKLAHOMA

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

HAJDR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

ARK. RIVER. KANS-COLO LINE TO TULSA

STATION LOCATION ARKANSAS RIVER NEAR

PONCA CITY, OKLAHOMA

Times Dissionate Dissiona	RAEDHES COLDE REMEDITY EXPATES PHOSPHATE DESOLVED SOLEDS New /1 Peris mile! New /1 New
11 3 50 8.0 407 215 11 17 58 7.2 362 202 11 24 58 7.5 363 202 12 1 59 7.5 406 218 12 8 58 7.6 - 3.2 421 226 1 6 59 7.5 520 268 1 12 59 7.5 590 237	442 15 20 194 1110 354 22 150 198 1010 394 11 67 168 972 406 12 5 172 1060
1 26 59	621 7 5 430 1740 500 6 55 335 1480 430 5 78 235 1240 488 5 75 285 1510 492 6 58 310 1470 476 6 73 243 1440 498 9 141 320 1410 496 6 85 335 1480 522 10 60 336 1510 488 12 41 290 1590 496 10 5 302 1530 316 17 1100 162 790 500 15 70 316 1350 372 20 78 210 974 410 15 86 240 1130 364 10 110 275 1190 232 22 300 102 598 282 20 300 172 862 282 20 300 172 862 312 20 180 198 958 352 15 44 230 1150 233 15 44 230 1150 236 25 450 115 764 231 6 72 172 1160 234 6 90 180 198

STATE

KANSA5

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

ARK. RIVER, KANS-COLO LINE TO TULSA

STATION LOCATION ARKANSAS RIVER AT

COOLIDGE, KANSAS

۰	DATI MAL 1		тем	DESMOLVED				CHLORINE	DEHAND	AMMONIA-	CHLORIDE	ALEALDITY	HARTINESE	coloit	TURNADITY	EJUATE	PHOSPIATE	TOTAL	COLFORNS
HEAD	à	YEA	(Carrier Lands)	0007648H mg/l	#	■ 0.p ■ 7	/I	I-HOUT mg/l	24-HOUR	HITIOGEN HIJ/I	==g /1	= /1	 /1	jecule walk)	(penin unite)	~ /1	_ /I	SOLIDS mg/l	per 100 🛁
100 100 111 111 112 122 23 33 34 44 55 55	613 2027 410 24 29 162 30 613 19 26 27 163 31 63 31 63 31	54455666555555555555555555555555555555	18.3 15.0 8.2 5.0 3.0 3.0 6.0 6.0 6.0 2.0 2.0 15.0 12.0		7.6.22.29.29.12.88.2.26.12.2.2.17.6.2.2.2.17.6.2.2.2.88.88.88.88.88.88.88.88.88.88.88.		16.6				116 120 47 80 124 143 139 147 137 143 143 143 147 147 147 147 147 147 146 140 128	204 200 182 197 171 228 246 258 236 226 254 250 266 254 270 260 255 234 250 218 218 218 218 218 218 218 218 218 218	1290 1320 693 641 13900 1300 1430 1370 1170 1230 1350 1370 1370 1360 1370 1360 1370 1340 1370 1370 1340 1370	55 5 8 4 8 8 6 7 5 5 6 5 5 5 5 4 5 7 7 4 4 5 7 3 7 5 ~ -	38 36 190 67 37 207 327 37 37 51 105 74 57 65 35 30 340 20 175 	1430 1500 880 1260 1840 1640 1610 1640 1620 2120 1600 2120 2120 2140 22320 2320 2320 2480 2140 2480 1180		3160 3340 1770 2390 31590 3650 3650 3750 3450 3730 3430 3730 3730 3730 3730 3730 373	
5	11 18	59 59	13.5 17.0	_ _	8.2 8.2	_	41.5	-	- -	<u>-</u>	61	188		5	_			2010	

STATE

KANSAS

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

ARK. RIVER, KANS-COLO LINE TO TULSA

STATION LOCATION ARKANSAS RIVER AT

COOLIDGE, KANSAS

DATI		Т	DESCUVED				CALOUN	DEMAND										
H A	YEAR	Configurate)	COXTRACTION IN CONTRA	Į.	E.O D ■g/l	-4 /1	1-HOUR	24-HOUR	AMMONIA- HITEORIN mg/l	GLORDS	ALVALENTY ===/1	HARDNIES my/I		posts mittle	RAIATE mg/l	PHOSPHATES mg/l	TOTAL DISSOLVED SOLICE Mg/I	COUPCEMS per 100 mi
6 2 8 6 15 6 22 6 29 7 7 13 7 20 7 27 8 10 17 8 24 8 31 9 14 9 21	59 59 59 59 59 59 59 59 59	23.0 23.1		8.1 7.6 8.2 8.4 8.2 7.8 8.0 9.1 8.2 8.1						139 45 67 79 80 65 54 75 76 73 80 78	178 180 160 158	1200 1400 854 874 1060 1010 900 712 848 785 854 740 1000 896 885 1300	5 5 7 4 3 4 17 5 5 2 4 5 2 4 5 2	140 - 240 175 125	1880 1680 1090 1150 1300 1080 850 1340 1220 1340 1340 1260 1720		3360 3650 2150 2240 2600 2400 2400 2400 2400 2580 2580 3720	

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ARIZOMA

MAJOR BASIN

COLORADO RIVER

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER AT

YUMA. ARIZOMA

	DATI LAM	u	TIMP	DESHOLVED		LO E.	ده،	CHLORNE	DEMANE	AMMONIA- NETROBEN	CHANG	ALEALMITY	HAZD INGS	COLOR	TURNIDITY	ELLIATER	PHOSPHATES	TOTAL DESCOUVED	COLFORNI
HOME	¥	YEAR	(Caraller and a)	± (1	#	- - -	=4 /1	1-HOUR ==_/1	24-HOUR mg/l	1	- _/I	== /1	 /1	 	(acute seales)	-	= ₀ /1	SOUDS mg/l	per 100 mi
10	6	58	24.2	-	7.8	_		_	_	_	106	150	332	-	25 27	-		-	730 440
10	13	50	23.2	-	8.0	-	\ ~	-	-	-	90 115	140 160	320 352	_	25	_		_	1900
	20	54	23.2	-	8.2	_	1]	<u> </u>	_	_	98	148	328	_	18	_		_	300
	27	54 54	22.0	_ <u>-</u> [1,2 7,6	<u>-</u>	1]	_		[_	106	150	332	_	28	_		_	230
11	3 10	50	20.5	_	8.2	_	_]	_	_	_	96	144	324	-	23	_		-	340
	17	36	12.0	_	8.2	_	4	_	_	_	92	150	354	_	12	_		-	320
ii	24	58	14.5	_	8.2	_	l 4	_	-	-	98	174	330	_	15	-		-	1100
12	1	5.0	12.5	_	8.2	_	-	-	_	-	76	146	332	-	15	-	1	_	560
12	5	58	15.0	-	8.2	_	l ⊣	-	-	-	90	152	316	-	27	-		-	200
1	19	59	12.5	-	8.2	-	1 -	-	-	-	96	140	342	_	23 25	_		_	460 50
2	2	59	11.0	-	1.2	-		-	-	-	97 97	156 152	364 334	-	32	_		_	200
2	9	59	11.0	-	8.2	_	1 1	_	_	_	92	150	322	_	20	_	[_	280
2	16 23	59 59	13.0	-	8.0 8.0		l]		_	_	102	168	348	_	25	_	1	_	840
2	2 3 2	59	13.0 15.5	_	8.0	_]	_	_	_	125	150	394	_	27	_	1	-	2206
او	9	39	14.5	_	B. 0	_	11.1	_	_	_	120	170	384	_	_	_		_	40
	17	59	15.0	_ [7.8	_		_	_	-	95	150	310	-	21	-	į	-	2500
	23	59	16.5	-1	7.8	-	-	_	_	-	107	160	322	-	25	-		-	2004
3	30	59	19.0	-	7.8	-	⊣	-	-	-	105	160	350	-	22	-		-	900
4	6	59	19.0	-	7.8	-	13.0	-	-	-	98	154	360	_	26	-	1	-	-
4	13	59	-	-1	7.8	-	1 7	-	_	-	97	152	356	-	35	_		-	_
4	20	59	21.0	-	7.8	-	7	-	_	_	97	162 148	326 324	_	30	-		_	330
	27	59	20.5	-	7.8 8.0	-				_	96 115	160	366	_	18	_		_	330
5	11	59 59	18.5 23.0		7.8	-	1]	_	_	_	124	160	356	-	22	_	\	-	90
ı	18	59	23.0	_1	8,0	_]	_	_	_	130	152	354	_	22	_	(_	436
	25	59	21.0	_	7.8	-		_	_	-	107	140	340	-	28	_		_	4300
6	1	59	24.0	_	7.8	-	4	_	_	_	100	142	324	_	19	_		_	380
6	ı	59	25.0	-	B.O	-	-	-	-	-	128	150	354	_	22	-		-	430
	15	59	28.0	-	7.8	-	-	-	-	-	135	108	354	-	22	-		-	7500
		59	28.5	- \	8.0	-	-	-	-	_	127	144	324	-	28	-		-	750
		59	26.5	-	7.8	-		-	-	_	130	150	334	_	21	-		-	120
7	6	59	29.5	-	8.0	-	1	-	-	-	118	134	316	_	24	-		_	1600
	13	59 59	-	-)	7.8 7.8	_		_	_	_	110 115	134	322 320	_	22	_		_	806
	20 27	59	29.0	_)	7.8	_			- [_	119	136	374	_	44	_			160
•	- '		2,10	- {	, • •				-		11,					_		_	

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ARIZOMA

MAJOR BASIN

COLORADO RIVER

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER AT

YUHA, ARIZOMA

	DATI		TENP	DOMOTARD				CHLORNA	DEMAND										
н	ž	YEAR	Degram Cambyrodel	D3(YWW)	pH	L O.0 ■ /1	<u></u> 4/I	I-House	24-HOUR mg/l	AMMONIA- HITTEORN mg/l	CALORDES mg/l	ALEALENSTY PRE/I			TURNEDITY (main min)	FULLATES mg/l	PHOSPITATIS mg/l	TOTAL DESOLVED FOLIDS Reg/I	COLIFORNI per 100 mi
8 8 8 9 9	3 10 17 24	59 59 59 59 59 59	30.0 31.0 30.0 28.0 27.0 27.0	1111111	7.5 7.5 8.2 8.0 8.0 8.0 8.0		27.0	1 1 1	- - - - -	- - - - - - -	115 157 153 142 130 160 137 136	132 160 140 140 150 146 140	312 284 340 316 314 328 340 336	- - - - -	45 35 32 - 34 42				1400 1800 170 730 100 100 - 300 15

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE CALIFORNIA

MAJOR BASIN

COLORADO RIVER

EUB BABIN

LOWER COLORAGO RIVER

STATION LOCATION COLORADO RIVER ABOVE

PARKER DAM: ARIZONA-CALIFORNIA

	DATE							CHOON	DENLAND	AMMONIA-								TOTAL	
В ниже	À	14 A	TEMP (Degrees Configurate)	ME /I	påH.	■0 D ==_/1	/I	1-HOUR	24-HoUE mg/l	HETEGEN mg/l	mg/l	ALKALIMITY	HARDON /I	coros	TURNIDITY	BULFATER Mg/I	PHOSPIATES	DESIGNATION STOLEN	COLPOEMS
10	1	50	23.9	_	7.6	_	_		_		77	110	307	7	-	234		646	_
10	8	50	24.4	_	8.0	_	_	_	_	_	72	115	297	5	-	214		614	_
10	15	58	24.4	-	7.6	_	34 . 3	-	-	-	74	114	316		-	216		620	_
10	22	58	22.8	-	7.4	-	-	-	-	-	72	115	325	17	_	122		632	_
10	29	58	22.2	-	7,7	-	-	-	-	-	67	119	32)	11	5	132	!	280	-
11	5	58	20,5	-		-	33.5	-	-	-	74	114		_	5			568	_
11	12	58	19.4	-	7.8	-	-	-	-	-	75	112	330	5	5	128 134		576	_
11	20	58	16,1	-	7.8	-	~	-	-	-	75 72	112	306 315	و ا	5	234	1	634	
11	26	58	15.5	-	7.6	-	l . I	_	-		70	119	301	6	5	237		670	_
12	3 10	56	15.5	-	7.2 7.6	<u>-</u>	5.9	_	_	_	71	122	306	5	5	Z48		582	_
12 12	17	5 6	13.9 13.3	-	7.5	_]		_		49	120	320	, í	6	238]	568	_
12	24	5	12.8	<u>-</u>	7.8	_]	_	_	_	64	130	304		5	237		568	_
12		58	12.2	_ [8.0	_		_	_	_	648	118	301	В	5	245	ĺ	574	_
1	7	59	11.1	_	7.5	_		_	_	_	70	121	315	6	5	310		625	-
i	14	59	11.1	_	7.6	_	11.0	_	_	_	70	123	304	6	5	315]	625	_
ī	21	59	11.1	_	7.5	_	****]	_	_	_	6-8	124	301	5	5	320	1	656	_
ī	zΒ	59	11.7	-	8.0	_	9.4	_	-1	_	71	124	376	5	5	315	(814	-
Ž	4	59	11.1	_	8.1	_	1	_		-	67	126	302		5	283		640	-
2	11	59	11.1	_	7,9	_] -	-	_]	-	69	124	312	5	5	265]	626	-
2	25	59	12.2	_	7.9	-	-	_	_	_	70	126	312	5	5	25 2		630	-
3	4	59	13.9	-	-	-	-	-	-	-	66	129	324	5	5	262	(622	-
3	11	39	15.0	-	-	-	-	_	-	-	64	132	320	5	5	252	}	_	_
3	18	59	15.0	-	-	_	-	-	-	-	66	128	328	5	5	260		-	-
3	24	59	15.5	-	-	-	\	-	_	-	68	125	304	5	5	252		_	-
4	1	59	17.2	-	7.5	-	i −i	-	-	-	69	125	320	3	5	260		646	-
4	7	59	18,8	-	7,8	-	-	-	-	-	54	120	319		5	252		626	-
4	14	59	19.4	-	7.7	-	-	-	-)	-	48	128	316	3	5	30 8]	626	-
4	22	59	20.5	-	8.0	-	-	-1	-	-	68	130	340	31	5	248	1	630	-
4	29	59	22.2	-	5.1	-	1 7	-	-	-	48	132	340	2	5	278	(664	-
5	6	59	20.5	-	7.6	-	1 7	-	-	-	6.5	130	314	4	5	258		640	-
	13	39		-	7.8	-	_	-	-	-	6.8	130	316	7	ا د	273		660	-
	20 27	39	23.9	-	-1		7	-	-	-1	75	195	306	11 7	_	265		702	_
5	3	59 59	24.4	-	7.6	_	7	-	-	_	6 8 70	130 130	312	2	5	285		670	_
		59	26.1	-	8.0	_		_	<u> </u>	_	62	133	314 312	4	5	265 265		684 672	_
	15	59	27.2	_	7.9	_		<u>-</u>	<u>-</u>]	_	65	129	308	3	2	260			_
	22	59	27.2	_	7.4	_			_[77	132	308	4	5	251		660 6 60	_
	29	1	27.8	_	9.2	_]	_	[]	_	70	128	312	3	5	284		706	
		-1	4, 50		, . .						, 0	170	314		9			, , ,	

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

CALIFORNIA

MAJOR BASIN

COLORADO RIVER

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER ABOVE

PARKER DAM, ARIZONA-GALIFORNIA

	DATE		TEMP	DESIGNATION				DEOFDE	DEMAND										
HUMOM	à	AZ.	(Dagrada (Dagrada)	DXYMEN mg/l	pěH	■ 0 D = ₀ /1	C O D ■■/I	1-HOUR mg/l	24-HOU2 149/I	AMMÓRIA- MITROSEN ===/I	CHLORIDES mg/l	ALEALDHITY	HAIDHRIS mg/l	CDL08	TURNOTTY (reals subs)	SULATE By/I	PHOSPHATES —g/l	TOTAL DISSOLVED SOLEDI SOLEDI	COLPOSALS per 100 pd
77778 B B B B B 9 9 9 9	15 22 29 6 13 19 28 2 9	59 59 59 59 59 59 59 59 59 59	27.3 28.9 29.4 27.8 29.4 28.9 28.9 28.9 27.2 		7.4 B.B 5.0 7.8 8.2 - 7.7 8.0 - 8.4 8.4		8.4				77 79 78 76 77 73 68 65 72 66	110 130 130 130 132 124 124 122 120	296 292 288 300 308 292 300 308 304 312	3 3 0 4 4 - 3 0 2 - 2 2 2	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	264 276 292 252 234 264 249 252 238 240		728 672 666 672 640 636 664 656 636	

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE NEVADA

MAJOR BASIN COLORADO RIVER

SUB BASIN LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER NEAR

BOULDER CITY. NEVADA

Of S	ATT			DOMESTICAL				OLOGO	DENAMO	AMMONIA								TOTAL	
	_	5	This Program Canadarania)	COXYMEN :	p#1	LOD mg/l	= 2 /1	1-HOUR	34-HOUE mg/l	HETROGEN HETROGEN	CHLORIDES =Q/I	ALKALIMITY ——/I	HARDNING mg/i		TURNADATY 	■ /1	PHOSPHATES ==s/I	DAMEDLYED SOLIDS mg/l	COLPOSIS
10	7	58	16.0	6.2	7.9			2.1	4.2	•0	58	114	298	_	-	202		_	*1
		56	16.0	6.1	8.0	-	7.1	2.1	4.6	.0	56	116	300	-	-	202	1	_	#1
		50	16.0	6.2	7.9	-	1 1	1.0	[-	• 0	56	116	306	_	-	201		-	*1
10 Z	- 1	56 58	16.0 15.0	6.7	8.0 7.9	1	,]	1.0	.0	• 0 • 0	5 6 5 6	114	294 294	_	_	204 203		520	*1
	1	30	15.0	5.9	7.9	_	7.2	1.0		• 0	56	110	294	_	_	208		552	1 *1
		5 8	14.5	7.1	7.9	_	4	1.0	_	.0	66	112	302	-	-	204		548	*1
11 2	25	56	14.0	5.6	7.9	_	1 4	1.6	2.7	.0	56	114	294		-1	214		606	*1
		58	14.0	5.6	B. 0	_	1 -{	1.3	5.2	• 0	60	114	306	-	-	209		500	+ 1
	٠,	38	14.0	6.7	8.0	-	1 . 1	2.1	4.8	.0	62	112	298	-	-	202		_	27
		58 58	13.2 14.0	5.4	7.9 7.9	_	6.5	1.3 2.3	5.2 5.1	• 0 • 0	58 63	116 116	300 298	_	-	204 213		624	-
		58	14.5	5.6	7.9	_	1]	1.3	3.2	.0	5 B	116	294	_	_	214		024	_
		59	13.0	5.5	7.9	_]	1.3	3.1		56	116	298	_	_	20 B	,	_	*1
1 1		59	13.5	5.6	8.0	-	1 4	1.2	3.0	.0	56	118	304	-	-	213		-	ī
1 2		59	14.0	6.0	7.9	-	-	1.3	3.0	.0	58	112	312	-	-	213		682	ī
1 2		59	13.5	5.7	7.8	-	-	2.4	5.C	•0	60	116	320	-	-	204		600	3
2 1		59 59	13.5	7.7 7.3	7.9 7.9	_	1 7	1.2	3.0	. O	58	116	320	_	-}	201		626	23
2 1		59	14.0	8.1	7.9	_	7.2	1.7	1.2	.0	60 68	112 114	320 308	_ [_	206 205		600	20
2 2		59	13.5	5.4	7.9	_	'•4	1.2	1.1	.0	64	114	286	_	_	213		-	10 8
3	3	59	14.0	4.7	7.8	-	13.6	1.2	î.i	.0	6 B	120	320	-	_	210		_ '	9
3 1		59	14.0	5.4	7.8	-	-	1 - 3	1.1	. 0	70	116	342	-	-	221			12
3 1		59	14.0	8.2	7.9	-	-	1.3	1.1	. 0	6 B	120	310	-,	-	226		-	34
3 2		59	15.0	5 • 4	7.9	-		2.5	1.2	• 0	72	120	316	-	-	231		-	5
3 3		59 59	15.0	5.4	7.8	-	1	2.4	5.0	.0	72 70	120	312	-	-	222			39
4 1		59	16.0	6.1	7.9	_ []	1.3	4.5	.0	70	116 118	312 320	-	_	244 209		500	39
4 2		59	14.0	6.5	7.9	_ /	4	2.4	5.2	.0	6 B	114	302	_	_1	209		<u>-</u> }	200 29
4 21		59	14.0	6.3	7.9	-	4	3.3	7.4	.0	72	114	308	_	_	208	1	500	-
		59	16.0	7.7	7.9	-	-	4.9	7.3	• 0	72	116	312	~	-	249		-	_
5 12 5 19		59 59	15.0	6.5	8.0	-	4	-	.0	, 0	72	116	308	-	-	204	,	500	* 2
5 26		59	15.0 15.0	6.4 6.8	7.9 8.0	- [٦	2.5	.0	• 0	78	116	306	~	-	197		-	* 1
		59	15.0	7.1	B. 0	-]	2.5	6.0	.0	72 68	112	300 292	_	-	200		-	*1
		59	15.0	6.9	8.0	-	4	2.5	6.0	.0	66	108	292	_	-	200		_	*1
6 16		59	15.0	6.8	8.0	-	4	2.5	5.2	.0	68	112	304	-	_	204		_	#1 #1
6 Z		59	15.0	6.7	7.9	-	4	2.5	6.4	.0	66	110	308	-1	-	203		_	*1
6 30	י ן ט	59	15.0	7.0	B.0	-	9 • 2	Z • 4	6.6	.0	66	106	298	-	-	207	1	- 1	1

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NEVADA

MAJOR BASIN

COLORADO RIVER

SUB BASIN

LOWER COLORADO RIVER

STATION LOCATION COLORADO RIVER NEAR

BOULDER CITY, NEVADA

	DATI	u	TELEF	PERMOLVED				Official	PRMAND										
E	ă	¥VEV.	(Dageers Configurate)	COLYMEN/1	pěř	-	c.o n = _/1	1- TE	24-HOUR mg/l	AMMONIA. HITEOGRA mg/l	CHORDS mg/l	ALKALIMITY =e/I	HANDHEN mg/l	COLOR (reads malls)	THEREDITY (main andri)	=y/I	PHOSPHATES	FOTAL DRISOLVED SOLIDS mg/I	COLIFORNIS per 100 ml
77778888999999	7 14 21 28 4 11 18 25 1 8 15 22 9	99999999999999999999999999999999999999	16.0 15.3 15.0 15.0 15.0 15.0 15.0 17.0 16.3	7.0 6.6 6.7 6.8 6.6 6.5 6.6 6.5 6.4	8.0 8.0 7.9 7.9 8.0 7.9 7.9 7.9 7.9		15.1	2.5 4.4 4.9 2.5 1.2 4.9 1.1	-4.6 4.3 4.4 7.1 7.0 -8.9 1.0 8.8 9.4	.0	64 66 64 70 64 64 66 62 66 68 70 60	106 108 106 104 102 116 122 120 118 120	300 296 328 314 298 292 294 296 296 297	- - - 0 - - -	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	202 205 - - 207 206 206 203 207 200 211		500 	6 *1 1

ATAC DRAS YTLLAUD SETAW

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

COLORADO

MAJOR BASIN

COLORADO RIVER

SUB BASIN

UPPER COLORADO RIVER

STATION LOCATION COLORADO RIVER AT

LOMA, COLORADO

	DAT LAZ YS		TEMP	DESCRIVED				CHOESE	DOMAND	AMMONIA								TOTAL	
FOR		3	(Degrees Configurate)	DXY with	l life	1. 0.0 -1 ,/I	C O D ===_1/1	1- HOUR	24-HOUR	NETEOGRA	===/I	ALKALEGTY	HARDARIS mg/i	color		= 2/1	MIOSPHATES	POLIDE POLIDE POLIDE	per 100 mg
10				6.8	5.3	1.5	-	_	_	17.2	142		702	_	1	630			130
10 11				7.8	8.0 8.0	1.9]	_	-	22.7	119 112	228 201	740 690	_	44 33	703 496		1620	200
11				B.0	8.1	1.1	1]	_	_	21.1	134	201	546	-	34	720		2240 1340	130 260
11				9.2	8.1	2.2		_	_	16.0	131	207	572	_	28	452		1260	190
11		58		9.2	8.1	1 • B	4	-	_	25.0	126	250	584	-	24	520		1185	240
12				9,5	5,1	1.9	-	-	-	11.6	156	191	536	-	10	496		1151	280
12				9.5	9.1	1.2	-	~	-	34.0	135	186	514	-	28	452		1147	210
12 12			.6	10.1	8.4	1.5	7	-	-	74.0	156	177	480	-	21	226		1097	_
12			•6	10.1	B.2	2.5	ן כ	-	-	40.0	158 1 9 9	189 202	512 576	_	19 40	420		1110	
î	12		.6	9.9	8.1	1.0]	_	_	44.0 20.8	166	176	276 458	_	33	520 440		1295 1091	23 0 70
ī		59	.6	10.1	8.0	2.3		_	_	10.4	182	165	428	_	40	340		1012	120
1			1.1	9.8	8.1	2.2	-	-	_	18.8	184	172	444	_	43	380		1053	110
2			2.2	9.2	8.0	-	 	-	-	16.8	190	172	438	-	20	440		-	76
2			2 • 2	9.7	8.2	2 - 5	4	-	-	10.2	186	144	432	-	23	420	1	1036	340
2	24		5.6	8.9	8.1	1.3	1 1	-	-	26.4	211	169	423	-	89	368		1037	110
3 3	9		6,6	9.5	B.2	2 - 5	1 7	-	-	25.0	177	154	414	-)	19	404]	-	25
3	16		3.3	10.1	8.3	2 • 2 2 • 3]	-	-	16.4	101 184	172 167	453	_	15	440		1079	28
3	23		7.7	8.9	6.1	3.4	J	_	-	22.4	174	162	441 440	_	13 17	430 412		1063 1011	-
4	6	59	8.0	6.2	8.1	5.0	-	-	_	19.6	179	178	518	-	54	496		1229	_
4	20		9.3	8.0	8.2	4.6		-	-	20.0	150	158	450	_	70	420		1070	250
4	27	59	13.3	7.5	8.3	2.7	-	-	-	11.6	48	165	470	-[220	404		1274	150
5	11	59	12 2	7.0	7.7	2.6		-	-	-	75	118	264	-{	190	184		541	85
6 6	15 22	59 59	7.8	7.6	7 . B	2.5	- 1	-	-	10.0	64	87	166	-	89	ВО		455	56
7	6	59	19.0	6.2	7.7 7.2	5.4 5.6	1	-	-	10.1	60	8.6	168	-	310	82		447	46
7	20		23.0	5.9	7.9	2.1]		_	11.0	-1	-[-	-	-	-		-	34
7	27	59	23.0	5.0	7.9	5.5		_	_	7.6	<u> </u>	_	_	-	-	-		-	+2
8	10	59	22.5	5.9	7.9	3.9	4	-	_	6.8	-1	-	_	_	_	_		_	53
9	8	59	20.0	6.8	8.0	- [4	-	-	3.2	-	_	-	-	_	_		-	340
9		59	19.5	6.6	7.8	1.6	-	-	-	23.6	-	-	-	-	-	-		_	
9	21 28	59	17.0	7.0	7.9	1.4	7	-	-	[-	190	690	-	175	-1	1	-	_
•	40	77	12.3	7.4	B • 1	1.8		-	-	13.2	128	200	650	-	142	6 20	}	-	-

STATE

OREGON

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

PACIFIC MORTHWEST

SUB BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER M552 AT

CLATSKANIE, OREGON

	DATE			DOMOLVED				CHLORING	DMAAND										
E	À	3	(Dayress Candyrada)	0307999H ====/1	p#H	L OD ■ 1 /1	COD ■■2/I	1 HOUR mg/l	34-HOUI mg/l	AMMORIA- HITHOGEN Mg/I	CPLONIDES mg/l	ALKALDATY mg/l	HARDNIN mg/l	COLOR	TURNIDITY (scale subs)	RJUATES ——/I	PHOEPHATES	TOTAL BISSOLVED BOLDI mg/I	COLLFORARS per 100 ml
10	13	58	15.9		7.4	_	_			_		70	B4	15		30		134	
10	20	58	15.5	-	7.8	-	-	_	_	_	5		143	1_	_	-		134	1500
10	21	58		9•1	7.1	• 6	29.1	1.3	2 , B	.1	6	63	74	14	2	2		- 1	_
10	27		13.3	-	7.6 7.4	-	-	-	_	-	7		67	-	_	_		-	-
11	10	5 B	12.5 11.6	-	7.4	_	-	-	-	-	5		80	-	_	_		_	-
11 11	19	5 B	9.2		7.3]	-	-	-	5		63	7	-	-		92	-
11	25	5 B	714	11.0	-	1.4	14.7	- 4	1.9		5		44	9	20	12	1	54	-
12	1	11	_	-	7.5	1.7	1 - 1	- 4	1.9		4		35	27	16	5		-	4800
12	Ê	58	7.2	_	7.5	_	_	_	_	_	4		62 72	11	26	20 17	1	-	-
12	_	I I	7.0	_	7.4	_	_	_	_	_	4		1 4B	8	5 33	17		-	_
12	23	5 B	5.8	11.3	7.6	2.4	13.3		2.0	.2	6		52	18	14	-		103	
12	29	58	-	-	7.3	_	_	_			4		53	10	26			103	_
1	5	59	5.0	-	7.3	-	-	_	_	_				-		_		_	_
1	12		-	-	6.9	-	ì -	-	-	-	7		40	11	105	18	1	112	_
1	19	59	5.8	-	7.4	-	-	-	-	-	_		51	· -		_		_	_
1	26		6.5	-	7.2	-	-	-	-	-	4		47	6	46	14		120	_
1	27	59	6.1	12.2	7 . 2	3.0	-	. 3	1.9	t –	5		46	80	35	-		_	1700
2	2	59	6 . B	-	7.4	_	-	-	-	-	6		42	10	61	2		76	_
2	9	59 59	- 5 • 0	_	7.2 7.4	<u> </u>	-	-	-	-	-	44		-	-	-		-	_
2	16 24		5.5	1	7.4	_	_	-	-	_	-		54	_	-	-	1	-	_
2 3	24	59	6.2	_	7.4 7.8	_	-	-	-	_	-		54	-	-	-	}	-	_
<i>3</i>	9		6.2	12.0	7.7	2.3	3.7	1.1	2.5		4	56	70	16	13	20	\		-
3	16	59	7.3	12.0	7.9	2.5] - '	1	2.5		4	50	/-	1 10	13	20		113	2000
3	23	59	-	_	7.4	_	_	_	_	_	_		6 2	l -	_	_	ŀ	_	_
3	30	59	8.0	_	-	_	-	_	_	_	_	-	"-	_	_	_		_	_
4	28	59	10.3	10.8	7.2	1.8	11.3	. 7	1.2	i -	4		59	18	11	15	1	120	3900
5	11	59	11.3	_	-	-	-		-	-	-	_	_	_		_			_
5	18	59	12.9	-	-	-	-		-	-	-	-	_	_	_	_		_	_
5	26		12.8	9.0	7.2	.0	10.4	. 8	1.6	. 7	4		36		7	11		170	1600
6	1		-	-	7.5	-	-		-	-] 3		80	-	-	-		-	_
6	9	59	14.6	-	7.2	-	-	-	-	-	4		48	-	-	-		-	-
6	15		14.B	-	6.9	-	-	-	-] -	4		44	-	-	-		-	-
6	22		15.8	-	7.3	_		1 -	-	_	2		50		_	-		_	
6	29	59	16.9		7.1		9.5		_		3		40		-	_		_	2900
6	30	59	-	11.1	7.1	2.1	-	1.5	.0	4.6	2	41	52	12	9	9		5.3	_
											17								

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

OREGON

MAJOR BASIN

PACIFIC NORTHWEST

BUB BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER M552 AT

CLATSKANIE, OREGON

							CHOCK	DEMAND		T								<u> </u>
E A	1	Title (Degrant Cantigraph)	DESCUES OF STATE OF S	14	1 0 D ••€/I	CO.D ■ (1	1-HoUI	34-HOLE =0/I	AMMONEA- NETEDERN mg/l	CHLORIDES === /1	ALKALDETT	HARDNESS mg/l	COLOR (rest units)		BULFATHI HIS/I	PROSPIATE	TOTAL DISSOLVED SOLEDE SOLEDE	per 100 mi
7 13 7 27 7 28 8 3 8 10 8 18 8 24 8 31 9 14	59 59 59	16.9 18.0 19.7 19.2 19.1 20.0 18.0 18.0 15.4	9.5	7.4 7.4 7.4 7.3 8.0 7.9 7.9 8.0 7.4 7.8	1.4	11.3	-	1.5	• 6	3 - 7 3 4 - - 9	43 52 - - - - 64 50	60 58 68 60 - - 68	- 2 10	- 3 - - - -	- 18 17 - 16 18 12 - 18		- - 60 70 - 72 78 96 - 90	2900

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

BTATE

OREGON

MAJOR BASIN

PACIFIC MORTHWEST

SUB BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

BONNEVILLE: OREGON

	DATE MAN	.		DESMOLVED				CHLORNE	DEMAND										
HTHOM	PA	1	Degree Cantigrated	03(Y64) mg/l	pěři	L O D ■g/l	= _/1	1-HOUR mg/l	24-HOUR ===/1	AMMONIA- NITROPIN mg/l	CHLOSOS mg/l	ALKALMITY HIL/I	HARCHONS mg/l	COLOR -urb urbs	TUBBLIDITY (seeds webs)	MARATES Mg/I	PHOSPMATES	TOTAL DHISDLYND SOLIDI NG/I	COLFORMS per 100 ml.
10	6	58	20.0	0.5	8.1	.9	5.1	.7	2.3	2.3	5	73	77	1	2	20		131	*1
10	13	24	15.0	9.5	8.0	1.4	5.q	. 5	2.0	2.5	5		78	0	0	21		135	2
	20	55	14.5	9.3	7.8	1.2	5.4	. 2	2.0	2.4	5		81	0	0	29		136	60
	27	340 5-6	12.5 12.0	10.2	8.0	1 • 2 • 9	5 · B	• 2	1.7	2.2	4		75	3	0	17		130	31
11	3 10	58	11.5	10.2	8.0	.7	5.0	• 1	1.4	2 • 2	5		82	0	1	1.	l .	128	-
11	17	58	9.0	10.7	7.B	. 9	5.0	.7	4.3	2.9 4.0	4 3		75 -	5 0	44	22 23		121 174	90 15
	24	58	8.0	10.4	7 . B	1.0	4.9	2.5	5.2	3.0	4		64		الما	10		143	17
12	1	58	5.9	11.8	7.8	. 9	5.8	1.4	4.3	2.9	4		74	Ż	4	20		155	90
12	8	58	5.5	12.0	7.9	1.7	10.5	1.1	4.0	4.1	4		64	5	10	1.6		132	50
	15	58	4.5	12.3	7.7	• 9	13.1	. 5	1.5	1.8	4	63	64	5	15	18]	131	-
	22	5 B	5.3	12.0	7.7	. B	11.4	1.1	2.7	2.5	4		58	10	58	16		145	-
	29	58	5.6	11.3	7.7	. 6	2 • 4	- 4	1.1	2.0	2		58	5	10	15		132	
1	. 5	59	2.1	12.8	7.7	. 4	6.0	• 7	1.4	2.0	4		70		5	18		111	42
	12	59	4.2	12.2	7.8 7.7	1.6 .9	3.9	• 4	1.1	2.1	4		**	•	1 1/1	, ,	•		
	19 26	59 59	3.9 4.5	13.0 12.0	7.7	• 7	3.6	. 4	1.3	1.9 2.6	5							110	200
2	2	59	4.1	13.0	7.7	1.4	13.4	1.4	3.7	3.7	4		62			15	ļ	136	1100
2	9	59	4.1	12.7	7.7	. 4	2.2	4	9.9	2.6		54	64			16	•	114	230
	16	59	4.0	12.4	7.7	• B	6.7	. 5	1.1	2.0	4	61	68	10	25	16		132	44
2	24	59	3.9	13.2	7.7	. 7	4.4	. 3	. 9	2.4	4		64		20	17		147	40
3	2	59	4.9	12.8	7.8	1.3	5 - 6	. 5	1.2	2.4	4		70		20	17		129	-
3	9	59	5 B	12.6	7.8	1.0	9 - 1	. 7	1.5	2.6	4		72			17		132	360
	16	59	6.3	12.4	7.8	. 9	7 - 4	- 5	1.7	2 • B	3		70			17		105	25 10
	23	59	6.1	12.8	7.8	1.0	5.1	. 5	1.4	2.1	4		70 72			16 16		142	65
3 4	30 6	59 59	6.7 8.2	12.3	7 • B 7 • 7	• 9 • 7	7 • 7 6 • 0	. 9 . 7	1.6	1.9	4		66			17		138	-
	13	59	9.3	11.6	7.B	• ′ • B	"']	1.0	1.6	2.7	4		62	1		15		100	95
	20	59	10.0	12.0	7.B	.7	6.4	1.0	1.8	1.4	3		66			14		100	2
	27	59	10.0	11.8	7.8	1.1	7.1	. 9	1.7	1.6	3	56	66		15	14		153	*1
5	4	59	9.8	11.9	7.7	, В	5.6	. 5	1.6	1.3	2	52	62			12		132	-
	11	59	10.8	11.8	7.6	. B	3 • 1	. 5	1.6	1.4	1	51	62			13		119	20
	18	59	11.B	11.5	7.6	1.0	5.5	. 9	1.7	1.7	2		62			11		98	35 5
	25	59	12.1	11.6	7.6	1.0		-	. .	1.4	2	46	58			10		92	48
6	1	59	13.9	11.7	7.8	. 6	7 - B	. 4	1.1	2 • 5	2 2	45	54 52			6		90	24
6	8 15	59 59	13.B 14.0	11.4	7.5 7.8	.5 1.1	8.B	1 • 1 • 7	2.1 3.0	1.5 1.2	2	45	52	_		11	1	109	40
	22	59	15.5	11.2	7 • B	1 · 1	5.7	• 9	2.1	1.2	ĺ		52		_	10	1	133	13
- 1	29	59	15.5	10.9	7.9	.7	7.9	. 9	1.4	1.2	2		54	1	1	10		100	60

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

OREGON

MAJOR BASIN

PACIFIC NORTHWEST

SUB BASIN

COLUMBIA RIVER BELOW YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

BONNEVILLE, OREGON

							CHOINE	DESCAND										
E A	¥	Tear Papera Condemid	DESCUTED COCTOBER	F.	LOD mg/l	= /1	1-HOUR mg/l	34-HOUR mg/l	ASIMONIA- HETROGEN mg/l	CHOMOS mg/l	AKALMIT	HARDNESS mg/l	COLCER -cal- male;	(scale units)	■ 3 /1	PHOSPHATES	TOTAL Dissiplyed Bolling ===/I	COLFORMS per 100 ml
-+-	59 59 59 59 59 59 59 59	15.8 17.5 19.8 18.8 20.1 19.5 19.0 17.2 15.9	10.1 10.3 9.7 9.9 10.4 9.0 9.3 9.9	7.7 7.9 8.1 8.0 8.2 7.9 8.2 8.1 8.0	1.5 1.1 1.1 .9 1.4 1.5 1.0	5.0 4.4 7.0 4.7 5.5 19.4 1.4 5.4	1.2 .9 .9 1.6 .9 .5 1.6	1.8 2.5 2.1 2.1 2.1 2.3 1.9	1.5 1.6 1.5 2.0 2.6 2.5 -7	2 2 2 2 2 2 3 3	49 51 51 52 53 54 61	58 60 62 60 62 66 65 64 72 70	555555555555555555555555555555555555555	10 10 10 10	10 10 10 13 11 - 14 14 15 17		117 105 102 76 104 109 108 135 94	56 28 28 20 25 2 15 200 23

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

WASHINGTON

MAJOR BASIN

PACIFIC MORTHWEST

SUB BABIN

MIDDLE AND LOWER SNAKE RIVER

STATION LOCATION COLUMBIA RIVER AT

PASCO: WASHINGTON

	DATI SAM		ТШР	DESTOLVED				CHLORDE	DEMAND										
HELPHON	à	1	Dayson Continued	CATTERN mg/l	pět	B O D ■/I	- 4/1	1-HOUR	24-HOUS 10g/l	ANIMORIA HTTIOGRA mg/l	CHLORIDES mg/l	ALEALMITY mg/l	HARDMET mg/l	COLOR	TURBLIDITY (scale units)	ERFATES mg/l	PHOSPILATES	TOTAL DESCRIVED SCILOS mg/I	COLFORMS per 100 ml.
10	6	58	18.0	8.9	7.9	• 2	_	.8	1.3	-		64	74	6	3			_	
	13 20	5 B	17.0 16.0	9.4	7.8 7.9	• 3	1 1	. 5	1.5	-	-	65	72	3	1	-	1	-	-
	27	58	15.0	9.2	7.6	•7	7.2	1.0	1.3	_	-	62 63	74 72	3	2	-	ľ	_	_
11	3	58	14.5	9.5	7.9	• 7]]	.8	1.3	-	_	62	74	4	3	-		_	_
	10	58	14.0	9.6	B. 0	• 7	-	. 5	1.0	-	_	66	76	Ì	1	_		-	-
	17	58 58	12.0	9.6	7.8 7.7	• 7	-	- 5	1.0	_	-	64	70	9	5	-		-	-
11	2 4 1	5 6	11.0	10.3	7.7	• B		. 8 . 5	1.0	_	-	64	74	6	2	-		-	-
12	B	58	9.0	10.9	7.6	1.7	-	.5	. B	_	_	62 62	76 74	5 7	2 3	_		-	-
	15	58	8,0	10.8	7.7	1.7	-	. B	1.0	_	_	62	76	5]	_		_	_
	22	58	B.O	10.9	<u>7</u> .8	1.5	-	. 5	.8	-	-	65	74	6	3	-		_	-
	29	58 59	7.5	10.8	7.8	. 9	4.6		1.0	-	-	67	78	7	4	-		-	-
1 2	5	5 9	4.0 7.0	11.0 12.3	7.9 7.8	1.9 2.5	6.5	. 8 . 5	1.0	_	_	62	76] 5 8	3	-		-	-
2	9	59	5.0	12.3	7.5	2.5	0.1	.5	1.0	_	_	63	78 74	11	7	<u>-</u>	l		_
	16	59	5.0	12.6	7.B	3.7	_	.5	1.0	-	_	62	74	10		_	1	_	_
	23	59	5.0	12.3	-	2 • 2	-	. 5	1.0	 -	-	63	78	12		-	1	_	-
3	Z	59	5.0	12.7	7.8	2.3	6.7	-	-	-	-	69	72	16	11	-		-	-
3	9	59	6.0 6.0	12.2	7.8 7.8	2.2	_	- 5	1.0	-	_	65	73	16	<u> </u>	-		-	-
	16 23	59 59	6.0	12.4	7 . B	2.9 2.5	[.5	1.0	_	<u> </u>	65	74 78	15 9	4	_		_	
	29	59	6.0	11.7	7.9	1.2	8.5		'	-	_	_	74	25	6	_	l .	_	_
4	6	59	8.0	11.6	8.0	1.7	_	. 8	1.5	-	_		78	18		-		-	-
	13	59	6.0	12.0	8.0	2 • 7	-	-	-	-	-	78	84	7		-	l l	-	-
	20	55	9.0	11.5	7.9	1.9		_		-	-	78	BZ			-		-	-
5	27 4	59 59	9.0 10.0	10.9	7.8 8.0	1.3 1.7	7.5	-8	1.5) <u> </u>	-	72	82 80	6-8 1-2	11	-	1	_	_
	11	59	12.0	11.6	8.0	2.2	-]	_	-	-	66 71	78	1 1	1	<u> </u>	ľ	_	_
- 1	18	59	12.5	0.6	B.1	1.0	-		2.0		_	61	70	14		_	l .	_	_
5	25	59	13.0	7.5	8.2	. 9	12.5		2.0		-	63	72	12	13	_	1	-	-
6	1	59	13.0	9.0	7.8	1.6	-	-	-	-	-	6-6	59	12		-	l l	-	-
6	8	59	13.0	7.3	8.0	1 - 1	-	-	-	-	-	55	70	18		-	1	-	-
	15 22	59 59	14.0 15.0	11.4	8.0 8.0	Z•2 3•2	7.5	<u> </u>	_	_	-	57 60	66	15 10		_	Į.	_	
	29	59	14.0	10.7	8.0	2.0	'-	_	-	_	-	56	66	_		_	1	_	_
				10,0															

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

SUB BASIN

MIDDLE AND LOWER SNAKE RIVER

STATION LOCATION COLUMBIA RIVER AT

PASCO, WASHINGTON

BATE OF SAMPUS						CHORNE	DEMAND	AMMONIA-								TUTAL	
		CEYPORY CEYPORY	H.	LO.D ,/I	CQ.0 ■/!	1-HDUR 44g/l	34-HOUR ==g/I	NITEORIN mg/l	eg/i	ALKALENTY mg/l		COLOR Jacob willi)	(Clima mile)	EMPATES =g/I	PHOSPILATES Pg/I	DESTOLVED SOLIDS mg/i	Per 100 mi
7 6 59 7 13 59 7 20 59 7 27 59 8 3 59 8 10 59 8 17 59 8 24 59 9 7 7 59 9 14 59 9 14 59	15.3 17.0 17.0 18.0 19.0 20.0 18.0 19.0 18.0 17.0	9.6 9.7 9.9 10.1 9.8 9.7 9.7 9.7 9.3 9.5 9.5	7.8 7.9 8.0 7.9 8.0 7.9 8.0 7.9 8.0 7.9	1.6 -4 1.2 1.4 1.2 1.5 1.2 1.6 .5 .9	5.00					58 61 60 60 64 58 63 63 62 59	64 68 62 66 72 74 64 72 70 76 70 72	9 12 8 9 5 8 8 6 6 5 7 6 6 6 9					

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

WASHINGTON

HAJOR BASIN

PACIFIC NORTHWEST

SUB BASIN

COLUMBIA RIVER ABOVE YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

WENATCHEE, WASHINGTON

	ATI MAN	T	TRANS	DISSOLVED				Officers	DEMAND	AMMONIA							MOSTATE	POTAL	Couroms
		-	Degree Cantigraded	correction .	Pile	EOD mg/l	= 4 /1	1-HOUE	24-HOUR mg/l	HETACHNIN mg/l	-1 /1	ALEALDSTY Reg/I	144	COLOR			- 1/1	Mysica.VED States mg//	per 140 ml.
10	8	58	17.4		7.2					_			62	-	_	_		38	#30
		58	17.1	-	7.9	-	_	_	-	-	_		65	-	-	-	1	121	*30
10	22	58	15.7	_	7.5	-	-	-	<u> </u>	-	-	58	65	1 -) -] -	4	119 103	
10	29	50	15.1	-	7 . B	-	-	-	1	-	-	37	62	_	-	_	1	116	#90
11		58	14.1		7.7	-		_	ł.	-	-	58 58	60	1 =	\ <u> </u>	\		243	- / -
	12	56	13.0	-	7.6	-	3.7	_	1	-	-	,	61		Į.	ì	1	89	+28
		58	10.2	-	7 · B	-	-	-	,	_	-	1 1 1	66	1		1	1	131	#30
	- 1	5 B	9.3	-	7.7	-	-	-	1	-	_					Į.	1	74	+26
12	1	58	9.2	-	7-5	-	-	_	1] [-		50	4	1	l .	1	85	_
12	8	50	8.3	-	6.9 7.0	<u> </u>	_	-	i -	_	_		66		_	i	1	147	· –
12	15	58	8.7	-	7.5	_	-	_	T .	_				1	1	1	. [90	ļ
	22	58	8.6 7.5	-	7.2	<u> </u>		_		1	4	1 _			1	1		1	
1	29	58	4.4	ì	7.9	-	1]		!	_] -	1			-	-	- \		, –
1	.5	59 59	6.3	_	7.8	_] _		1	1	-				-	• j	121	_
- 1	19 26	59	5.5	_	B.0		-	١ ـ		1	1	- 64	64	. -	·	-	-	66	+30
- 1	20	59	4.5	_	7.3	-	\ _		. -	_	-	- 57	63	ı	.∤ -	-	- i	63	+30
2	9	59	3.3	-	7.5	_	í -		. -		-	- 60					- !	140	
2	16	59	3.1	\ _	·	-	\ .	-	-} -	.∖ -		- 61	. 61		1	1	-1	62	+3
2	24	59	3.2	_	7.7	i -	-	. -	. -	-						1	-	114	
3	2	59	3.3	\ _	1 111	-	\ -	4 -	- i -	.∖ -	. -	- 61		- 1	L	1	- {	137	1 -
3	9	59	3.9	i –	١	1	4 . 1	≰ -	-	-	·	- 64			I.	1	-	120	
3	16	59	3.9	Í -	7.9	_	.	-	-i -	· -		- 61			1		-	113	-
3	23	39		\ _	B.0	-	Ι .	1	- 1	-	1	- 64	-				_	121	1
3	30	59	6.5		7.9	-) .		- -	-) -		- 61		- 1	1		-	104	-
4	6	59	5.4	–			6 • 1	≯ ·			i i	- 65		- 1		1	<u>-</u>	100	-
4	13	59	6.4	_			.		- -			- 66 - 71					- (248	-
4	20	59	7.0	-			1		-				-		_ _		-1	308	
4	27	59	8.0	-	7 ⋅ 8		1					- 6: - 6:					-	128	
5	4	59					1		- ı			_ 6	.	- 1			-	214	
5		59		1	B.0			7 .	_	-		_ 5	•	-	- .		_ '	137	
5		59			B • 1				_	-)	!	<u>.</u> ق		-		-	-	110	•
6					1			1		-		-\ 5:		-	<u>-</u>	-	- <u>(</u>	151	•
6					1	1	6 •	-			-	_\ 5		6	-	-	- {	75	
6										1	_	- 5		4	- ∤	1	-	106	
6						l l	1		_		_ \	- 5		В	-	-	-	101	
6	29	59	14.0	' -	. B.C	'											1		
											1		1				1	1	
	1		1	1	1		1 _	1											

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

SUB BASIN

COLUMBIA RIVER ABOVE YAKIMA RIVER

STATION LOCATION COLUMBIA RIVER AT

WENATCHEE, WASHINGTON

_	DATE MAN			DESMOCKED				CHOUSE	DEMAND	AMMONIA-							PHOSPIATE	TOTAL	
TE ST	¥	5	(may Program Carilgrain)	CDCYNERI mg/l	,	LQ3 =_ /l	/I	1-HOLE ==_/1	24-HOUR =q/I	NETTED-MEN mg/l	mg/l	ALEALINETY =3/I	HAEP-ES	cotos	TURNIDITY (scale units)	SUPATES TO	mg/I	DisSolved Rolling mg/l	per 100 mi
777778888999999	14 21 27 2 10 17 24 1 9 14 21	999999999999	15.8 16.6 16.8				8.1					54 56 56 56 57 58 51 51 56 53 55 58	61 58 63 59 63 64 58 63 68 62 61	- - - - - - - -			~	118 73 95 68 117 93 116 88 73 82 77 71 107	*3 *3 *3

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

PENNSYLVANIA

MAJOR BASIN

NORTH ATLANTIC

SUB BARIN

DELAWARE-SCHUYLKILL RIVERS

STATION LOCATION DELAWARE RIVER M90 AT

PHILADELPHIA, PENNSYLVANIA

	DATE			DESIGNATION				Oloma	HERAND .	AMMONA.								MILAL	
HE	à	_		COTTENEN mg/l	High	■.O D ■ <u></u> /1	c.o. ∌ == /1	I-Hout	34-HOUR mg/l	HTTBOGEN ME/I	-4/1	ALFALIMITY mg/l	HARDNESS Pag/I	201.02 	THEOLOTTY	EUAES ===/I	PHOSPHATES	MOCAL DESCRIPTION	per 100 mi
10	6	38	16.0	7.8	7.1		17.0	3.0	4.8	3.0	6	44	62	35	45	30		160	3500
10	13	58	15.0	7.6	7.1	-	16.8	4.2	7.1	6.0	19	37	62	40	30	28		162	6000
10	21	56	15.0	9.0	7.2	-	16.5	3.6	6.0	2.4	11	45	66	25	25	29		178	2000
10	28	58 58	15.0	9.0	7.2 7.1	_	10.3	2.3	5.4	1.6	9	50	6B	25	28	29		140	4900
11 11	3 10	58	10.0	10.0 10.2	7.1	_	10.0 12.2	4.7 2.0	7.7 3.8	4.0	4	30 27	40 38	30 25	25 2 6	28 19	·	102 102	3200 9400
11	17	50	10.0	10.0	7.1	_	14.0	3.9	5.3	1.4	5	34	26 48	20	30	20		122	1400
11	24	56	B.0	3.9	7.1	_	7.0	B • 1	10.3	5.8	6	38	48	20	28	24	ļ	118	680
12	1	58	9.0	13.0	7.2	_	13.5	4.5	6.8	4.0	3	32	52	30	BO	26		163	2800
12	8	5 B	1.0	10.0	7.0	-	9.2	7.2	9.8	3.0	9	27	52	40	25	23	(111	5800
12	15	58	.5	15.0	7.1	-	12.0	6.0	7.5	5.0	5		52		25	22	l	115	4400
12	22	58	1.0	13.2	7.2	-	10.3	4 • B	6.0	6.0	6		64	20	22	26		135	1600
12	29	58	2.0	13.4	7.3	-	13.0	3 • B	5.2	7.5	6		60		28	27	Î	133	_
1	. 5	59	1.0	14.0	7 . 2	-	12.2	4.0	5,8	15.0	6		72		75	25		144	1800
1	12	59	1.0	13.5	7.2	-	10.4	5.2	6.6	75.0	В		B 4		65	29	Ì	150	4400
1	19 26	59 59	1.0 1.0	8.0 10.0	6.9 7.0	_	8.9	5 • 0 2 • 0	6.6 3.8	2 • 8 6 • 8	10 5		60 60		15 110	22 43		120 115	2100 3800
2	2	59	1.0	11.5	6.9	_	8.2	1.8	4.1	B.4	7		54	1	30	40	1	78	1000
2	9	59	1.0	12.2	7.0	_	21.2	3.3	6.2	18.0	10		76		50	38		168	3400
2	16	59	1.0	14.6	7.1	_	20.9	4.6		10.0	9		70	_	65	22		162	4600
2	23	59	2.0	12.4	7.1	_	15.4	2.8	4.5	5.6	7		53	25	38	24		122	_
3	2	59	3.0	11.0	7.1	-	11.9	3.0	4.2	8.5	6		70			31		160	2000
3	9	59	6.0	12.2	7.1	-	12.9	4 - 4	5.0	10.0	8		48			53		321	5600
3	16	59	3.0	14.8	7.1	-	10.5	3 ⋅ 8	4.9	12.0	11	28	48			70		162	4200
3	23	59	10.0	12.3	7.2	-	9.6	4.7	6.2	12.0	10		46			35		120 110	2600 2400
3	30	59	7.0	9.3	7.2	-	16.9	3.0		9.0	9		70	-		29 32		94	1800
4	1,6	59	9.0 11.0	10.6	7.2	<u> </u>	9 • 7 B • 7	_		25.0	5		36			28		96	5100
4	13	59 59	15.0	B.5	7.2	_	7.4	_		7.0	6		28			25		105	1800
4	27	59	15.0	9.5	7.2	_	4.6	_	1	10.0) 5		44	_		30		98	4500
5	4	59	15.0	9.0	7.2	-	B.6	_	_	9.6	4		48	35	38	22	1	94	-
5	11	59	17.0	6.B	7.2	-	6.3	-	_	18.0) e	30	4.8			15		105	5000
5	18	59	19.0	6.6	7.2	-	7.7	-	-	10.0	5		56			21		100	22000
5	25	59	22.0	5.6	7.2	-	13.2	-	-	,	4		4 E			2.5	1	95	
5	1	59	23.0	6.0	7.2	-	18,2			1000	3			-		43	1	150	3600
6	В	59	23.0	4.5	7.2	_	15.7	_			7				1	34		140 155	17000
6	15	5 9	23.0	6.0	7.2	-	15.3	-		5.0	6		1	1		40		190	11000
6	22	5.5	24.0	5.3	7 - 1	-	13.7	_	\									193	800
6	29	59	25.0	6.1	7.1	-	11.8	_	· -		L	1 43					<u> </u>		

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

PENNSYLVANIA

MAJOR BASIN

NORTH ATLANTIC

SUB BASIN

DELAWARE-SCHUYLKILL RIVERS

STATION LOCATION DELAWARE RIVER M90 AT

PHILADELPHIA: PENNSYLVANIA

	DATE			DEMOLVED		 		CHLORDE	DEMAND	AMMONIA								TOTAL	
HOWTH	À.	TEAS	TEMP (Dograms Configurate)	(1017400) 	1	■ 0 p ■ 4 /1	4.0±0 ■4/1	1-HOUR was/I	24-HOLE mg/l	нтвоевн нау/1	-1 /1	ALKALDSTY ===_/i	HAIDHEE	coros	TURNOTTY [made ambig	EXPATE ~≈/I	PHOSPILATES mg/l	DESSOLVED HOLIES HES/I	COLFORMS per 100 mi
7 7 8 8 8 8	13 20 27 3 10 17 24 31 7 14 21	39	26.0 25.0 26.0 26.0 27.0 26.0 27.0 21.0	6.4 5.0 5.1 5.1 5.0 4.1 3.8 7.0 6 5.4	7.2 7.1 7.1 7.1 7.2 7.2 7.1 7.1 7.1 7.1 7.2		15.0 12.9 13.7 13.9 13.1 17.1 18.8 14.1 20.7 12.8			10.0 14.0 10.0 16.0 5.0 12.0 20.0 14.0 14.0	777699877633777	42 43 38 40 41 45 46 45 40	65 64 58 69 64 68 64 7	25 30 10 15 12 13 15 20 20 30 30 25	25 38 25 27 30 25 35 22 22 18	246 399 311 322 320 311 346 440 35		187 185 186 165 163 128 181 192 223 220	2000 9400 21000 14000 32000 5200 3500 5200

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NEW YORK

MAJOR BABIN

NORTHEAST

SUB BASIN

LAKE ERIE-NIAGARA

STATION LOCATION LAKE ERIE AT

BUFFALO, NEW YORK

	DATE	u	THE	DESTOLVED				GEORGE		AMMONEA.									
ментн	ř		D		1 44	LO B, ■ 1/1	= € 0 D	1-HOUE	34-HOUE =g/l	HTTIDOGH Mg/I	ng/i	ALKAINETT mg/l	HATPERS mg/l	COLOR	TURNINTY (seedo malic)	REAITE =q/I	PHOSPIATE: =9/1	TOTAL DEMOLVED EDLIOS seg/1	COLIFORNS pay 104 mg.
10	1	50	19.1	9.2	8.1	• 8	7.3	.0	. 8	•1	29	88	129	0	7	23		127	12
10	В	56	16.8	10-0	8.2	1.1	4.4	.0	. 5	•1	32	88	124	0	ź	24		_	12
101	15	55	17.0	9.6	8.0 8.0	• 6	2.9	.0	• 2	•1	29	87	128	0	z	23			21
10	22	5 6	16.1 17.0	10.6	8.0	1.2	9.4	•1		•1	20	96	132		1	23		121	5
10 11	29 5	58	13.6	10.7	B.3	.7	6.1	.0	.2	.0	30 26	92	124	0	1	22		193	2
11	19	56	12.0	11.6	8.1	. 7	13.7		3.2	.3	26 29	88	128 130	5	5 12	20 27		182 180	16 9
11	26	50	11.0	11.0	7.0	1.3	5.4	.6	3.0	.1	33	70	124	0	5	27		189	
12	3	58	7.5	12.9	7.7	• B	6.0	. 8	2.4	.1	25	49	130	١	6	25	1	205	5
12	10	58	2.2	14.4	8.1	• 8	6.9	. 6	2.7	.1	23	88	132	٥	7	25	ļ	181	180
12	17	58	3.5	14.8	8.3	1.4	1.7	. 9	2.4	.1	45	89	120	10	10	26		192	-
12	24	58	4.2	14.2	B.3	1.2	3 • 1	• B	2.1	.1	30	88	120	10	7	25		188	-
12	31	54	3.9	14.8	B • 2	• 4	3 • 5	-	-	.0	29	88	122	5	5	19		178	-
1	7	59	3.0	14.4	B - Z	• 4	8.5	- 9	2 . 4	•1	28	89	118	0	2	22		204	-
1	14	59	2.0	14.4	8.1	1.2	6.5	• 2	1.2	•0	30	88	120	0	5	23		168	#1
1	22 28	59	3.0 1.7	15.0 15.0	7.8 8.0	2.3	7.6	. 8	2.4	• 1 • 0	21	86 88	128	0	3 7	26		162	60
1 2	4	59 59	9.0	13.2	8.1	• 1	6.6		2.6	.0	27 28	86	136 132	١	5	22 22		166 165	5
2	11	59	1.5	14.8	B.O	.4	4.1		2.0	.0	25	80	120	0	3	22		178	ž
2	17	59	3.0	14.4	7.7	1.6	5.8		2.6	.0	28	78	120	ا ة	1	23	1	170	10
2	25	59	4.0	13.7	7.8	5	3.7	. 9	2.6	.0	28	80	122	٥	z	25		169	+1
3	5	59	5.0	13.9	8.0	• 1	3.3	. 9	2.6	.0	28	BO	120	0	[24	Í	189	_
3	11	59	7.1	14.3	7.8	1.0	3.3	. 8	2.6	0	28	80	124	0	2	22		194	-
3	18	59	6.0	14.0	7.9	1.3	4.0	. 6	2.0	.0	25	80	124	0	2	22		191	#1
3	25	59	4 . B	13.8	7.9	1.8	6 ∎ B	. 2	2.0	.0	27	82	120	0	1	24		204	-
4	2	59	3.8	14.4	8.1	. 5	4.0	• 2	1.4	.0	29		120	0	2	20	1	182	
4	В	59	4.5	14,4	7.4	• 7	. 3		1.9	•0	29	90	120	0	9	24		191	10
4	15	59	3.0	13.4	7.8	• 7	4 • 2	• 4	2 • 2	.0	25	84	114	0	1 3	23 2 2		189 165	*1 130
4	22	59	5.9	13.5	7.4	- 6	2 - 2	. 8	2.2	.0 .0	26 25	84	110 120		3	19		176	2
4	29 6	59 59	6.4 7.5	13.4	В.1 7.В	.5	5.3 4.2	. 8 . 8	1.9	.1	25	80	116	1 6	3	22		168	
5	13	59	7.5	13.0	8 . O	• 7	2.0	-6	1.9	.0	25	80	120	0	Ž	20		176	-
5	20	59	11.0	12.2	8.1	1.0	4.0		3.0	.0	29	92	120	-	2	22		198	#1
5	27	59	14.5	11.3	8.1	1.0	2.4	. 9	2.8	, o	23	68	120	0	3	22		202	#1
6	4	59	15.5	11.0	7.9	-		. á	2.9	.1	23		120	0	3	23		183	-
6	10	59	20.0	10.4	8.3	. 8	7.2	1.1	2.8	.0	23		116	0	1	22		213	+4
6	17	59	18.5	9.4	B . 1	. 8	5.5	1.4	3 . 2	• 1	25		122	1	4	22		204	3
6	24	59	19.5	9.1	8.3	. 7	4-6	1-4	3.5	•0	29	92	128	0	2	2 4		207	-
													l				<u> </u>	<u> </u>	<u> </u>

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NEW YORK

MAJOR BABIN

NORTHEAST

SUB BASIN

LAKE ERIE-NIAGARA

STATION LOCATION LAKE ERIE AT

BUFFALO, NEW YORK

DATE	T						04000	DINAMO						-			TOTAL	
THE A S	4	Tilled P (Compress Constitutional or)	DESCOLVED DXIYOSEN mg/I	part	= 0 0	c.o.b ==g/l	HOUR	24-HOLE ===/I	AMMONIA- HITEOGRA mg/l	/I	ALKALINITY ===/1		COLOR (scale main)	(acain make)	= 3/1	PHOSPHATES	DESERVED BOLITAS mg/l	COLFORMS per 100 ml,
7 1 5 7 8 5 7 15 5 7 22 5 7 22 5 8 5 5 8 19 5 8 26 5 9 2 5 9 9 5	59 59 59 59 59 59	22.7 22.1 23.5 24.2 23.5 25.8 25.8 25.5 20.8	9.2 8.9 9.0 8.4 8.2 8.0 8.1 8.2 8.7	8.4 8.4 8.3 8.4 8.5 8.3 8.4 8.5 8.3	1.6 .9 .7 1.0 .6 .4 .5 .8 .7 .6 .5 .5	4.86 27.0 5.4 5.2 5.0 3.7 4.8 3.9 4.5 5.6	1.2 .9 1.3 1.6 1.5 1.3 1.4 1.3 1.1 1.5 5	3.2 2.7 3.3 3.7 3.4 3.2 3.0 2.6 2.3 2.3 1.5		28 26 18 23 19 23 25 25 23 23 23 25	90 90	120 124 120 120 130 120 120 120 126 120		1112513633322	25 21 22 22 17 25 21 20 21 22 21 22		264 195 200 195 194 222 241 216 202 204 212	

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

HICHIGAN

MAJOR BASIN

WESTERM GREAT LAKES

BUB BASIN

ST. CLAIR-DETROIT RIVERS

STATION LOCATION DETROIT RIVER AT

DETROIT. MICHIGAN

	DATE SAME		том	Distriction				OLOUGE	DEPLAND										
E T	À	YEAR	(Dagram (Dagram Caroligrada)	D)(Yeller mg/l	paři	± 0.0 =4/1	COD ===/I	1-HOUR	34-HOUR mg/l	AAMONEA- HETROEBH mg/l	citotibu =u/i	ALEALPRITY =g/l	HARDNESS mg/l	COLOR heads malled	TURNIDITY (sends make)	EULPATEI mg/l	PHOSPHATES Pag/I	DESOLVED DESOLVED SOLIDI ==g/l	COUPORALS per 104 mil
10		58	14.4	8.5	7.9	.5	3.0	.5	. 9	.0		83	99	0	15	13		135	1
	14 21	58 58	13.3	9.0	B.O	•5	3.4	• 4	. 9	• 2	8	82	99	0	25	12		132	19
	29	38	11.1	9.2	8.0	• 6	2.0	-4	.9	•1	- 6	82	99	-	15	12		128	
11	5	58	10.0	9.8	7.9	. 5	2.4	. 5	1.2	.0	7	82	100	0	10	12		123	4
	11	58	7,8	10.9	8.0	.6	6.1	. 8	1.3	.3	В	51	101	0	30	12		125	14
	15 26	58 58	15.6	9.5	7.9 7.9	• 6	4.0	• 6	1.1	.0	7	81	99	0	10	12		128	10
12	3	58	6.0 .5	10.7 13.0	7.9	.5	3.5	- 5	1.0	•1	7	79	99	0	50	12		127	-
12	9	5 B	.5	13.1	7.9	.5	3.2	.5	1.0	.0 .0	6	79 B1	99 99	0	20 15	11 10		127 125	47 90
	16	5 B	.5	13.0	8.0	4	2.6	• 4	.9	.0	6	80	100	0	13	10		124	70
	25	58	. 5	13.3	7.9	.5	2 - 6	. 5	• 9	.0	6	83	99	ه ا	6	12		120	_
1	6	59	• 2	15.0	7.9	. 4	3 • 6	. 5	1.0	-1	7	83	102	0	6	12		125	2
	13	59	• 5	14.4	7.9	. 4	3.1	. 5	. 9	•0	6	84	103	0	2	12		125	+1
	21 28	59 59	. 5	14.2	7.9	• •	2 • 5	.6	1.0	•0	6	83	100	0	2	11		125	+1
	10	59	• 5 • 5	14.0 13.9	8.0 B.O	.4	2 · B	.5	1.0	• 2	7	83	105	0	2	12		120	#1
	18	59	.2	14.8	8.0	• 5	3.7	• 5 • 5	1.0	.0	B 7	82 83	103 103		2 3	13 12		127 123	#1 #1
	24	59	.3	14.2	8.0	.5	3.7	.5	1.0	.1	7	84	103	0	3	12		130	14
3	3	59	. 5	14.1	B.O	.5	4.1	.6	1.1	.1	7	83	100	Ö	2	13		122	*1
	10	59	.5	14.0	8.0	. 5	3 • 5	.6	1.2	•1	6	79	99	0	2	11		122] 3
	18	59	. 5	13.9	8.0	. 5	3.5	.5	1.0	• 1	7	8.2	99	0	5	11		125	(
	24 31	59 59	• 7 • 7	13.7 13.5	8.0 8.0	-6	3.9	. 7	1.4	• 0	7	52	100	0	3	13	ļ	116	+1
4	7	59	3.8	12.2	7.9	.6	2.9	-7 -7	1.3	• 2 • 2	7 7	79 79	103 100	0	25 30	13 13		123 123	2
	15	59	4.4	12.2	7.9	.6	4.2	.6	1.2	.1	, ,	81	100	"	7	17		131	4
	21	59	7.2	11.6	7.9	1.3	5.9	-6	1.5	.0	'7	81	100) 0	10	14		122]
4	28	59	8.4	11.2	7.9	. 5	4.5	. 6		.1	7	81	99	0	30	14		125	-
5	5	59	12.2	10.5	8.1	.6	4.3	. 6	1.1	.1	7	81	100	0	10	13	i	125	4
	13	59	12.4	10.6	8.1	• 5	3 - 6	. 7	1.3	-1	7	52	99	0	10	13		125	11
	21	59	11.1	10.6	8.1		3.6	-6	1 - 2	-1	7	84	100	0	10	13		126	
6	2 10	59 59	17.7 19.4	9.4 9.0	8.0 8.0	.4	4.0 3.9	- 6	1.2	.0	7	83 81	99	0	10 7	13 12		12 4 121	24 13
- 1	16	59	19.8	9.2	8.1	1.5	6.4	.6	1.3	• 1 • 0	6	83	99 100		, , ,	12		121	190
- 1	30	59	21.7	8.2	B. 2	. 5	3.8	.7	1.3		7	81	100		10	16		126	190
7	8	5 9	22.2	B.2	8.1	<u>.</u> 7	3.9	. 8	1.5	1	7	81	101		10	13		126	4
	14	59	23.3	8.0	8.1	.7	3 . B	. 8	1.5	.2	7	81	101	Ō	10	14		126	10
7	21	59	22.8	B • 3	8.0	• 5	3 . 8	. 8	1.6	. 2	9	BQ	99	0	10	13	<u> </u>	131	1

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MICHIGAN

MAJOR BABIN

WESTERN GREAT LAKES

BUB BASIN

ST. CLAIR-DETROIT RIVERS

STATION LOCATION DETROIT RIVER AT

DETROIT. MICHIGAN

Red Red	DATE OF MAYE							CHORSE	DENAME	AMMONIA							TOTAL	
8 18 59 25.0 7.4 7.9 .4 1.8 .8 2.2 .2 7 79 99 0 10 12 122 11 8 24 59 25.0 8.2 8.2 .5 2.9 .8 1.7 .1 7 79 98 0 8 12 125 9 9 2 59 25.0 8.3 7.9 .4 3.1 .8 1.7 .1 8 80 98 0 8 12 124 - 9 9 59 24.4 7.8 8.1 .5 4.9 .6 1.2 .1 8 78 96 0 10 12 123 2 9 15 59 20.0 8.9 8.0 .6 7.3 .6 1.5 .2 8 81 95 0 10 12 123 *1		-1	Degrees	COXTORN	při			l	1	HITEOGRA		1			· ·	ľ	DESCUED	i
	8 11 8 18 8 24 9 2 9 9 9 15 9 21	59 59 59 59 59	25.0 25.0 25.0 24.4 20.0 16.7	7.4 8.2 8.3 7.8 8.9 9.9	7.9 8.2 7.9 8.1 8.0 7.9	•4 •5 •4 •5 •6	1.8 2.9 3.1 4.9 7.3	. 5 . 8 . 8 . 6	1.6 2.2 1.7 1.7 1.2 1.5	.2 .1 .1 .1	7 7 8 8	79 79 80 78 81 79	99 98 98 96 95	0 0 0	10 8 8 10 10	12 12 12 12 12 12	122 125 124 123 123	4 11 9 - 2 #1 15 50

STATE

MINNESOTA

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

WESTERN GREAT LAKES

SUB BASIN

LAKE SUPERIOR

STATION LOCATION LAKE SUPERIOR AT

DULUTH, MINNESOTA

	DATE MAN		Title	DESERVED				CALDERS	DEMAND										
МОНТН	á	3	(Dugante Caratignate)	DOXYEEM mg_/1	-11	= 0.0	-4/ 1	1-ROUR mg/l	34-HOLE ===/1	AMMONEA- HETBOOKH HIL/I	CALOURDES ==L/I	ALEALMIT mg/l	HARRISON mg/l	CDL04	TURNINTY (seeds realis)	SULFATES Pay/I	PROSPHATES ===/I	TOTAL DEBOLVED FOLIDE Mg/I	COLFORNS per 100 ml.
10	6	5 B	B.3	11.3	7.7	• 5	4,4	•7	1.6	•2	2		3.8	5	0	5		53	17
10 10	13 20	58 58	10.6 9.4	11.3 11.7	7.6 7.7	. 5	4 · q	- 9	2.1	•1	2		40		0	5		63	1
10	27	58	10.0	11.2	7.8	• 4	4.0 6.6	.9 1.1	2.1	•1	2 2	42 42	40		0	4		53	2
11	3	56	10.0	11.2	7.7	• 3	4.0	1.0	2.2	• 1	2	42	39	0 5	0	7		66 52	_
11	10	58	10.0	11.2	7.9	.5	3.6	1.2	2.4	.1	2	42	39	5	٥	1		55	26
11	17	58	9.4	11.3	7.8	• 6	5.6	. 9	2.2	.1	2	39	37	Ιó	1	Ĭ .	l ;	54	16
11	24	58	B.3	11.5	7.8	.5	4.8	. 5	1.7	• 2	2	40	38	ا	ī	4		64	32
12	1	58	6.7	12.2	7.8	1.0	4.8	1.0	1.7	.1	2	40	38	0	1	5		50	25
12	. 5	50	6.1	12.3	7.8	• 6	4.0	. 9	1.6	• 0	2	42	40	0	1	5		62	#1
12	15	58	4.4	12.5	7.8	• 6	3 • 8	• 9	1.3	•0	2	43	39	0	1	4		62	2
12 12	22 29	5 B	4 4	12.6	7.B	• 5	4.0	• 9	1.4	•0	2	43	41	0	0	4		61	_
1	5	39	4.4	12.7	7.8	.3 .6	4 • 4 6 • B	• 9	1.3	• 1	2	42	40	0	0	5		48	
1	12	5,	4.4	12.8	7.B	. 8	6.8	. 9	1.4	• 0 • 0	1 1	43 43	41	0 0	0	5		54 51	*1
1	19	59	4.4	12.7	7.8	.6	6.0	.9	1.4	.2	1	43	41 41		0	2		56	*1 4
î	26	59	3.3	13.0	7 . B	1.0	7.6	1.3	2.9	• 2	2	42	41	5	1	4		62	15
2	z	59	3.3	13.0	7.7	, 4	5.0	.,9	2.0	.1	2	42	39	5	1	2		55	17
2	9	59	2.8	12.9	7.8	. 9	8.8	1.8	3.4	. 3	1	42	40	15	2	2		61	68
2	16	59	3.3	13.7	7.7	. 5	2 • B	1.1	1.7	.1	2	42	37	0	1	1		49	1
2	24	59	1.1	13.9	7.6	• 3	2.8	1.0	2.1	• 0	2	44	40	l o	1	2		42	2
3	2	59	. 6	13.8	7.6	. 5	3 • 6	1.0	1.7	.0	1	43	40	0	1	2		46	+1
3	9	59	1.1	13.9	7.5	• 3	3.6	1 • 1	2.1	• 0	2	43	37	5	1	2		47	3
3	16 30	59	. 6	14.0	7.6	• 4	2.8	1.0	1.5	.0	2	43	41	0	1	5		53	2
4	7	59 59	1.1 1.1	13.8 13.8	7.6 7.6	. 3	3.2	1.0	2.0	.0	2	45 45	44	0	1	1 2		53	1
4	13	59	1.1	13.9	7.6	. 5	2 · B	1.0	2.0	.0	2 2	44	45 44	0	0]		56 61	2 +1
4	20	59	1.7	13.7	7.6	.3	3.2	.7	2.0	:0	2	44	44	0	اد			54	2
4	27	59	2.2	13.8	7.7	.6	3.6		1.7		2	44	44	٥	اه	(59	*1
5	4	59	2 . B	13.5	7.7	.5	4.0	1.0	2.2	.0	2	45	43	ا ا	1	وَ ا		48	+1
5	11	59	3.3	13.5	7.6	. 7	4 . 4	. 9	2.0	.0	2	45	44	0	ī	4		57	63
5	18	59	3.3	13.5	7.6	• 6	4,4	. 9	1.9		2	45	44	0	1	4		58	#1
5	26	59	3.9	13.4	7.7	. 6	3 • 6	• 9	1.7	.1	2	44	43	5	1	2		44	*1
6	1	59	3.9	13.2	7.8	• 3	2.0	. 7	2.0	.1	1	45	44	5	6	3		35	66
7	6	59	-	-	-	-	-	-	-	-	-	-	-	-	-	_		-	+1
9	1	59			_	-				_	_			1 -	_	_		-	11
9	В	59	17.2	9.4	8.0	• 4	6.0		3.0	.0	2		44	1	0	2		46	+1
9	14	59	15.0	9.6	7.7	. 6	4 • B		1.8	.0	2		43	5	0	3	1	7 6 57	3
9 9	21 28	59 59	12.2	10.5	7 . 8 7 . 7	. 7 . 7	4.0	.9 1.3	2.3	• 1	2 2		44		1	2		53	3 6
	∠ 8	ן יי	11.1	I In . p	1 . 7		4.0	1.5	2.3	L			44	<u> </u>	<u>└</u>	<u> </u>		פג	

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

INDIANA

MAJOR BABIN

WESTERN GREAT LAKES

SUB BASIN

ST. JOSEPH RIVER

STATION LOCATION LAKE MICHIGAN AT

GARY, INDIANA

	DATE									AMMONIA-								TOTAL	
HUMON	À.		TEMP (Coppeda Cantigrado),	DESCUVED CZYWEN Mg/I	Hiq	■.O.D ■ . _/I	= 0 D = 0 /1	1-HOUTE ==0/1	24-HOUE	HETECORN Mg/I		MEALENTY	HARDHES mg/l		TURNADITY (ecolo malle)	SEPATES mag/1	PHOSPHATES mg/l	EOLIDS Mg/I	per 100 mil
10	6	58	15.7	-	7.6		-	•	-	-	-	123	131	15	5	-		_	48
10		50	15.0	-	8.1	-	-	-	_	-	-	130	130	5 10	1	_		151 156	26
10		58 58	15.2 13.5	-	8.0 8.0	_]	_	_	_	_	119	130 120	15	1 1	_		126	10 7 4
10 11	3	58	13.1	8.4	7.8	2.1]	2.6	5.1	_	_	118	134	15	3	_		164	400
11	10	5	10.7	10.3	7.9	3.2	ا ه.ه	2.2	.0	_	7	119	132	25	14	-		-	1400
11	17	50	11.5	10.4	8.1	2.1	6.9	. 9	-	-	6	118	131	10	2	-	i i	-	1100
11		58	10.0	10.9	B.1	1.0	8.0	. 5	1.6	-	6	119	131	15	8	-		160	790
12	1	56	5.2	12.2	B.0	1.3	. 7•3	1.0	2.3	-	6	116	131	10 15	9	_		162	1100
12 1	5	59 59	2.0 1.4	13.1	8.0 7.8	1.2 .B	12.0	. 4 . 4	1.7 1.7	_	6 6	118 124	131 141	15	В			17 9	43 38
1	12	59	1.4	13.9	8.0	.8	5.4	.9	2.4	_	6	125	141	10	2	_		178	+6
î	12 19	59	-			-	~~]	'-		_	_			-	_	_			48
ī	26	59	-	-1	-	-	l ⊣	_	_	-	-	_	-	_	_	_		-	4
2	9	59	-	-	-	-	-	-	_	-	-	-	-	-	-	-]]	-	36
2		59	-	-	-	-	1 1	-	-	-	-	-	-	-	-	-		-	170
3	2 10	59 59	-	-	-	-		-	-	-	-	-	-	-	-	-		-	500
3	16	57	2.5	15.6	7.9	2.5]	1.3	2.4		7	130	141	15	18	_		168	500 2400
3	24	59		1,10		-		•••	2.7	_		1,50	-	-	-	_		-	2400
3	30	59	4:4	11.9	8.2	7.0	-	. 8	1.8	-	7	116	144	10	12	_		166	_
4	7	59	7.4	10.B	8.0	1.9	7.9	1.1	5.6	-	8	117	147	28	9	_		167	840
4		59	5.9	12.2	B • Z	1.2	4.5	. 8	2.4	-	7	102	138	5	1	-		172	130
4	21 28	59 59	7.2	11.5	8.0	1.7	7.1	• 7	2 • 4	-	6	116	138	20	14	-		171	_
4 5		59	9.3	11.0 11.5	8.0 8.1	1.0 2.2	8.0 7.2	• 8 • 8	2.7 1.9	-	7 6	112 113	136 136	5 10	7	_		172 169	-
5	12	59	11.4	10.9	В.0	6.9	11.2	.7	2.6	_	6	113	138	15	1	_		197	_
5	19	59	11.5	11.1	B. 0	1.2	5.4	1.1	5.2	-	6	112	134	5	î	_			30
5	26	59	12.0	-	7.9	-	-	-	-	_	-	111	135	5	2	_		_	-
6		59	14.8	9.8	7.8	2.0	8.9	1.2	4.8	-	6	106	136	15	10	-		-	150
6		59 59	11.9 14.1	-	7.9	-	26.4	-	-	-	-	110	133	. 5	9	-		-	22
		59 59	19.1	-	B. 2 B. 1	-]	_		-1	-	108 104	139 136	10 15	5 5	_		-	82
		59	13.8	_	8.1	- 1		_	_	-[103	135	10	3	_		-	73 560
7	7	59	21.1	6.7	8.2	• 2	7.1	1.3	_	-	7	107	135	15	3	_		171	22
		59	13.4	12.1	B.3	3.1	4	. 9	-	-	7	108	136	10	ī	_			-
		59	21.8	-	B • 4	-	-	-	-[-	-	106	136	5	1	-		-	20
7	28	79	12.8	-	B.2	-	7	-	-	-	-	109	136	5	2	-		-	1600
		\perp																	

INDIANA

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MIZAB ROLAM

STATE

WESTERN GREAT LAKES

SUP BASIN

ST. JOSEPH RIVER

STATION LOCATION LAKE MICHIGAN AT

GARY, INDIANA

	DATE			DISECUTED				OLDWA	DELAND	AMMONEA-								TOTAL	COLPORAL
н	ž	YEAR	(Degrees Consignate)	DOCTORNI HEL/I	ii i	≥ 0.0	= 0.0	1-HOLIR mg/l	34-HOUR ===/1	HETTED GERMAN	mg/l	ALEADATT	HARDNESS #g/l	COLCON	TURNOTT	EULPAȚEI Hyp/i	PHOSPHATES	ngLio(Vito rougs mg/l	per 100 ml
8 5 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		59 59 59 59 59 59	12.8 20.0 13.3 13.0 20.4 13.2 19.9 18.1 14.6	 9.1 9.1 7.6	8.3 8.3 8.2 8.1 8.2 8.3 8.2 8.3	1.5	2.88		2.1 2.7	-		109 109 108 103 117	135 136 136 136 133 130	10 5 5 5 10	4 3 2 4	-		168	10 920 40 - 310 40 20 64
									,										

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NEW YORK

MAJOR BASIN

NORTHEAST

BUB BABIN

LOWER HUDSON RIVER

STATION LOCATION HUDSON RIVER BELOW

POUGHKEEPSIE, NEW YORK

_	BATE		****			_		CALCORA	DEMAND	AMMONGA-								TOTAL	
- FLEEDE	à	17.	Tibble Propries Configurated	SCHOOLVED COTTORN SEL/I	į.	Loj mg/l	== /1	1-HOUE	24-HOUR mg/l	HTTEOGRA ME /I	= 1/1	ALKALINITY	HARDHEE	cotos	TURNADITY (acrele smalled)	RUMTE mg/l	PHOSPHATES mg/l	POLIDE HOLIDE HIE/I	COLFORMS
10	6	58	19.1		7.3	-		-	1	_	6	54	80	-	17	_		-	_
10 10	13 20	58	18.1	-	7.3	-	-	_	-	_	6	54 52	76 78	_	17 13	1 1		_	_
10	27		14.5	_	7.3 7.3	_]	_	_	-	6	54	76	-	15	-		_	_
11	3	5	11.5	! -∤	7.3	_	-	_	_	-	6	50	72	-	15	-		-	-
11	10		9.9	-	7.3	-	-	-	_	-	6	54	78	-	17	-		-	-
11	17 24	50	10.4	-	7.3 7.1	_		_	_	-	6	54 50	76 72	_	17 17	_		-	_
12	1	5	6.9	_	7.1	_		_	_	_	5	52	84	-	13	_		_	_
12	8	58	4.0	-	7.3	-	-	_	-	-	6	52	82	-	14	-		-	-
12	15	58	1.5	-	7.2	-	18.1		-	-	6	52	90	-	12	-		-	_
12 12	22 29	58 58	1.0 1.1	_	7.2 7.4	-]	_		-	6 6	54 54	8 8 9 0	_	11	_		-	_
ī	7	59	1.1	_	7.2	_		_	_	_	6	56	90	_	- 6	_		_	-
1	14	59	. 9	-1	7.3	-	13.6	_	-	-	6	57	96	-	9	-		-	-
1	21 28	59 59	• B	-	7.3 7.2	-	1 1	-	-	-	6	57	96	-	8	_		-	-
2	4	59	1.0	_	7.1	-		_	_	_	6 6	41 38	84 60	-	60	_		-	
Z	11	59	1.0	-	7.2	-	20.3	-	-	_	6	42	60	-	50	-		_	-
2	18	59	1.2	-1	7.3	-	-	-	-	-	6	42	70	-	13	-		-	-
2	25	59 59	3.2	-	7.0 7.1	-	7	_	-	-	6	43 48	66 58	_	15 20	_		-	-
3	11	59	2.2	-	7.1	_	13.0	_		_[6	51	6B	_	12	_			
3	18	59	.9	-	7.1	-	-	-	-	-	6	38	52	_	50	_		_	_
3		59	3.5	-[7.4	-	1 -1	- [-1	-1	6	44	60	-	50	33		- [-
4	1 i	59 59	3.9 6.5	-	7 • 4 7 • 4	-	17.2	-	_	-	6	45	66	-	40	12		-	-
4	15	59	7.2	-	7.3	_	11.4		<u>-</u>	_	6	46 43	64 62	-	60 25	1 8 2 8			_
4	22	59	8.8	10.6	7.3	1.7	14.5	-	-	-	6	42	64	10	25	33		_	_
4 5		59 59	16.1	9.0	7 - 2	1.3	21.7	-	-	- 4	6	41	62	В	35	2 5		-	-
5	6 13	27 39	12.1	8.5 7.7	7 • 2 7 • 3	1.4 1.3	10.1		-	1 • 2 1 • 2	6	32 36	68 54	10 15	17	20		-	2900
5	20	59	16.1	7.1	7.3	1.4	12.4	-1		1 • Z	6	38	60	12	12 17	25 25		-	40 0 20000
5		59	18.1	8.1	7.5	-	11.1	-	-	.3	5	41	60	8	22	21		_	1200
6		59 59	17.5	6.5	7 - 3	, -	10.1	-1	-	• 2	5	41	60	В	13	2 6		-	12000
6		59	21.8	4.4	7.1 7.3	1.7	16.6	_	-	1.0 .2	6	43	6 2	8 12	15 20	25		-	1400
6		59	22.0	3.8	7.3	1.5	12.3	-	-	.3	6	47	72	12	201 1 B	2 2 3 0		_	3100 1800
			ł				1		1		٦		. •		- "	, J			1550

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NEW YORK

MAJOR BASIN

NORTHEAST

SUB SASIN

LOWER HUDSON RIVER

STATION LOCATION HUDSON RIVER BELOW

POUGHKEEPSIE. NEW YORK

	MIN MAN		The P	DLESOLVED				OLOMA	PERLAND	AHMONIA			-					TOTAL	
Ě	à		(Degram Captigrade)	COXY SEE	H	EO D.	=4/i	1-HOUZ mg/l	24-HOUR ===/1	HETEOGRA HETEOGRA HEE/I	mg/l	ALEALMETY mg/l		COLOR	TURBADITY 	PLATE N/I	110€1 41€	SENSOLVED SOLIDA MILITARIO	COLIFORNII per 199 ml.
7 7 8 8 8 9 9	20 27 5 12 18 26 2 9	59 59	25.0 23.8 24.8 - 25.6 25.6 26.4 26.8 27.0 23.2	4.6 4.1 - 4.6 4.1 4.3	7.2 7.2 7.2 7.2 7.3 7.3 7.3 7.3 7.3	1.1 1.1	16.1 16.9 16.9 17.0 19.4 23.7 21.0 14.5 16.4	- .6 .6 - .7 .7 .4	2.0 2.7 - 2.9 3.2 2.9 3.2	7.5 .8	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	45 45 44 42 45 45 41 46 46 42	72	19 20 18 16 16 16	14 8 17 14 12	20 20 18 14 21 20 		102	7600 - - 1000 500 1000 \$60 +100 2900 18000

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

MASSACHUSETTS

MAJOR BASIN

STATE

NORTHEAST

BUB BABIN

MERRIMAC RIVER

STATION LOCATION MERRIMAC RIVER ABOVE

LOWELL, MASSACHUSETTS

DATE OF SAMPLE						CRANCE	PERAND	AMMONEA							 	TOTAL	
DAY VEAL	(Degress (Degress Cantigrania)	DESCUVED DITYESM mg/l	p#H	8.0.D =4/1	COD ■/I	I-HOOL mg/l	24-HOUR mg/l	HETELOGISH ==E/T	mg/I	==_/I	HARDNESS mg/l	COLOR	TURNACITY (seeds malle)	EJUATE /I	HOSPIATES mg/l	DESOLVED SOLENS mg/l	per 100 mi
10 6 58 25 59 3 11 59 3 24 59 3 30 59 4 15 59 4 29 59 5 13 59 5 20 59 5 27 59 6 15 59 6 27 59 7 7 20 59 7 7 20 59 7 7 20 59 8 10 59 8 10 59 8 17 59 8 17 59 9 14 59 9 14 59 9 12 59 9 28 59	1.0 4.0 5.0 6.0 7.0 4.5 10.0 13.0 16.0 19.0 19.0 17.0 18.0	6.6 10.7 12.1 12.6 12.6 12.6 10.8 10.2 9.1 8.1 9.9 7.8 6.6 6.0 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5	733355757577585405668 B B B B T 76457	1.0 4.0 4.1 3.4 2.3 2.3 1.7 1.7 1.6 2.0 2.7 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9	36.0 18.4 20.4 21.2 40.3 16.0 18.0 18.0 18.0 18.0 20.8 21.4 22.4 24.8 22.4 24.8 24.8 21.8 22.4 24.8 21.8 21.8 22.4 24.8 24.8 24.8 25.8 26.0 26.0 27.8	.9 .9 .8 1.0 4.3 1.4 4.0 1.7 1.1 1.0 1.9 2.5 2.0 1.7 1.0 2.7 1.0 2.7 1.0 2.7	9.5 2.0 3.2 3.0 6.0 12.3 12.4 5.6 7.0 5.6 7.0 5.6 7.0 11.0 12.0 13.0 12.0 4.7 12.5 13.0	2.7 1.5 1.5 1.5 1.5 1.5 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6	13 11 10 -5 4 4 7 7 6 6 9 10 10 10 7 7 9 7 - 13 13 - 11 19 - 19 10 11 11 11 11 11 11 11 11 11 11 11 11	15 10 6 7 7 7 4 2 5 5 7 9 19 9 11 10 13 15 18 17 18 12 16 17 15	26 20 14 10 12 10 12 16 16 17 18 14 16 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	47 35 38 44 44 45 30 36 45 50 50 50 50 70 70 50	6 5 14 37 31 8 10 34 17 8 10 31 7 8 7 4 7 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	11 10 10 7 8 6 7 7 7 8 10 10 10 10 10 10 10 10 10 10 10 10 10		87475066314555566746255577 79 0 984656 1 5566 1 5566 1 5566 1 5566 1 5566 1 566	

STATE

LOUISIANA

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER MISSISSIPPI-NATCHEZ TO GULF

STATION LOCATION MISSISSIPPI RIVER AT

NEW ORLEANS, LOUISIANA

	DATI		TEMP	otskol/lin				OLOGIC	PENAND							-			
HUMAN	à		(Dagrate (Dagrate Capthyrade)	COLYMEN MEL/I	pH	8 O.D. =42 /l	C 0 0 ■q/l	1-HoUR	34-HOUR mg/l	AMMONIA- HITROGEN mg/l	GEORGE PS/I	ALKALDETY ===/1	HARDHIME mg/l	COLOR	TUBBLETTY (reads made)	PLEFATES mg/l	PHOSPHATES mg/l	ma/j preprint preprin	PAZ 100 MA
10	2	50	_	_	7.9	-	13.7	2,4	10.8	2.6	27	105	139	15	455	42		221	1500
10	9	50	_	-	B . O	-	10.0	2.0	9.4	3.2	25	101	133	15	268	40		218	500
10	16	54	_	-{	7.9	_	4.5	1.7	7.1	3,0	22	108	139	15	170	45	1	216	500
10	23	58	-	-	7.7	-	5.4	2.4	8,6	3.6	23	115	147	15	150	45	,	233	3200
10	30	54	_	-	7.9	-	4.8	2.0	6.4	3.2	23	124	155	15	54	56		247	330
11	6	58	-	-	B. 6	-	4 • 7	2.3	4.7	2.2	26	130	168	15	52	57	!	266	1600
11	13	34	-	-	8.2	- -	*•1	2.6	4.7	1.6	29	135	173	15	34	57		276	
11	20	50	-	-	0 · Z	1:4	4.0	2.6	5.1	1.6	29	146	184	15	44	66		303	310
11	26	50	_	-	8.0 8.1	1.4		2.6	5.5	1.6	32	145	184	15	34	6.5		306	
12	4 8	54	_	_	••1	1 1 /	12.6	3.6	11.1	1.6	23	111	139	15	132	5 9		236	1100
12 12	11	58	_	_	B.1	1.6	12.4	3.3	12.2	1.6	28	109	157	15	197	- 57		246	1100
12	18	5-8	_	_	8.8	2.3	11.d	3.0	10.9	1.4	30		149	15	107	49		232	_
12	29	5.0	_	_	B.7	2.1	8.1	3.6	9.0	3.2	32		173	15	36	66		281	
î	2	59	_	_	8,5	2.5	11.9		9.1	3.4	32		168	15	3.5	55		270	_
î	9	59	_	l _l	8.4	2.4	10.5	4.0	10.2	3.2	35		187	15	38	46		288	400
ī	15	59	-	_	8.0	2.3	1.3	3.5	9.6	3.2	28		184	15	52	4.5		268	180
ī	22	59	-	_	8.0	_	13.0	5.5	11.3	3.6	34		176	15	91	56		267	230
ī	29	59	_	-	7.9	2.5	17.0	5.4	14.1	3.4	30	113	153	15	248	48		242	300
2	5	59	_	-	7.8	3.0	34 . 4	6.2	18.7	.8	22		107	15	535	36		170	_
2	12	59	-	-	8,6	1.7	26.9	3.8	15.4	1.6	17		107	15	620	37		174	490
2	19	59	4.5) -)	8,4	3.6	16.4	4.2	16.6	2.3	17	75	109	15	363	34	1	166	700
2	26	59	7.8	9.0	8,0	2.2	32.1	2.3	8.6	1.8	18	79	115	15	465	38	Ì	179	4100
3	5	59	-	9.2	7.6	2 4	21.4	2.1	6.7	2.8	17	75	107	15	535	36	1	167	3600
3	13	39	-	9.0	7.7	1.7	16.9	2.4	7.1	2.4	19	78	112	15	230	36		176	400
3	19	59	7.6	8.7	7.7	1.5	18.5	1.7	5.2	3.2	21		124		250	42		199	360
3	26	59	-	8.4	8.1	1.4	26.6	2.0		1.6	19		130		250	42		205	-
4	2	59	-	8 • 1	8.0	. B	17.0	2.2	4.6	1.0	22	93	130	15	215	46	1	213	-
4	6	59	-		_ -	-	-	-	-		-	1		-	1	-	1	_	44
4	9	59	.0	7.3	7.5	1.2	22.7	1.8		1.2	18		132	1	1	43	1	207	-
4	13	59				_		-	-	1	-	1			1	_	1		800
4	16	59	7.5	7,0	7.7	• 5	30.3				16					4.2		200	-
•	23	59	7.0	7.2	7.9	• 8	22.5				26					4.5	1	224	66
4	30	59	5.0	7.4	8.3	. 6	17.8	_		5	26		138			44		217	1000
5	7	59	14,0	6.9	7.0	. 4	18.6		3.9							43	1	201	670
5	14	59	16.0	6.2	7.8	•7	23.6	_			18					44	1	217	140D 1200
5	21	55	14.0	6.2	7.9	1.6	14.0	1.3	4.6	1.0	1	1	154	15	130	54	'	245	2900
5	25	59	14 0		7.9		29.4	1 .	'	1.0	26	1	154	15	395	55		241	2,700
,	28	59	16.0	5.9		• •	27.4	. 5	2.2	1.0	4	111	1 24		377				<u></u>

STATE

LOUISIANA

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

EUE BASIN

LOWER MISSISSIPPI-NATCHEZ TO GULF

STATION LOCATION MISSISSIPPI RIVER AT

NEW ORLEANS. LOUISIANA

	DATE		7842					CHOSE	DEMAND	AMAMONIA								TOTAL	
номин	à	3	Degram Castlyreid	02/19-EH	p#	≅ 0.0 =q/1	= 4/1	1-HOUR mg/l	34-HOU3 mg/l	NETROBEN Mg/I	chineria mg/l	=E/I	HARDNESS mg/l	toros	TURNETY	mg/l	PHOSPHATES	DISSIOLVED SOLIDS mg/l	per 100 mi
•	1 4	59 59	-	-	7.8	•6	29.6	1.0	1.7	1.6	25	107	143	15	495	51		238	1200
	12 15	59 59	16.0	5.7	7.7	• 5	28.3		2.3	1.2	24	104	141	15	555	45		227	1500
6	18 25	59 59	28.0	5 · 4 5 · 3	8.2	.5	39.4 35.5	. 1	2.1	1.6 1.0	22 23	111 104	149 141	15 15	700 395	49		244 226	-
7	2	59 59	29.0	5.5	7.7	•0	21.	1.0	2.5	1.2	22	112	149	15	200	39		230	1300
7 7 7	9 16 23	59 59	28.0 29.0 29.0	5.5 6.2 5.7	8.6 8.1 7.9	. B 1. 2	14.6 17.4 13.7	1.0 1.6 1.0	2.5 2.9 2.6	1.6 1.6 1.8	25 34 29	135 191 138	170 149 155	15 15 15	73 90 60	43 53 57		253 245 288	250 - 330
7 B	30 8	59 59	29.0 28.0	5.6	8 . 1 7 . 8	14	25.0 24.0	1.2	2.0	1.6 1.2	27 23	124 104	141 115	15 15	320 475	47 34		255 199	1100 1800
8	20	59 59	31.0 30.0	5.0 5.4	7.7 8.1	•1	21.0 19.4	. B	1 • 7 1 • 4	1.6 1.8	25 27	104 119	115 141	15 15	230 195	3 B 5 5		207 269	470 320
8 9 9		59 59	28.0 26.0 28.0	6.1 5.5 5.4	8 • 2 8 • 1 7 • 9	• 3 • 4 • 7	12.3 18.3	• 2 • 8	2.1	1.0	29 27	121	141 131	15 15	93 150	59 44		261 236	330 360
9	17	59	29.0	6.7	B . 1 B . 0	.7	9.6 6.8 8.8	.6 .9 1.0	1.7 2.5 3.2	1.2 1.8 1.8	33 28 34	110 122 126	128 136 152	15 15 15	90 53 50	48 55 56		243 272 281	960 1100 530
-	-					• •				1.5		120	132	1		ا و د		201	330
	I																		
	1																		

STATE

MISSISSIPPI

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUS BASIN

LOWER MISSISSIPPI-YAZOO RIVERS

STATION LOCATION MISSISSIPPI RIVER AT

VICKSBURG, MISSISSIPPI

	DATI		TEMP	PERFOLVED				CHORNE	DESCRIPTION				_	_					
1	Ä	AT VA	(Degrees Configurate)	COLLEGE COLLEGE MET()	Heq	10 b ====/1	E.O.D. ■■/1	1-HOLE	24-HOUS	AMMONIA- HITEOGEN Hel/I	CHLORIDES mg/l	ALEALIMITY mg/l	HARDNESS mg/l	(resp espr)	TUBBLETY (color seds)	MUATE My/I	PHOSPHATES mg/l	POTAL PURPOLIVED SOLIDS POLIDS	per 100 mL
10	•	58	28.1	5.8	6.6	1.1	12.1	2.7	7.9	.4	17	81	80	_	240	34		142	
10	20	58	24,8	7.6	7.6		23.0	.7	8.7	.6	19	116	168	_	168	60		270	_
10	27	58	22.9	7.8	7.3	1.6	22.1	2.1	10.6	. 6	22	122	172	l -	240	60		291	_
11	3	58	18,1	8.4	7.8	1.6	19.4	1.4	7.4	, 5	14	81	112	_	190	62		321	1#
	10	58	15.0	9,0	5.2	1.7	18.1	1.6	7.4	. 6	23	132	172	-	110	63	1	295	-
	17	38	16.9	8.B	7.4	1.6	12.0	. 9	6.2	.6	23	136	184	_	105	64	1	326	-
	24	56	16.0	9.1	7.4	1.0	12.8	1.1	6,8	.6	22	139	179	-	220	54	ì	281	-
12	1	58	10.8	9.6	7.4	1.9	18.1	. 7	6,4	. 4	23	141	175	-	250	56		290	-
12	8	28	8.0	9.5	7.5	1.7	21.4	1.1	6.8	• 4	23	137	171	-	_	52		ZEQ	-
	15	36	3,6	11.6	7.5	1.4	19.9	- 4	6.1	- 4	23	134	165	-	125	5.5	l i	254	-
1	29	58	5.0	11.1	7.1	1.4	20.1	. 5	5.8	. 6	22	136	161	-	120	53) 1	310	
1	5	59	3,8	11.7	7.3	1.2	15.1	1.7	7.1	4	16	136	178	-	95	48		162	B 40
- 1	13	39	4.5	11.1	7.3	1.4	13.5	1.5	6.9	4.4	22	132	174	-	120	54		184	-
	20	59	6.0	10.4	7.3	1.5	14.6	1.6	6,9	• •	22	135	163	-	140	55		201	-
- 1	Z6	59	6.0	10.4	7.3	1.5	14.3	1.1	7.0	• 4	22	138	161	-	240	60		215	-
3	. 9	59	8.0	9.4	7.2	3.2	22.1	1.1	6.4	-6	12	82	82	-	340	37		211	-
3	16	59	8.5	9.1	7.4	3,4	8.4	1.5	6.6	. 8	14	77	84	_	325	41		215	_
	23	59	8.8	8.9	7.3	3.2	4.6	1.2	5.8	• 7	18	82	91	_	310	39		220	_
3	30	59	8.8	8.6	7.4 7.4	2.8	3.4	1.4	5.8	. B	22		90		275	40		190	_
•	6	59	14.2	7.8		1.6	4.4	1.4	6.1	1.6	21	79	95	-	290	3.8		205	_
	13 20	59	15.5 17.2	7.8	7.2	1.5	3.1	. 9	4.9	. 8	22	81	84	_	350 205	35 27	Í	215 210	_
		27		7.4	7.4		1	5	3.9	.6	22	84	86	1		27		185	_
•	27	59	18,6	7.4	7.3	1.6	3.3	1.2	4.4	.6	22	82	94	_	150 240	41	}	227	_
2	4	59	20.0	1	1	1.8		. 9	3.8	.8	22	06			1				
	11	59	22.5	7.2	7.4	1.4	4 . 2	1.1	3.7	. 5	22	84	102	-	250	52		221	96
	18	39	23.1	7.1	7.4	1.2	4 - 1	1.1	3.9	• B	22	86	100	-	280	45		215	1200
- 1	25	59	25.0	5.8	7.4	1.2	3.9	. 9	3 · B		2.2	92	98	-	300	49 53		220 215	1200
6	1	59		6.7	7.4	1.2	3.5	1,2	4.1	. 5	22		151 150	1	280	52	İ	205	37000
6	15	1 - 1		4.6 3.8	7.4	1.1	3.8	1.4		. 5	22		145		280	51		195	35000
6	22	59 59		4.4	7.3	1.2	6.2		3.1	.6	17	1	141	-	270	44		190	7,000
	29	59		5.2	7.4	1.4	6.1		3.4	. 8	17	91	134		250	3 8	I.	188	_
7	6	59		6.2	7.4	1.4	8.2	1.2			21	91	135	1	240	35		210	11000
' 1	13	59		6.8	7.3	1.1	9.8	1.2		.8	21	1 -	132		270	39		205	1000
	20	59		6.6	7.4	1.4	12.2	1.1	4.0	3	16		124		280	44		214	11000
	27	59		6 . B	7.2	1 • 7	12.4	1.1	4.2	.3	15		105		240	36		215	60000
6	3	59		6.8	7.2		14.6	-		5	21		94		210	34	1	195	
8	10	59		6.8	7.4	1.1	9.9	1.1	4.0	1		_	104	1	240	41		208	_
-	17	39	_	6.8	7.3	1.6	12.4			6	1			1	240	3 0		105	_
6	1 /	724	30.4	1 0.8	1 - 3	1.0	12.4	1	∍. ♣	• •	1 21	100	129	' -	240	1		1	

ATAC DIRAG YTLLAUD SETAW

STATE

MISSISSIPPI

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER MISSISSIPPI-YAZOO RIVERS

STATION LOCATION MISSISSIPPI RIVER AT

VICKSBURG, MISSISSIPPI

	DATT		TENT	PETROLVEO		<u> </u>		OLOGIA	DENLAND	AMMONEA								TOTAL	
HE ACK	¥	TEAB	Property Confidence	CXXYSQH mg/l	144	B.Q D. ==p/1	c.0.3	1-HOUR ===/1	34-HOUZ mg/l	HETROGEN =g/1	GROEDS	AUXALIMITY	HARDNESS Ag/I	COLOR	TURNZOTTY (acada malfe)	SAFATES -3/I	PHOSPHATES	POLIDS mg/l	Per 100 mi
8 8 9 9	24 31 8 14 21 28	59 59 59 59	29.4 29.8 29.4 28.8	6.6 6.4 6.4 6.6 6.8 6.8	7.3 7.4 7.5 7.3	1.7 1.1 1.5 2.1	11.2 11.2 12.5 14.1 14.8 13.2	1.1 .6 1.4 1.3	3.9 4.1 3.2 3.7 .6 1.0	. 6 . 8		94 95 94 94	124 123		210 205 249 245 220 250	36 41 39 41 48 50		210 188 216 194 210 205	

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ARKAMSAS

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BABIN

LOWER MISSISSIPPI-CAIRO TO HELENA

STATION LOCATION MISSISSIPPI RIVER AT

WEST MEMPHIS, ARKANSAS

	DATI		TIMAP	DEMOLVED				CHLORDE	DEMAND										
- Hardin	Þ.	Ž	(Degram Castlyrado)	03 (Yelle) 	_p H	■ 0 D ■ 3 /I	COD /I	1- HOUS	z4-HOUR mg/l	MAMONEA- PETEROGEN mg/l	CLOSOL mg/l	ALKALIMITY mg/l	HARDHESS mg/l	COLOR	TURNSDITY (seels entire)	WUATES	PHOSPHATES	HOFAL DISSOLVED SOLIDS HIS/I	COLFORNS per 190 ml.
10	6	58	20.1	7.7	7.8	•6		1.1	3.2	•2	14	108	154		260	39		302	28000
10	13	58	21.0	7.3	7.8	.7	11.2	1.4	9.7	.2	12	110	164	7	190	41		242	54000
10	20	50	19.2	7.7	7.8	• 5	8.0	1.3	3.5	.1	13	104	172	7	210	50	l i	270	20000
10	27	58	17.3	8.0	7.9	1.5	15.4	1.6	2.4	.3	15	116	176	10	145	63		204	17000
11	3	56	15.2	9.1	7.7	1 • 1	1	1.5	2.4	• 3	17	114	172	3	20	53]	274	20000
11	10	58	13.5	9.6	7.6	1.6	13.3	1.3	4.3	• 3	17	112	174	10	140	66	l i	304	2400
11	17	58	17.0	9.1	7.6 7.5	1.1	11.5	1.4	5.8	•2	21	132	190	7	100	81	1	2 98	9000
11	24	58 58	14.1 9.2	9.4	7.5	1•5 2•1	16.5	1.6	5.3	• 2	19	104	160	15	200	34	! !	246	7000
12	1	58	7.8	10.2	7.5	1.5	12.7	1 - 2	5.4	• 2	20	104	154	20	320	41	[218	11000
12	15	58	3.2	11.5	7.5	1.5	12.6	1.1	5.7	•1	22	102	166	15	75	47	l !	262	3700
12	22	58	4.0	12.5	7.5	1.0	12.7	1.3	5.4	•1	24	98	176	15	50	59	1	295	
12	29	58	4.4	12.4	7.5	1.0	12.7	. 6	3.1	•1	20	122	172	15	70	31		272	-
1	5	59	2.2	12.8	7.6	_	12.8	1.7	-	.2	19	122	172	10	25	39	}	260	
1	12	59	2.4	12.9	7.5	. 5	11.8	•6	3.5	•1	21 20	122 100	174	7	20	44	\	246	360
1	19	59	3.9	12.6	7.5	1.4	14.1	.3	1.4	.3	17	94	164	25	50	60 5 8		264	940
1	26	59	4.1	11.8	7.4	1.5	19.7	.3	.9	.1	19	76	142 128	17	120 700	36	j '	226 198	10000 5400
2	2	59	3.9	11.9	7.5	1.0	18.5	. 6	2.1	.2	10	60	102	20	550	36)	172	1200
2	9	59	4.8	10.6	7.3	. 9	16.3	. 9	4.5	.3	11	5 Z	102	20	230	31)	200	2100
Ž	16	59	5.5	10.3	7.5	1.5	23.3	. 4	1.0	.4	13	90	144	15	550	45) i	230	1300
2	23	59	6.1	10.5	7.5	-	37.5		_	Z.6	10	56	102	12	410	34)	178	510
3	2	59	6.2	10.4	7.5	. 8	20.9	. 3	.6	1.9	1	62	106	17	230	26]	158	420
3	9	59	7.6	9.7	7.5	1.2	27.4	. 3	. 6	3.6	6	_	130	17	230	37		206	
3	16	59	7,8	10.8	7.5	2.6	26.2	• 1	. 5	3.9	12	82	141	17	275	41	(196	
3	23	59	8.4	10.4	7.5	1.8	25.4	. 0	. 5	3.6	11	90	144	17	160	40	(226	420
3	30	59	10.6	9.4	7.5	2 • 3	30 . 6	. 3	. 5	4.2	11	98	148	18	330	34		214	840
4	6	59	13.4	8.5	7.4	2.7	35.4	• Z	. В	2.8	11	100	146	17	500	40		27B	3500
4	13	59	12.8	8.2	7.4	2.0	27.7	. 9	1.4	1.6	10	90	137	14	350	39	!	222	220
4	20	59	14.9	8.4	7.4	1.4	30 . 3	. 6	. B	2.5	10	76	138	12	230	43		212	720
4	27	59	15.5	8 . 4	7.5	1.2	25.5	- 8	1.1	1.0	10	62	130	10	170	39	1	196	450
5	4	59	19.1	7.5	7.5	1.3	26.7	- 4	. 7	. 9	10	98	140	14	370	42		220	1400
5	11	59	20.6	7.0	7.6	. 7	22.5	- 4	. 7	-1	10	78	13B	12	200	47		260	46 D
5	1 B	59	21.1	7.1	7.5	2.1	28.7	. 4	1.5	• 6	12	91	155	13	500	46		264	1900
5	25	59	22.2	6 . B	7.5	1.3	22.0	. 6	. 8	.9	10	8.5	150	16	380	39		250	1100
6	1	59	23 5	5.7	7.5	• 7	50.6	. 5	. 7	.6	11	83	142	13	655	35		2 2 8	56000
6	В	59	25.1	5.9	7.7	1 • 1	38.0	. 6	. 8	. 9	11	90	154	17	850	41	j i	2.42	13000
6	15	59	25.2	6.3	7.0	1.0	46.7	. 4	. 6	1.0	12		144	17	950	36		220	23000
6	22	59	26.7	6.3	7.8	2 • 2	23.6	. 5	. 8	1.7	11	114	159	13	360	41		270	42000
5	29	59	28.0	6.5	7.8	1.0	12.5	. 5	1.5	. 3	14	118	158	15	240	49		182	12000

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ARKANSAS

MILLAE FOLAM

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER MISSISSIPPI-CAIRO TO HELENA

STATION LOCATION MISSISSIPPI RIVER AT

WEST MEMPHIS ARKANSAS

	DATE							CHLORNE	MILLAND	AMMONEA							PHOSPHATES	TOTAL	Con Change
HUNON	ž	# T	TIMP Progress Configurado)	mg/I	paH.	E.O D /I	 -/1	1-HOLFE mg/l	24-HOUR mg/l	MITSOURH mg/l		ALKALINITY PMI/I	HARDNESS Hg/l	coros	TUBBLISHY (Seek make)	RULIATES mg/l	mg/I	SOLIM SOLIM MILEOLVED	PER 100 EL
7 7 7 7 8 8 8 8 9 9	6 13 20 27 3 10 17 24 31 8 14 21	59 59 59 59 59 59	28.0 27.8 28.1 27.0 30.0 28.6 27.1 28.8 29.1 24.3 24.3	6.5 6.0 5.9 6.5 5.5 5.6 6.5 7.0 7.1 6.7	7.9 7.9 8.0 8.0 7.8 7.9 7.9	1.1 .9 2.4 .9 .8 .7 .6 .8 .5	16.0 37.2 63.2 18.5 20.0 13.0 13.6	1.3 1.1 1.7 1.6 1.6 1.3 1.0	3.0 2.3 3.6 3.6 2.9 2.6 3.5 4.1 3.4 2.9 2.9	1.3 1.4 2.5 1.3 1.3 1.3 1.3 1.1	16 13 10 10 14 26 16 13 11 14 14 14	72 74 62 103 93 104 108 100 110 116 130	166 164 141 138 145 166 144 124 148 158 156 178	13 16 13 16 13 14 12 13 13 12 10	120 850 1200 650 155 120 600 420 170 110 180 70	54 81 37 47 49 54 53 54 62 44		270 256 230 256 246 286 212 260 254 264 306	39000 19000 9280 8080 39000 27080 19000 23886 36000 24080
	ļ							j											

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MI 5 SOUR I

MAJOR BASIN

STATE

UPPER MISSISSIPPI RIVER

SUB BASIN

MISSISSIPPI-CAPE GIRARDEAU AREA

STATION LOCATION MISSISSIPPI RIVER AT

CAPE GIRARDEAU, MISSOURI

	DATI		TW	DUBIOLVED				OLONO	PELLIED										
E) Ad	TEAB	(Dugress Consignate)	DELYGON mg/l	1	■ 0 Å ■■_/	co ,/i	1-Hous	24-HOUT	ARMONIA- HTROSEH mg/l	CHOURS ==/I	ALEALDHITY	HAEDHIRES mg/l	COLOR (reals reals)	TURNINGTY read-a scaling	RUATES	PHOGRATES mg/l	HOLIDS HOLIDS HOLIDS	COLLYCIALS per 100 ml.
10	6	58	19.0	_	7.7	_	80.0			_		112	200	_	500	_		-	
10	13	58	19.0	-	7.5	-	-	-	-	_	15	124	228	_	220	-		_	_
10	20	5.8	19.0		7.7	-	-	-	-	-	14	124	210	-	340	_		-	_
10	27	58	17.0	-	7.9	-	-	-	-	-	16	104	230	-	140	-		-	_
11	. 3	58	14.5	-	7.9	-		-	-	-	18	140	250	15	140	134		284	-
11	10	58 58	12.0	-	7.9	-	27.0	-	-	-	25	166	220	-	140	-		_	-
11 11	17 24	58	13.0 13.0	_	7.7 7.7	-	1 7	-	-	-	25	74	194	20	220	84	ĺ	216	-
12	1	58	7.0] [7.9	_	1]	_	_	-	25	136	170		460	64	'	256	-
12	i	58	5.5	-	7.7	_	18.9	_	_	_	20	136	168	-	300	-		-	-
12	15	58	3.0	_	7.7	_	```]	_	_	_	25 29	122	212	_	140	-)	-	-
12	22	56	4.0	_	7.7	_		_	_	_	25	186 182	220 224	-	120 120	-		_	
12	29	58	5.0	_	7.7	-	_	_	_	_	31	202	244	15	65	142	ì	346	_
ī	5	59	3.0	-	7.7	_	4	_	_	_	29		230		120	174		345	_
ī	12	59	3.0	-	7.7	_	19.1	_	_	_	30		228	_	120	_		_ 1	_
ī	19	59	2.5	-	7.7	_	```-	-	-	_	30		224	_	120	_		_	_
1	26	99	3.0	-	7.7	-	-	_	_	-	32		226	-	120	_	'	_	_
2	2	59	3.0	-	7.7	-	-	-	-	-	22	148	178	_	120	_		_	_
2	9	59	3.0	-	7.7	-	44.2	-	-	-	27	116	170	-	140	-		-	-
2	16	59	3.0		7.5	-	1 -	_	_	_	22	90	136	22	860	92		260	_
2	24	59	4.0) -	7.7	-	1 -	-	-	-	15	96	140	-	420	_	'	_	-
3	2	59	7.0	-	7.5	-	1 -	-	-	-	17	78	142	_	220	-		-	-
3	9	59	6.0	-	7.5	-	41.0	-	-	-	19	86	126	-	260	_		- 1	-
3	16	59	6.0	_	7.5	-	∤ −	-	-	-	15	92	124	-	260	-		1	_
3	22	59	8.0	-	7.7	-	1 1	-	-	-	16	120	170	-	300	-		-	-
3		59	9.0	-	7.5	-	1	-	-	-	15	120	160	-	460	-		-	-
4	6	59	10.0	-	7.7	-	1 1	-	_	i -	15	110	170	1	540	-		-	_
•	13	59	10.5	-	7.5	-	1 7	-	-	-	14	94	152	-	380	-		-	_
4	20	59	14.0	-	7.7	-	1 7	-	_	-	15	120	180		220	-		-	-
5	27	59 59	15.0 15.0	_	7.7 7.7	_	1 7	_	_	_	15	122	178		540	-		-	-
3	11	59	21.0] -	7.7	_	40.7		_	_	17 20	132 132	178 186		260 300	_	l i		-
, , , , , , , , , , , , , , , , , , ,	18	59	19.0	l I	7.7	_	<u>[</u> "יי"		_	_	16	130	170	1	1080	_		_	_
5	25	59	22.0] [7.7	_		_	_] [15	110	186		540	_]		_
6	1	59	23.0	_	7.7	_		_	_	_	15	126	166	1	760	_		_	_
6	8	59	23.5] _	7.7	_	93.0	_	_	_	13	108	142		1720	_]	_	_
6	15	59	25.0	_	7.8	_		_	_	_	17	134	172		640	_		-	_
6	22	59	26.5	` - `	7.7	_		_	_	-	21	154	188		220	_	1	_	_
6	29	39	28.0	_	7.0	_	1 4	_	_	_	28		206	1	220	_		_	_
-		اتتا	20				1 1	_	1	ì	•	1	1	1		i		1	

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MISSOURI

MAJOR BABIN

UPPER MISSISSIPPI RIVER

SUB BASIN

MISSISSIPPI-CAPE GIRARDEAU AREA

STATION LOCATION MISSISSIPPI RIVER AT

CAPE GIRARDEAU, MISSOURI

DA1								CHLORN	DEMAND	-AMMONNA-								TOTAL	
The A	_	┦╷	TRAV Degram adgradal	DISSOLVED CATTERN ME/I	På4	1.O.D. ■1/1	/I	1-HOUZ mg/l	24-HOUE	MITROSEN mg/l	CHOEDE	ALKALDGITY	HARDNESS mg/l	CoLot		BULATE By/I	mosphatel mg/l	DISTRICTION SOURS mg/l	per 100 ml
7 (7 11 7 20 7 21 8 11 8 12 8 31 9 14 9 21	7 3 3 5 7 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	19	27.0 26.0 27.5 28.5 27.0 29.0 29.0 29.0 23.0 23.0		7.9 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7		72.9 - 36.8	- - -			19 18 16 20 24 19 15 24 21 20 24 18		162 152 180 200 200 188 126 170 186 192 200 184	-	340 1260 500 380 180 300 220 340 220 140 260				

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ILLINOIS

MAJOR BASIN

UPPER MISSISSIPPI RIVER

SUB BASIN

MISSISSIPPI RIVER-ST. LOUIS AREA

STATION LOCATION MISSISSIPPI RIVER AT

EAST ST. LOUIS, ILLINOIS

_	DATE		TRACE	DESCUVED				CHOINE	DENAMO										
HUMON	à	¥154	(Degree Configurate)	CONTYNUENT Mg/I	paří	8.0 B ■g_/l	con ■/1	1-HOUR mg/l	34-Houle mg/l	AMMONIA. HITROGEN mg/l	GLOSDE	AUKALBETT mg/l	HARDNESS mg/l	COLOR (main mile)	TORRESTITY (Seeds arrival)	SAMATES =y/I	PHOSPHATES:	TOTAL DISSOLVED SOLIDS mg/l	COLIFORMS per 100 mL
10	6	58	18.5	_	7.9	•	_	3.8	10.3	_	15	150	178	32	140	60		274	5800
10	13	58	18.0	-	7.8	_	∤ ⊢	3.2	10.4	1.9	15	136	166	29	250	50		267	5000
10	20	58	18.0	-	7.8	-	19.3	3.8	13.0	2.4	19	156	192	27	115	70	l	287	11000
10	27	5-6	15.5	-	7.5	-	1 -	3.8	8.7	2.5	18	162	192	30	75	65	<u> </u>	267	4300
11	3	58	13,6	-	7.0	-	1 -	4-1	10.8	2.3	18	158	175	30	70	65	1	274	13300
11	10	36	12.0	-	7.8	-	1 -	4.2	9.4	4.2	17	158	184	33	100	68	1 1	234	19300
11	17	58	13.1	-	8.0	-	18.6	3.9	10.3	2.9	18	158	182	34	140	65		267	68000
11	24	56	12.0	-	7.7	-	1 4	3.5	11.2	3.7	15	140	166	43	150	60		233	-
12	1	55	6.0	-	7.0	-	1 1	4.7	11.9	4.7	17	146	192	60	60	66	l 1	270	5300
12	•	58	3.5	-	7.7	-	-	3.0	9.6	6.0	15	164	192	50	4 D	68	9 1	262	7800
12	15	50	1.0	j -i	7.9	-	21.7	5.4	12.6	5.0	18	146	200	30	50	70	1	243	_
12	2.2	56	1.0	- 1	B.O	-	1 -	5.8	12.9	6.7	17	164	200	35	50	72	}	233	-
12	29	58	1.7		8.3		1 4	5.5	12.6	6.1	18	182	218	30	60	65	! !	276	_
1	5	59	8	10.6	8.2	1.9	1 1	9.2	13.0	8.0	20	174	208	35	50	58		276	3800
1	12	59	1.5	12.5	8.0	4.5	23.9	7.1	14.1	B.0	19	174	200	35	47	55]	250	6500
1	19	57	.6	10.8	7.8	2 4	1 1	9.1	14.7	10.5	28	194	224	33	55	67		343	5100
1	26	59	. 5	13.2	7.6	4.5	1 7	10.1	14.8	10.2	19	172	196	37	45	50		281	7000
2	2	59	. 3	12.6	7.5	_ -	1 1	10.8	15.0	11.4	24	162	185	33	25	55		298	5100
Z	9	59	1.8	12.5	7.4	3.1	1 . 5	9.4	16.6	10.0	22	158	184	34	35	51	l	256	2200
2	16	59		11.1	7.3	7 . B	39.7	9.0	15.9	9.7	11	82	96	35	450	33]]	131	7800
2	24	59	1.0	9.7	7.5	7.7	-	13.2	16.4	13.0	16	106	128	40	225	44	1	196	7400
3	2	59	2.5	8.3	7.2	5.5	1 7	14.2	16.9	10.0	15	104	132	38	200	41		199	15000
3	9	59	3.2	9 . 2	7.5	6.5	26.4	14.5	17.1	13.0	16	118	140		225	50		212	5800
3	16	59	4.2	10.1	7.6	4,4	1 7	12.2	16.0	12.0	17	130	164	35	200	53		250	2300
3	23	59	4.3	10.8	7.6	5.0	1 7	11.2	17.0	10.5	15	140	184	35	275	59]]	260	4500
3	30	59	7.1	7.3	7.6	4.9	-	11.3	16.8	9.9	15	128	160	30	550	48		225	
4	. 6	59	9.3	6.0	7 . 3	3.7	1 1	10.3	16.4	9.4	15	124	164	30	520	46		226	5100
4	13	59	9.1	7.6	7.4	2.5	38.7	5.2	12.2	6.5	14	128	172	32	425	54	()	249	5900
•	20	59	12.2	B • 4	7.7	2.0	-	3.7	8.4	2.5	18	160	204	33	150	75	1	297	2000
•	27	59	13.5	7.5	7.6	2.0	1 7	2.7	9.5	2.7	18	148	198	28	150	71	1	269	2100
5	4	59	17.5	6.4	7.6	2.2	1 7 7	2.7	11.4	2.5	17	154	194	26	300	70	1	281	3000
2	11	59	24.5	-	7.6		26 • 3	2.4	14.4	2.5	17	136	186	34	1000	68	(267	9700
5	15	59	17.5	6.8	7.6	4.2	1 7	2.7	12.4	1.5	18	150	192	20	400	56		269	3300
5	25	59	20.2	5.5	7.5	2.5	7	2 • 4	13.0	1.6	15	140	184	30	800	53		241	8000
6	1	59	23.2	5.3	7.5	2.5	1 ,,]		16 -	1.5	16	140	200	30 28	650	ь7 57		225	2300
6	8	59 59	23.5		7 . 6 7 . 7	l .	32.3	2.8	16.3	1.4	14	146 160	168 192	29	500 225	56		233 240	5800 4800
_	15 22	59	24.5	6.6	7.7	1 • 8	1 7	2.2		1.2	13 17	176	204	27	110	70		314	
6	29	59	25.5 26.9	6.3	8.0	2.2		2.6	11.0	1.3	17	172	212	2 7		51		289	13000 2600
۰	27	77	20.9	•••	0.0	Z. U		2.0	11.2	1.4	1 12	1 1/2	212		65	21		209	L 2800

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ILLINOIS

MAJOR BASIN

UPPER MISSISSIPPI RIVER

SUB BASIN

MISSISSIPPI RIVER-ST. LOUIS AREA

STATION LOCATION MISSISSIPPI RIVER AT

EAST ST. LOUIS, ILLINOIS

Companied Comp		МП							CHLORNA	PENAND								TOTAL	
7 13 59 26.0 6.2 7.8 2.1 23.65 14 122 144 33 400 44 223 13000 7 20 59 26.5 6.0 7.7 2.85 13 148 174 23 100 46 242 21000 7 27 59 26.8 6.5 7.9 2.94 15 154 182 27 50 51 279 36000 8300 8 10 59 25.5 6.1 7.5 3.6 1.8 18 128 172 20 450 50 286 11000 8300 8300 83 24 59 25.5 6.4 7.8 3.5 - 2.4 9.2 1.5 14 98 128 172 20 450 48 198 8 24 59 25.5 6.4 7.8 3.5 - 2.4 8.2 1.2 15 130 156 25 160 48 250 14000 9 8 59 27.0 6.8 7.6 2.8 - 2.4 7.8 1.5 14 134 164 23 100 40 264 10000 9 14 59 23.2 7.0 7.7 2.6 - 2.4 7.8 1.5 14 132 164 23 100 46 25 125 42 254 24000			-	(Degree	DXYEEN	pH					HITTEOGRA			l				 DIMOLVED	
	7 7 7 7 8 8 8 8 9	6 13 20 27 3 10 17 24 31 8 14	59 59 59 59 59 59 59 59 59	26.0 26.5 26.8 33.5 25.5 26.3 25.5 28.1 27.0 23.2 21.4	6.2 6.0 6.5 6.2 6.1 5.7 6.4 6.5 6.8 7.0	7.8 7.7 7.9 7.9 7.5 7.8 7.4 7.6 7.7	2.1 2.8 2.9 3.0 3.6 3.2 3.5 2.8 2.6 1.8	23.6	Z:4 2:4 2:4 2:4 2:4	9.2 7.2 7.8 5.4	.5 .4 3.5 1.8 1.0 1.2 1.5 1.5	14 13 15 22 18 14 15 17 14 14	122 148 154 150 128 90 130 148 134 132	144 174 182 208 172 128 156 176 164 164	23 27 23 20 24 25 25 23 22 25	400 100 50 35 450 500 160 90 88 125	44 46 51 54 50 48 48 40 44 44	223 242 279 300 286 198 250 264 250 264 254	36000 8300 11000 - 14000 10000 920 15000 24000

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

IOMA

MAJOR BABIN

UPPER MISSISSIPPI RIVER

SUP BASIN

MISSISSIPPI-DES MOINES-SKUNK RIVERS

STATION LOCATION MISSISSIPPI RIVER AT

BURLINGTON. IOWA

	DATI JAM		TEMP	DISTOLVED				GLOSS	PELAND	AMMONIA-								TOTAL	
н) A	MEAN	(Dagress Carifornia)	COCY WEEK	řě,	1.0.0 =4/1	. 90 /1	1.HOUR	24-HOUR mg/l	HETTEDOBN mg/l		ALEALBATTY mg/l	HANDHENS mg/l	COLOR		SULATES SI/I	PHOEPHATES mg/l	METAL SOUGH SOUGH METAL	per 100 ml.
10 10 11 11 11 12 12 12 12 11 11 12 12 12 13 14 5	6327 1072 15229 1229 1229 1229 1229 1231 1531	354 554 555 555 555 555 555 555 555 555	17.5 16.5 18.0 16.5 13.0 0.0 1.0 1.0 1.0 1.0		7.7 7.8 7.9 7.9 7.7 7.9 7.9 7.9 7.9 7.9		26.9	-		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 10 10 10 10 10 10 10 	124 128 130 128 134 138 142 148 156	162 152 158 164 156 170 158 160 1774 	65 70 65 60 70 70 70 65 65 65 65 65	42 30 27 26 79 21 17				930 6600 2500 1600 2200 7500 7300 3600 2100 2500 1800 1800 1900 100

STATE

IOWA

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

UPPER MISSISSIPPI RIVER

SUB BASIN

MISSISSIPPI-WAPSIPINICON & TRIB.

STATION LOCATION MISSISSIPPI RIVER AT

DUBUQUE, IOWA

DATE DAMALE TO						CHLORNE	DEMAND	AMMONIA								TOTAL	
	This Propress Configurately	mit/i CDCLAMPI DEFENOTARD	HA	8.0.D. ■¶/l	c o.b ■4/1	1-HOUR mg/l	34-HOUR	NETECONIN mg/l	mg/I	ALEALDHTY ===/1	HARDHAMS =g/I	posts milet	TURSIDITY (reads make)	EULIATES Eng/I	PHOSPHATES ==5/I	BOLIDI MOLIDI mg/l	per 100 mi
12	.8 .5 .6 .9 .9 .9 .8 .9 .9 .8 .9 1.0 2.4 8.2 2.2 18.8 15.0 2.7 .0 27.0 30.0 27.0 30.0 27.0	13.4 15.1 11.8 11.7 11.4 11.2 11.2 10.5 9.8 9.2 7.6 7.6 9.6 9.3 12.0 6.6 7.4 8.1 8.3 7.4 7.0 6.5 6.2 5.1 4.9 5.8 6.0	8.0 5.0 7.8 6.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8	6.8 4.8 6.7 2.9 4.7 4.7 4.7 4.7 4.7 4.7 4.7 4.7 4.7 4.7	10.8 10.7 9.7 9.7 7.2 6.8 6.1 6.8 8.6 6.1 12.0 28.7 8.0 6.1 12.0 28.7 14.0 12.1 4.1 4.9 5.0				-99985981902901979-0998895	116 122 128 134 134 148 148 140 138 142 142 145 90 77 88 93 98 95 115 118 118 122 120 117 110 98	142 146 152 148 146 154 154 155 154 157 155 905 116 121 122 124 129 118 111 114 110	100 75 75 75 75 75 75 75 75 75 75 75 75 75	25000000000000000000000000000000000000				25 4

ATAD DILAB YTLLAUD BETAW

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MINNESOTA

MAJOR BASIN

UPPER MISSISSIPPI RIVER

SUS BASIN

UPPER PORTION UPPER MISSISSIPPI

STATION LOCATION MISSISSIPPI RIVER LOCK DAM #3 BELOW

MINNEAPOLIS, MINNESOTA

	DATE		TEMP	DESIGNATION					DESERVED										
н	à	-4	(Dayress Caretyrada)	(3)(Yea)(pH	LO B. ■ //	COD ■ (1	1-HOUL	34-Hous mg/l	AMMONIA- INTROGEN Mg/I	CHLORIDES =0/1	ALEALENTY mg/l	HARDNESS mg/l	COLO8	TUBBLOTTY 	SUATE mg/l	PROSPHATES stg/1	TOTAL DIMBOLVED POLICE PRO/I	COUPOLAU per 100 mi
10	7	58	14.5	9.6	8.3	3.4	2B • 4	.5	11.9	2.4	9	136	147	35	25	12		200	1300
10	14	58	13.6	10.6	B • 2	4.2	26.7	. 5	11.7	2.7	8	136	144		3	14		194	6300
10	21	5	14.5	8.3	5.2	4.1	28 • 9	. 5	-	3.2	9	136	146	35	35	13		203	3500
10	28	58	10.7	9.0	7.8	3.0	25.7	• 3	14.3	6.6	8	131	148	30	20	17	f	213	4200
11	4	58	10.2	7.8	7.9	3.2	26.9	• •	13.9	5.5	8	140	150		30	5		204	14000
11	10	58	6.6 7.4	9.5	B.0 B.1	3.9 3.2	11.2	• 4	14.1	5.7	9	148	159		20	12		212	-
11	18	58 58	4.0	9.6 11.2	B.1	4.0	21.8 21.4	• 3	12.1	4.5	7	133	147		30	10		184	9000
11	25	- 1	• 2	13.2	8.1	3.7	1 1	-6	13.6	3.6	7	145	155		10	12		200	9000
12	2	58	• 1	9.9	7.9	5.0	24.1	• •	13.7	4.5	В	167	175		10	30		235	37000
12	9 15	50	• 1	9.1	7.9	3.6	23.1	- 4	16.2	9.7	10	172	184	20	9	24		257	6900
12	23	58	• 4	6.9	7.7	3.0	26.0	.4	12.7	9.3	9	170	188	25	7	19	!	247	-
12	30	5.5	7	6.7	7.6	2.9	21.6	.5	10.9	9.9	10	160	175		7	18		297	_
12	6	59	.3	7.0	7.7	5.1	25.4	.5	9.4	9.6 11.0	10	161	177		6	20	1	248	
1 1	13	59	.3	6.8	7.7	2.3	20.9	.3	12.3	11.0	11	184	199		7	17	1 !	275	5100
1	20	39	.3	6.5	7.6	3.1	24.5	.3	10.7	13.0	12	171 180	186 194		6 7	17 16	1 1	220 271	2200 6 700
i	27	59	.1	10.5	7.6	3.4	21.4	. 7	10.6	12.0	11	177	196		6	10	l	259	4100
2	3	59	• 2	5.0	7.5	2.9	21.4	. 3	10,5	12.4	111	177	192		7	14	1 1	258	8100
2	10	59	• 2	3.7	7.6	3.6	23 B	. 4	13.8	12.5	12	182	196		7	19]	261	42000
2	17	59	•1	3.2	7.5	3.9	18.9		18.0	9.0	14	182	197		6	17	}	277	25000
2	25	59	. 3	4.4	7.5	3.7	20.3	. 5	17.2	12.2	15	178	192			18	1	267	-
3	3	59	. 8	4.7	7.6	4.2	22.5	. 4	17.9	12.7	14	183	196		6	19		278	13000
3	11	59	1.3	5.7	7.7	3.2	22.7	. 3	17.7	15.0	10	175	190	1	4	19	(259	1600
3	17	59	1.2	9.9	7.8	4.9	20.7	. 3	14.0	9.9	10	169	181	_	1	12		249	11000
3	24	39	2.9	16.5	8.4	7.5	27.0		11.4	1.5	11	162	181	1	10	21	1	244	27000
3	31	59	4.0	19.9	8.8	7.5	27.1	1.4	_	.0		_	169		45	16		230	23000
4	7	59	6.5	16.0	8.7	8.0	29.2	1.3	10.0	.0		140	167	25	50	26		200	16700
4	14	59	7.3	18.3	8,8	7.1	27.9	2.5	9.7	.0	В	137	158	20	+0	26	1	198	18000
4	21	59	7.5	14.4	B.6	6.5	25.3	2.5	8.1	.0	7	133	154	25	40	21		199	21000
4	28	59	7.0	11.2	8.3	5.9	23.9	2.5	B.Q	.0	8	138	155	25	45	19		203	5300
5	5	59	15.9	7.9	8.0	3.6	19.1	1.1	10.1	4.5	8	134	152	25	95	21		184	4700
5	12	59	13.6	B . 2	8.2	4.0	24.0	.1	10.1	3.5	6		150		50	16		189	2900
5	19	59	16.3	8.8	8.4	5.0	28.8	2.7	8.2	.0	7	139	166	35	45	20		202	10000
5	26	59	18.3	7.4	7.9	4.2	19.3	1.7	-	4.0			156		55	22		232	12000
6	2	59	19.2	7.0	8.0	4.2	33.2	.5	13.6	4.1	7				70	22		203	24000
6	9	59	23.1	6.0	7.9	3.3	34.2	. 5	13.3	3.0					75	13		177	22000
6	16	59	22.2	B.5	8.2	4.5	38 · B	1.2	14.8	. 8	6				60	11		217	6000
6	23	59	21.8	8,3	8.2	4.2	-	2,6	-	3.8						-	[-	370-0
6	30	59	21.5	6.7	8.0	4.5	35.5	. 7	-	2.3	7	118	144	50	60	11		209	+800

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MINNESOTA

NIBAE ROLAM

UPPER MISSISSIPPI RIVER

BUD BASIN

UPPER PORTION UPPER MISSISSIPPI

STATION LOCATION MISSISSIPPI RIVER LOCK DAM #3 BELOW

MINNEAPOLIS, MINNESOTA

_	DATE							CALDERA	DEMAND	ANMONIA								TOTAL	
нимения	ă	3	TSMP Progress Configurated	DESTRUCTION DESTRUCTION	p+1	8.0.5 =q/l	=4 /1	1-HOUR mg/l	24-HOUR mg/l	NITEOGRA	mg/I	ALEALENTY ===/1	HAEDNESS ===/I	COLOR	TURNETTY [mails stable]	== /1	PHOSPHATES	BOLIDE BOLIDE HIJ/I	COLIFORMS
77778888899999	14 21 28 4 11 18 25 1 9	59 59 59 59 59 59	23.6 25.6 25.3 25.7 23.3 25.6 25.0 25.1 20.4	9.0 7.9 8.0 5.3 8.8 5.4 5.9 6.7 7.2 6.5	8.2 8.3 8.7 8.2 8.4 8.1 8.1 8.2 7.9	4.7 4.9 5.1 3.6 5.0 3.1 3.0 3.7 3.7 3.5	34.5 31.6 42.2 38.7 19.9 28.9 27.8 26.7 26.1 25.5	.7 2.4 3.0 2.6 4,4 1.3 .1 .0	12.8 12.9 12.8 13.7 13.8 13.4 13.5 11.5 11.5	2.3 1.0 .3 1.8 2.5 5.3 5.0 2.8 3.6 4.0	8 8 9 7 5 8 11 11 11 9 8 6	131 135 127 135 120 120 137 141	163 164 150 143 152 144 154 160 159 165 150	45 50 50 40 30 30 30 30 35	40 45 45 45 40 30 40 30	16		220 230 212 200 200 197 212 208 206 249 212 197	4800 2700 2100 1000 330 600 77 920 9000 *70 3100 2100 3200

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MISSOURI

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION HISSOURI RIVER HIS AT

ST.LOUIS, MISSOURI

	DATE		TRACE	DIMEGLAM				CHOINE	DEMAND										
HUMBA	ž	7	(Degrees Carrierate)	037788H mg/l	pěl	LOD, mg/l	C O D ■42/1	1-HOUR	24-HoLE mg/l	MINCHEL HTTEORN Mg/l	CELOSDE mg/l	ALKALBETY ==g/l	HANDNES mg/l	COLOR	TURNIDITY jamin makini	REFATE mg/l	PHOSPHATES Pg/1	HOTAL DISSOLVED SOLIDI SIZ/I	COLFORAD per 100 mi.
10	6	50	17.■	1.9	8.2	1.3	9.7	3.1	10.1	•0	24	157	210	19	400	130		420	6000
10	14	58	17.5	7.9	8.1	2.4	12.0	-	_	_	17	117	150	Ž.	1500	79		-	10000
10	20	54	16.7	8.5	8.4	1.6	9.8	-	-	-	23	160	210	16	380	157		_ `	6500
10	27	29	14.4	9.0	8.1	. 7	6.7	3.Z	7.4	.0	27	176	240	12	180	168		481	3400
11	3	50	15.0	10.2	8.1 8.1	1.2	6.9	-	-	-	27	178	233	12	200	167		_	7000
11	10	56	11.1	9.4	5.0	1.5	1 . 7	-	-	_	27	182	240	14	190	165		_	6200
11	17 24	56	15.0 13.3	9.0	7.9	2 · 2 3 · 0	7.6	-	-	-	27	185	236	16	300	126		-	33000
11 12	2	5.0	13.3	7.0	/ · · ·	7.0	''']	2.6	6.9	-0	13	99	121	40	1100	44			29000
12	9	5	_		_	_	1]	1.9	5.6	1.5	28 26	190 183	Z30	20	180	152		416	20000
12	16	58	_	_	_	_	1 4	3.6	6.2	2.0	32	201	228 250	15 12	120 120	87	l	377 392	2800 5700
12	22	58	2,8	12.3	B.0	2.3	4.3				31	256	310		102	100 105		392	3/00
12	Z9	58	5.0	12.3	8.1	4.1	7.	_	_	_	35	201	264	14	300	144		_	_
ī	5	59	, 1	13.6	8.0	4.6	5.3	_	-	l -	32	200	267	14	105	133		_	4400
ī	12	59	4.4	12.8	7.9	1.2	4.6	2.0	5.8	1.5	26	175	224	12	90	71		334	3000
ī	19	59	2,8	12.0	8.0	4.5	5.9	-	11.9	5.0	43		322	10	140	147]	566	2600
1	26	59	2.9	12.6	8.0	3.5	4.9	-	-	-	24		226	12	115	51	1		2200
2	2	59	4.4	12.9	5.1	3.9	5.0	_	-	_	25	156	200	16	125	99		_	8400
2	9	59	8.3	12.4	8.2	3.0	4.6		-	-	25	163	206	18	70	99		_	2000
2	16	59	3.3	12.9	8.0	4.7	14.0		-	-	19	115	156	26	350	64	ļ	-	5600
2	24	59	3.3	11.2	7.9	8 - 2	15.8		-	-	22	135	173	26	360	67	ĺ	_	5300
3	2	59	5.0	10.3	8.1	4.0	11.8	5.7	-	4.5	24	144	191	25	400	61		_	10000
3	9	59	6.3	10.6	7.9	4.5	21.5	8.0	13.8	3.5	32		134	36	1000	133		-	10000
3	16	59	6.7	10.5	B.O	2.7	11.7	-	_	-	16		170	15	350	68]	–	4400
3	23	59	8.9	10.1	7.9	2 • 2	12.2		8.0	•0	18		193	18	400	76	l	293	6900
3	30	59	11.6	8.0	8.0	4.5	26.1	7.9	16.5	2.0	20		192	_	3500	71		29 9	43000
4	. 6	59	13.9	9.5	8.0	3 - 3	22.5		_	-	19		160		1500	63	ì	-	10000
4	13	59	-		-			5.8	11.1	• 0	2 2		160		450	60	1	330	6800
•	20	59	12.2	9.0	8.1	1.6	9.5	_	-	• 2	22		208	16	380	99		342	4400
4 5	4	59	16.7 21.7	8.0 7.5	8.0 8.1	2.0	18.7	_	-	.2	16		170 204	-	1250	92 113	l .	274 336	1700
5	11	59	18.8	6.1	8.1	1.4 2.8	34.4	_]	.2	23		167	18	3600	76		297	28000
5	18	59	18.3	6.5	B.0	2.9	49.1	_	-	:5	21		149	_		61		239	22000
5	25	59	19.4	7.0	B.0	2.9	15.3	_	_	. z	16		167	_		65		306	8000
6	1	59	23.9	6.4	8.0	1.5	13.6		_	.2	17		166	_		64		255	3400
6	B	59	24.4	6.3	8.0	1.2	14.2		_] .z	1 13		143			49		182	26000
6	15	59	23.9	7.0	8.2	7.7	14.6		_	.2	21	1	200	1 -		84	.]	307	17000
6	22	59	26.5	7.0	8.1	В	15.6	_	_	.2	25		217			110		388	11000
6	29	59	25.0	6.9	B.3	-	12.2		_	. 2	30		235	_		129		408	2800
	L					L			<u> </u>		<u></u>								

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MISSOURI

MIBAS ROLAM

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER MB6 AT

ST.LOUIS, MISSOURI

_	DATE					_		CHOUNE	DESLAND									TOTAL	
нтион	à	ž	THEF Property Constitution	mit/1	p ål	L O.D = ••/1	 ,/1	1-HOLE mg/l	M-HOLE	AMMONIA- HETEORIEI ME/I	CLONDS	ALFALDSTY mg/l	HAETEN	colot	TURNETTY	■ /I	MOSTATES mg/l	DESECUTED SOLEDS mg/l	Per 100 mL
777788888888888888888888888888888888888	13 20 27 3 10 17 24 31 7 8 21	59 59 59 59 59 59 59	25.6 22.8 25.0 28.9 24.9 25.0 26.1 -26.7 20.0 22.2 22.2	6.3 4.9 6.5 6.9 6.4 5.6 6.9 7.3 9.0 7.5 8.4	8.3 5.2 5.0 8.1 8.3 8.3 8.3 8.3 8.3	1.3 1.5 1.0 .7 .8 1.6 1.1 1.2 .7 .8 1.6 .8	27.4 28.7 17.5 13.1 9.7 27.0 14.2 13.1 7.9 6.9 18.1 7.6			• 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	19 12 32 24 29 15 27 32 - 28 23 25	128 118 130 139 156 109 124 145 160 139 170 121 165	180 147 196 200 226 151 184 200 232 	24 15 16 12 25 14 16 17 20 15 24 15	4200 3200 950 650 4500 600 260 1100 2750 240	86 644 115 107 144 63 102 126 164 409 121 185 103 171		277 250 310 344 388 194 312 368 457 	11000 - 9209 6300 23000 13000 7880 4900 - 8800 19000

ATAG DIŁAG YTIJAUG RETAW

STATE

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

SUB BASIN

STATION LOCAT

KANSAS CITY, KANSAS

	DATE							CHLORA	PENAND]			Γ		
HUMON	ž	7.	TEMP (Degrees Configurate)	DESTRUCTION CONTROL CO	PH	L O D ■ /1	COD ==/1	1-MOUR	24-HOUSE ===_/I	AMMONIA- NITROGEN mg/l	CHLORDE mg/l	ALKALDETT ==2/1	HARDHEES mg/l	COLOR	TURNIDITY	ELMIE mj/l	PHOSPHATES mg/l	TOTAL DESCRIPTO SCALIDS mg/l	COLPOUNE per 100 ml
10	6	50	15.9	8.3	7.9	1.8	17.9	_	•	.3	16	166	233		250	187	_	474	26000
10	14	54	16.1	7.9	B.1	1.5	18.3	_	_	.3	16	163	233		230	187		483	21000
10	20	50	17.3	7.8	8.1	1.2	16.4	-	-	• 2	18	164	236		240	196		498	5500
10	27	58	11.6	8.6	8.1	1.3	15.6	-	_	.3	18	168	243	12	290	198	`	502	13000
11	3	58	10.2	9.3	B.1	1.9	16.B	_	-	.3	17	168	239	10	244	•	, '	_	. –
11	10	56	8.5	9.7	●.0	2 • 2	15.5	-	-	•2	21	180	246						
11	17	54	14.8	6.8	8.0	6.1	20.0	-	_	2.4	16	144	185	1					
11	24	38	7.0	9 . B	7.9	2 5	16.0	-	-	. 4	28	196	250						
12	1	58 58	.4	10.3	8.0 8.0	3.2 6.0	14.6	-	-	1.0	24	189	253						
12 12	15	58	.1	12.2	8.0	3.5	20.6		-	3.2	25	210	252						
12	22	58	1.0	10.7	8.0	2.0	11.4	-	-	6.0	30	257	311						
12	29	58	1.3	11.9	8.1	3.7	14.6	_	-	6.0	28	210	277		l				
1	5	59	.0	11.1	8.0	1.9	6.5		_	2.7	22	176	233	1	1.0				
1	12	59	•1	11.5	8.0	3.6	9.7	_	_	3.2	22 29	207 224	270	_	32			JU3	7000
ī	19	59	.0	10.7	7.9	2.B	6.3	_	_	3.2	27	193	291 257		22 51	160 170		533 487	7000 16000
î	26	59	.0	11.0	7.9	3.7	9.3	_	_	4.4	28		257		48	141	1	470	17000
2	2	59	.0	11.1	7.9	2.9	9.5	_	_	3.6	26	193	267	1	35	169		521	8000
2	9	59	. 3	11.4	8.0	3.9	14.1	_	_	4.4	22	182	229		90	156	1	461	21000
2	16	59	. 8	10.1	7 . 8	9.8	49.2	_	_	7.2	14	132	164	1	550			329	55000
2	24	59	1.8	10.4	B.O	2.9	15.7	_	-	5.6	20	· ·	229		110	146	1	448	15000
3	2	59	2.3	8.2	7.6	8 · 1	97.9	_	-	7.2	15		164		1300	91	(313	16000
3	9	59	2.1	12.0	7.9	5.5	22.0	-	-	6.0	17	148	188	18	250	111		3 6 2	4000
3	16	59	3.5	10.4	8.1	5.3	39.8	-	-	4.0	17	147	188	15	500	104)	350	26000
3	Z3	59	5.7	10.5	B.O	6.1	75.3	-	-	3.6	20	144	192	17	1400	103	}	338	15000
3	30	59	7.8	9.4	7.8	5.9	105.3	-	-	2.4	23	134	174		2000	84	į.	319	110000
4	6	59	12.5	8.7	7.9	3.3	46.7	-	-	. 4	17	164	202	18	600	119		380	6300
4	13	59	9.2	9.7	8.0	2.9	25.7	2.3	-	1 -	15	156	203		350	121		369	400D
4	20	59	10.5	8.6	7.9	3.1	47.7	2.7	7.5	. 4	15	155	227		1150	139		405	23000
4	27	59	13.7	8.4	B.O	1.8	26.9	2.5	8.0	• 2	15	162	226	1	370	137		418	33000
2	4	59	19.9	7.3	3.1	2.0	31.7	3.0	10.5	- 3	17	168	229		420	152		440	16000
5	11	57	17.7	7.1	7.8	3.3	86.5	1.6	10.0	.4	11	153	1 95		1600	111		360	9700
5	18	59	17.0	7.7	8.0	1.4	40.4	2.8	B.6	• 3	14	1	226		700	127		410	7000
5	25	59 59	18.3	6.5	7.9	2.7	179.5	2.3	4.9	- 4	12		185		2900	101		332	23000
6	1	, .	19.9	4.7	7.7 7.8	2.6	273.5	2.3	4.9	1.6	7	_	161 192	_	4600	69 87		247 330	25000 33000
6	8 15	59 59	23.5	6.3 6.2	7.8	2 • 2	10.0	2.5	6.3	.2	13 15		209		1900	121		384	30000
6	22	59	23.8 27.3	5.B	7.9	2.2 1.8	38.0	.9 3.0	12.5	6	17		215	_	600	149		448	25000
6	29	59	25.7	6.0	8.0	1.6	35.9	2.6	13.0	7	15		229			160		445	13000
٦	.,	,,		0,0				2.0	10.0	1	13	107		1.			L	1 775	1,5000

KAN5A5

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI RIVER

STATE

STATION LOCATION MISSOURI RIVER AT

KANSAS CITY, KANSAS

_	DATE F FAM							04.0104	DEMAND	AMMONEA								TOTAL	
HEADN	à	¥.	TBAP Progress Consignate)	DESCRIVED COXYGEN ING/I	Pile	8.0.D. =4g/l	/\ /\	1-HOUTE	24-HOUR mg/l	NITEOWEN/I	mg/I	ME/I	HARDHEE	COLOR	(scale salts)	SALFATTEI Mag/I	PHOSPHATES	BOLIDS BOLIDS mg/l	EOLIFORMS
77 77 78 8 8 8 9 9 9		59 59 59 59 59 59 59 59 59	23.3 25.7 27.3 27.2 26.2 25.3 21.5 18.5	4.9 5.6 5.9 5.8 6.0 5.8 6.5 6.7 5.5	7.7 8.0 8.0 7.9 7.9 8.1 8.1 8.0 8.0	2.4 1.2 1.3 1.7 1.8 1.3 1.5 .9 1.3 4.0	174.5 30.1 17.8 36.0 67.8 51.7 22.7 31.9 21.0 20.2 49.4 127.3	2.5 2.9 2.9 2.9 3.5 2.4 2.7 2.2	5.0 7.7 9.3 9.6 9.0 11.0 9.2 9.7 7.3 8.2 14.4	.4 .3 .3 .2 .3 .3 .4 .57	3-8 19 20 18 11 13 17 17 10 14 12 7	116 191 158 153 129 163 161 168 154 112	157 222 219 215 215 215 215 226 214		4400 460 280 800 1200 280 280 220 1000 2400	78 153 172 162 118 157 192 187 200 172 113		258 459 3657 4855 4851 493 511 4285	62000 22000 14000 19000 21000 59000 7000 18000 15000 110000

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MISSOURI

MAJOR BASIN

MISSOURI RIVER

SUB SASIN

LOWER MISSOURI BELOW MIOBRARA RIVER

STATION LOCATION MISSOURI RIVER AT

ST. JOSEPH, MISSOURI

	ATE			DESCRIPTION				CHLORING											!
- T	*	4	TSAF (Degrees Canadagrada)	DUCYTOREN mg/l	Hing	2 0 0 20 /1	COD ■ (1	1-HOLE mg/1	24-HoLE	AMMONIA- HITROGEN mg/l	GALPHINES mg/l	ALFALDHITY ME/I	HARSHESS mg/l	COLOR	TURNETTY (rests make)	EDUATE mg/l	PHOSPHATES mg/l	TOTAL DUSOLVED SOUDS ====/I	COUPONU per 100 ml
10	6	58	14.4	8.6	7.8	2.6	_	3.1	4.5	1	27	162	224	10	_	_		_	_
- 1	14	58	16.1	9.6	7.6	2.6	-	2.5	3.5	_	29	166	220	_	230	_		482	46000
		58	15.5	9.2	7.8	3.2	20.8	2.5	3.5	_	27	166	220		205	_		-	26000
	2 7	58	10.0	9.6	7.5	4.4	-	2.5	3.0	-	24	168	236		200	_	1	456	20000
11	3	58	10.0	10.0	7.7	2.0	-	2.5	3.5	-	24	172	242	1	220	-	1	480	8000
iil	10	56	10.0	9.5	7.8	2.5	9.4	2.5	3.5	3.0	27	182	220	40	190	_		660	-
	17	58	12.7	8.0	7.9	5.0	-	2.5	3.5	2.7	24	192	240	15	1000	137]	590	-
	24	58	_	-		-	-	-	-	-	_	-	\ <u>-</u>	-	-	-) -	59000
12	1	58	-	9.5	7.9	3.5	-	2.5	3.5	2.5	32	176	250	10	90	130	i	490	5800
12	9	58	-	13.0	7.9	3.4	-	4.0	6.0	4.5	32	196	276	10	35	145	ì	453	1400
	15	56	1.5	13.0	7.9	3.6	-	6.0	7.0	7.0	39	266	376	30	25	-		500	· -
	29	58	1.1	13.4	7.8	3 • 4	-	3.0	4.5	3.0	30	168	240			-		465] -
1	5	59	1.1	12.6	7.9	3.6	-	3.0	, , , ,	3.5	33	180	286			160	Ę.	510	
	12	59	1.1	11.2	7.9	1.0	-	3.0		4.4	35	206	296		1	180		534	1500
1	19	59	1.1	12.6	7.8	2.6		3.0	4.5	3.5	33	194	248	15	25	155		564	360
1	27	59	-	-	-	1	-	┥ -	· -	-	-	1	-	-1 -	· -	_	1		500
2	2	59	1.1	10.6	7.9	1 -	•	3.0		3.5			1			163		517	2500
2	9	59	1.1	12.0	7.8	1	-	3.0	1	6.0						157	1	490	2200
2	16	59	1.1	10.6	7.6			6.0						_	1	I .	1	-	1500
2	24	59	1.1	12.0	7.9		1 .	4	6.0	5.0	30	152	200	15	1220	ļ -	1	-	
3	3	59	_	_		1		┪ . •	• -	·\ -	• -		· . •				I .	1 2 2	270
3	10	59	4 • 4		7.9	1 = -	-	5.0					1			105	1	382	270
3	16	59	4 . 4	9.6	7.8	1	'	4 • •		1	_	1						369	4100
3	24	59	4.6	1	B . 1		{ .	┪ -	1	7						106		357	1400
3	30	59	8.9	1	7.9	1	1 '	1 -			1		-			-			350
4	7	59	8.8	8.0	7.9			1 . :		5.0	1			_	1	115		386	910
4	13	59	11.1	I	8.5		1	3.5				- 1	1	1	-		L.	384	7300
4	20	59	12.2		7.9	1		3.5	4.5			1		- 1			1	411	7500
4	27	59	12.2					- ·	• •	2 . !					1	_		340	1500
5	11	59	15.5	8.0		1		3.0		4.0) 1:	5 140	18	6 4		1		1 340	200
- 5	18	59		Y .	1	N .	-	٦,	t .				,,,	_	l		1	349	150
5	26		18.8		7.5	1		3.		-	-		_			1		356	5800
6	2		22.7		7.6	1	}	3.0					- [-	1300	1		347	1200
6	9		21.1		1	1	1	٦ - ١	1			- 184 - 164	1	- 1		-	. 1	406	1,500
6	15		23.3			_				4.			-	-	_			340	2000
6	23	59	25	6.0	7.6	-		7	- 4.	3.	2	7 130			'00	,			2224
																<u> </u>			

STATE

MISSOURI

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

MISSOURI RIVER

BUE BASIN

LOWER MISSOURI BELOW NIOBRARA RIVER

STATION LOCATION MISSOURI RIVER AT

ST. JOSEPH, MISSOURI

DATE OF SAMPLE							CHLORDE	DEMAND	AMMONIA-							_	TOTAL	
- 1		1949 Program Candigrada)	DESOLVED DECYMEN Mg/I	High	Lob ≈g/l	E.O D ■2/I	1-Hout mg/l	24-HOUR	NITROWN	-1080#	ALKALINITY =g/l	HAEDPERS Reg/I	colot	TURBLEHTY	SUPATES mg/l	PHOSPHATES	BOLIDS MOLIDS	per 100 mi
7 6 9 7 16 7 23 7 28 8 5 8 11 8 20 8 25 9 2 9 10 9 16 9 22	999999999999999999999999999999999999999	26.1 -23.3 24.4 26.6 26.6 26.6 25.5 20.0 17.2 17.7	6.4 -6.8 -6.6 6.3 -8.6 6.0 -7.1 7.2 8.4	7.8 -7.8 7.9 8.0 8.1 8.2 8.0 7.9 8.3 6.2 8.0	1.0	22.3	3.0 3.5 - 2.5 3.0 3.0 2.5 2.5 3.0	4.5 5.0 3.5 3.5 3.5 3.5 5	3.6 4.9 3.5 3.5 3.5 2.0 2.5	27 -33 29 23 28 30 27 32 -26 -30 27 27	186 168 170 172 128 160 164	182 	- 15	6500 	<u>-</u>			75000 20000 13000 20000 42000 6209 40001 55000 *1000 3100 -35000

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NEBRASKA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER M642 AT

OMAHA, NEBRASKA

_	DATI	-11	тем	DISSOLVED				CHAMB	PERLAND						_				
HEADY	à	ALEAS.	(Degrees	COXYMEN mg/l	piH	■ 0.0 ==_/l	CO D ==_/I	1-ROUR mg/l	24-8012 =g/l	AMMONIA- HITROSEH mg/l	mg/l	ALEALDETY ==j/1	HARTMEN mg/l	COLOR	TURNINTY	 /I	mg/l	TOTAL DIESOLVED EGLEDS ===/1	COLPOING
10	6	58	15.8	8.6	8.2	. 8	10.6	4.3	5.0	•2	10	162	225	4	160	207		512	1400
10	13	58	13.3	9.4	8.3	• 9	11.7	3.0	6.2	.0	11	170	230	4	170	214		559	1700
10	20	58	14.8	9.1	B • 3	1.5	13.8	3.2	5.4	.2	11	163	236	4	150	217		552	1000
10	27	5 B	10.8	9.2	8.3	. 5	11.7	2.1	3.4	• 2	12	167	237	 	180	212		570	330
11	10	58	10.0 7.1	10.4	8.3 8.3	1 • 4 2 • 2	12.2	1.7	3 2	.3	11	168	240	2	160	206		533	170
11 11	17	5	10.3	11.0	B.3	1.2	10.3	2.1 2.3	4.5 4.8	.3	12	183	252	6	170	200		497 533	83Q 1400
11	24	5.	5.5	11.9	8.3	3.5	7.3	1.4	4.5	.6	12 12	186 187	254 252	2	75 80	191 188		517	1400
12	1	5.0	.4	12.7	8.1	.5	11.6	1.5	3.2	.в	12	192	264	7	130	204		589	2100
12	8	58	. 3	12.7	8.2	2.3	B.5	2.4	5.0	1.0	13	193	260	4	140	186		530	1300
12	15	58	.3	12.0	8.2	1.6	9.5	1.7	2.7	. 7	12	186	266	6	35	201		553	-
12	22	58	.4	12.8	8.2	2.5	6.9	1.7	2.9	.7	11	189	238	4	80	257		531	-
12	29	58	.3	12.5	B • 2	1.6	4.6	2.3	3.7	.7	12	192	236	4	60	181	}	520	1
1	5	59	• 3	13.1	8.1	• 2	5 4	1.4	3.0	1.0	12	191	278	6	15	205		527	460
1	12	55	.3	12.5	B.2	. 5	4.9	1.7	3.0	. 8	12	170	252		15	205	ľ	527	1800
1	19 26	59 59	.3	12.7	8.2 8.1	1.5	7.3	2.1	3.5	1.0	12	167	234	4	30	171		475	11000
1	l	59	.3	12.5 12.8	B.2	• 2 • 5	4.9	2.0 1.2	3.2	1.1	12	_	252	5		227		494	3300 3200
2	9	59	.3 .3	10.7	B.2	1.0	10.6	1.2	2.9	• 5	12 12		250 228	4	20 20	185 179		461 495	2100
2	16	59	.3	12.1	8.2	4	3.8	2.1	3.6	. 6	12	167	245	6		182		430	43000
2	23	59	. 3	11.7	8.1	3.0	5.7	1.7	3.1	1.0	lii	158	235	5	35	178		480	4300
3	2	59	. 4	11.2	8.1	3.0	10.6	3.2	5.1	1.2	12	150	220	4	120	154		476	11000
3	9	59	. 3	11.6	8.2	2 • 4	16.0	1 - 2	2.8	1.5	12		225	4	25	152		459	2600
3	16	59	. 3	11.2	8.1	2.0	22.4	3 • 4	5,5	1.5	16		220	4		152	,	410	6400
3	23	59	6.1	11.3	8.1	2.7	27.6	4.3	7.7	2.5	13		220	2	_	147		410	9500
3	30	59	5 . B	10.7	8.1	5.3	28.1	5.0	8 . B	2.0	15		220	1		154	1	446	1000
4	6	59	9.4 7.7	10.2	8.1	3.3	27.1	2.3	4 - 4	1.8	12		190	6		137	ļ	350	#330 #36
4	13 20	59	7.2	10.4 7.8	8.2 8.2	1.3 2.4	19.2	3 - 1 1 - 2	4.3	1.2	11	155 168	210	6		162 179		430 480	* 30
7	27	59	11.1	9.3	8.2	2.9	11.0	1.2	2.9	1.0	12		234	1 .	250	179		466	900
5	4	59	19.5	7.5	8.2	1.3	20.0	1.4	5.0	7	19		222			174		489	18000
5	11	59	15.1	7.1	8.1	1.2	17.1	3.1	3.9	7	13	_	231	1	1	172	1	460	5000
5	18	59	15.7	7.8	8.2	2.2	18.0	1.2	2.9	8	13		239	1		179		466	290
5	25	59	15.9	7,8	8.2	2.3	19.6	1 • Z		. 8	13		221			167	1	476	26000
6	1	59	18.3	4.0	7.8	3 • 4	178.1	1.3	3.1	4.8	7		150	1		172	1	480	64000
6	8	59	23.3	5.6	8.0	1.3	35.3	3.2	4.5	. 8	12		1			138	1	397	7700
6	15	59	23.4	6.1	8.1	1.7	29.7	1.7	3.7	.5	11	1			1	160	1	455	9300
6	22	59	25.0	6.0	8.1	1.5	25.8	1.5	2.7	4	14					174		499 456	14000
6	29	59	24.2	5.5	7.9	2.8	95.0	4 • 6	5.7	1.1	9	156	214	<u>''</u>	1900	158	<u> </u>	496	41000

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NEBRASKA

MAJOR BASIN

MISSOURI RIVER

SUB BABIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER M642 AT

OMAHA, NEBRASKA

DAT							CHOOL	DEMAND									TOTAL	
PAY PAY	_	(Dayren (Cardynahi)	DESOLVED DETYCEN mg/l	144	■ D.D. ■■/I	(,0,0 	1-HOUR ==g/1	24-HOUE	AMMONIA- NITEOREN mg/l	GLOEDS	ALKALDSTY Hg/l	HARDRESS mg/l	cores	TUMBLESTY jeach water	■ 3 /1	PHOSPHATES mg/l	Districtives HOLEDS HOLEDS	COLFORMS
7 13 7 20 7 27 8 10 8 17 8 31 9 14 9 24	59 59 59 59 59 59 59	24.2 24.2 26.5 26.5 25.6 25.6 26.7 24.6 24.4 20.1 17.0	5.7 6.6 6.1 6.5 5.2 7.0 6.8 6.2 5.9 6.3 7.6 7.1	8.1 8.1 8.2 8.1 8.2 8.2 8.3 8.2	.8 .9 .5 1.7 1.6 9 1.7 1.3 .3 1.7 .4 .5 .6	35.26 16.0 20.0 23.2 24.4 21.1 11.2 24.9 25.0	1.2 .5 1.3 1.3 1.6 3.0	4.0 3.2 3.2 3.2 2.9 4.9 5.6 4.0	•5 •2 •6 •7 •6 •4 1•2 •1 •1	11 13 12 14 9 11 9	168 165 168 167 173 167 170 177 189 172 180 167	227 225 217 230 215 221 235 238 221 241 243	8 6 4 5 6 7 6	220 180 170 700 170 180 130 220 140 180	172 177 174 187 178 193 227 219 214 227 225 216		489520755555555555555555555555555555555555	1500 2000 3700 1000 22000 *63 7000 2900 25000 25000

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

SOUTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER M841 AT

YANKTON, SOUTH DAKOTA

	DATE			DESCUVED				CLOCKE	PERAND										
HEADE	à	3	(Sugress Consignation)	COXYMEN/I	pH.	■ 0 D. ■ 1	20 b ■/1	1-HoUE mg/l	34-HOUE	AMMONEA- HETELOUISH mg/l	CHLORIDA mg/l	ALKALIMITY mg/l	HAEDHING mg/l	COLOR	TURNEDITY (authorized)	ALIATE My/I	PHOSPHATES mg/l	POTAL DESCUYED SQUESS Reg/I	COLIFORNIS per 100 m/L
10	6	50	16.0	9.8	8.3	1.2		1.1	2.6	1.8	14	158	228	60	30				*10
10	13	58	15.0 16.2	9.9	8.3	. 9	-	1.0	2.1	1.8	15	164	232	60	30	_		-	50
10 10	20	30	12.5	10.5	8.3 8.2	1.1	l I	1.2	1.9	1.5	13	156	240	50	30	-		-	10
11	3	50	11.0	11.0	8.4	1.5]	.7	1.3	1.8 1.5	15 15		244 256	40	25	-			30 +9
îî	10	58	9.5	11.4	8.3	1.3	! -	. 9	1.5	1.5	15	162	256	40	25 25	_			49
11	17	58	8.8	11.5	5.1	1.5	1 -	. 9	1.4	1.5	14	170	252	30	25	_		_	+9
11	24	58	6.6	11.8	8,3	1.8	⊣	. 8	1.1	1.5	15	144	252	50	25	-		-	130
12	1	58	3.0	12.8	B • 2	-	ا ا	• 9	1.1	2.0	14		220	30	25	-		-	10
12	15	56 56	2.5	13.4 13.8	8.4 8.1	_	12.8	. 8	1.0	2.0	14	148	240	30	25	-		-	10
12 12	22	38	2.5	13.6	8.1	_	ı ı	• 7 • 9	1.0	1.5	14 11	150 148	220 244	30 40	20	-		-	_
12	29	56	2.0	13.2	8.5	_	_	.7	1.0	1.5	9		256	40	20	_			_
1	5	59	1.0	13.7	8.4	_	12.1	. 4	. 9	2.0	í		236	40	20	_		_	#10
1	12	59	1.0	13.8	8.1	_	`-	. 5	. 9	1.5	14		252	30	20	_		_	10
1	19	59	1.5	14.3	8.5	-	1 ⊣	, 8	1.1	1.5	9	1	224	30	20) <u> </u>		_	10
1	26	29	2.0	14.4	8.3	-	1 🖠	. 8	1.1	1.5	8		260	20	20	-		-	+9
2	2	59 59	2.5	14.4	8.2	-	11.0	1.3	2.0	2.0	7		252	20	20	-		-	#9
2	9 16	59	2.0 1.0	14.4	8.4 8.5	_]	1.0	2.3	1.7 2.0	9 13		220 232	20 20	20 20	_		_	#10 #10
2	23	59	1.0	14.0	8.1	_	1]	1.2	2.2	2.0	9		232	20	20	[_	+10
3	ž	59	3.0	13.5	8.0	-	9.4	1.1	2.3	1.7	13		260		20	-	l	_	10
3	9	59	2.0	13.5	8.3	_	``-	1.0	2.9	1.5	7		248	20	20	-		_	+10
3	16	59	4.0	13.3	8.0	-	-	1.1	3.0	2.0	7		220		20	l -		-	-
3	23	59	3.0	13.1	8.1	-	⊣	1.0	2,8	2.0	7		212		20	-		_	_
3	30	59	4.5	14.5	8.1	3.5	12.0	. 9	2.4	2.0	7		176	_	20	-	1	-	+8
*	13	59 59	6.0	13.9	8.3	3.4	1 7	1.7	5.0	2.0	7 7		176		25 20	-	1	<u> </u>	30
4	20	59 59	9.1 5.2	11.7	8.0 8.0	3.1 3.1	ıj	1.6	4.8 4.9	1.8	8		228		1] -		-	_
4	27	59	8.5	11.5	7.9	2.1	1]	1.1	4.4	2.0			224	1		_		_	2
5	4	59	15.1	10.3	8.1	2.3	13.3	. 8	3.9	2.0	В		208	_	1	-		-	_
5	11	59	14.0	9.9	7.9	2.3		1.5	3.8	1.7	9		228	40	30	_		-	17
5	18	59	14.5	10.6	B.5	2 • 4	\ -	1.8	3.B	1.5	7		212			-		-	45
5	25	59	16.5	9.5	B . 4	2.6		1.6	3.7	1-2	В		224			-		-	11
6	1	59	18.0	B.9	8.2	2.8		1.6	3.9	1.5	9	1	224		1			_	27 37
6	15	59	20.8	7.6	B . 2	3.0	1	1.8	3.8	1.5	10	_	208					-	"
6	22	59 59	22.5	7.8 7.5	8.1 8.4	3 · 2 3 · 5]	2.0 1.6	4.1	1.5 2.0	9		232					_	14
6	29	59	22.2	7.5	8.4	3.5]	.6	3.2	1.7	111			- 1				_	-
		<u>[1</u>	2212	'•'	0,7	ر. ر				<u> </u>						<u> </u>		L	L

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

SOUTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

BUS BASIN

LOWER MISSOURI RIVER

STATION LOCATION MISSOURI RIVER MB41 AT

YANKTON, SOUTH DAKOTA

	DATE							CHORNE	DESIGNED									TOTAL	
HELIT	À.	YEAR	Ting Engree Castgrade	DISSOLVED CXYPEN mg/1	pdf	B.O.D ==_/l	COD ===/I	1-HOUR ===/1	34-HOUR mg/l	AMMONIA- MITEOGRA Mg/I	GLORING mg/l	ALKALIMITY ===/1	HARCHES	term mpri	TURNITY	=14.741%	PHOSPHATES PAG/I	PERSOLVED ROLLOS mg/l	COLFORMS per 100 mL
7 7 7 7 8 8 8 8 9 9	13 20 27 3 10 17 24 31 8 14 21	59 59	22.0 21.5 23.5 25.5 25.5 25.5 26.8 25.0 23.2 21.5 17.5 18.5	7.7 7.8 6.9 7.5 6.9 7.7 7.5 8.3 7.3 8.5	8.0 8.5 8.5 8.1 8.1 8.2 8.2 8.2	.7 .9 .5 1.0 1.2 .7 .6 1.0 .5 1.0	13.2	.6 .3 1.0 1.5	2.9 3.0 2.7 2.9 3.4 3.8 5.5 5.5 4.0	2.0 1.5 1.5 1.5 1.5 1.5 1.5	8 10 10 8 9 9 12 9 9 10 9		208 190 208 212 212 212 223 256 224	50 40 50 50 30 30 30 30	40 40 25 25 25 25 25 25 25 25 25 25 25 25 25				72 34 44 4 380 68 62 220 24

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NORTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER MISTT-4 AT

BISMARCK, NORTH DAKOTA

	DATE			DESIGNATIO				Ollotes										POTAL	
- HUMAN	ă	ž	Pagesta Cantigrada)	(2017 000 1 mg/1	p#4	■ .0.D ■ /I	C.O.B. ==⊊/I	1-HOUR mg/l	24-HOUR	MECHTH IIII	mg/l	ALKALIMITY	HARDNESS mg/l		pompo assign) Armento (LA	RAPATE -y/I	PHOSPHATES	prisolvido solida mg/l	per 100 mL
10 10 10 10	6 8 14	50 50 50 50	10.0 12.2 12.0 12.2 12.0	9.4 - 9.2 -	B. 2	1.3 - 1.2 - 1.0	6.4 5.8 6.3	- 1.0 -	2.9	1 1 1	10 - 8	152 - 150	202 198	16 - 13	37 - 45	216 175		375 - 375 - 375	220 - 76
10 10 10 10	15 22 28 29	58 58 58 58	10.0 9.8 10.0 9.9	9.9 - 10.0	8.2 - 8.3	1.0 - 1.0 -	7.3 8.9 9.3	• 7 1 • 2	2.5	- - -	5 8 -		198 198	7	- 32 - 24	175 178 		375 375 384 375	210 480 - 140
11 11 11 11	12 18 24 26	56 56 56 56	9.0 6.8 4.0 .3 2.0	10.4 - 11.8 - 13.0	7.8	1.0	8.7 12.9 10.4 10.6	1.4	1.3 6.4 - 5.5	-	9 - 6 - 8	150 142 148	200 196 200	14 14 -	35 67 93	173 - 170 - 180		389 - 384	370 190 310 230
12 12 12 12	2 3 8 9	56 56 58	3.0 .2 1.0 2.0	12.4 - 13.2 12.8	7.8	1.1 1.6 1.0	10.5 8.6 10.8	1.4 1.2	5.6 3.6 3.4	-	7 - 8 6	158 - 150	200 212 204	- 8 - 8	- 6	170 180 173		364 - 395 389 374	230
12 12 12 12	30 31 6	56 56 56 56	1.0 .2 .5 .2	12.6 12.6 - 12.7	8.2	3.0	9.8	-	3.8 - 3.7 - 3.0	-	5 5	144 128 130	198 202 204 198	15	- 7 - 8 7			364 - 364	- - 21 230
1 1 1 1	27	59 59 59 59	1.0 1.0 2	12.2	8.4 8.4	2.0 2.4 - 1.7	8 1 7 . 2	1.4 1.1 - 1.6	3.1	-	-	150 156	200	13 2 B	7 3	185 188		365 365 - 394	130 - 60 210
2 2 2 2 2	10 12 17		.2 .5 .5 .2	12.7	8.4 - 8.3 -	2.2	6 • B	1.7	3.5	-	1	170 170 162	256	15	10	195		298 - 395 - 414	56 - 110
2 2 2	24	59	2.0	-	B.1		10.9	∤ -	-	-		166	2 2 4	1		-	.}	281	56

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NORTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

BUD BASIN

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER MISTT.4 AT

BISMARCK, NORTH DAKOTA

	DATE							CHOUSE	DEMAND	AMMONIA-								TOTAL	
HUM	¥	3	Title Program Castlymatel	DESCRIPTION OF THE PROPERTY OF	ĭ	■ 0.0	= -/1	1-HOUR	34-HOLE mg/l	HITEDORN mg/l	mg/I	ALEALIMITY mg/l	HARRIES mg/l	COLOR	TURNEDITY	=14.741	PHOSPHATES mg/l	DEMOLVED ROLLDS mg/l	COLFORMS per 100 mil
_	3	59	• 2	_	8.3	_	_	_	_	_	_	164	248	14	7	_		-	120
3 3	4	55	. 6	12.	-	1.0	8.5	1.6	4.1	-		-	-	-	-	206		411	-
3	10	59	2.0			1.5	13.3	-	4.1	_	9	1.5	2=4	14	7	210		364	260
3	17 18	59 59	•2 1•0		8.2	1.6	10.3	1.6	4.8		14	160	254	1 -		207		448	520 -
3 3	24	59 59	• 2	12.4	8,3	1,0	10.3	1.5	7.0	_	17	140	184	18	120			-	90
3	25	59	.5	11.6		2.7	15.2	ı	9.2	_	12	- '-			_	211		380	_
9	31	59	3.4	.0	8.3	-	_	-	_	-	_	170	236	30	110	-		-	36
4	1	59	3.5	12.4	-	2 • 2	16.6	2.7	6.6	-	11	-	-	-	-	203		446	-
4	7	59	11.2	-	8 . 2	-	-	-	-	-	_	170	230	12	110	-		-	360
•	14 15	59 59	5.5	11.6	8.2		_	2.5	6.4	_	10	172	220	8	42	233		448	72
4	21	59	6.2 10.2	11.6	8.3	2.2	1]	2.5	P, 7	_	10	164	232	20	35	253		 -	10
4	22	59	5.6	12.0	-	2.3	10.6	1.4	_	_	10				-	215		436	10
4	28	59	9.2		8.3			_	_	-	_	170	244	8	95			-	80
4	29	59	6.9	11.6	-	1.7	10.1	1.2	3.8	-	7	_	-	-	-	232		449	-
5	5	59	5.2	-	8.3	=	1	-	-	_	. .	168	236		53				190
5	6	25	5.1	12.1	8.3	1 • 7	4.6		4.0	_	10	178	234	3	- 37	224		52B	70
5 5	12 13	59 59	7.2 7.0	11.5		1.3		.7	_	_	10	1/5	234]		215		419	70
5	20	59	7.5	11.3	_	1.5	7.3	1.1	3,6	-	10	_	_	_	_	224		374	260
5	26	59	8.6	-	8.5	-		_	-	_ '	-	170	232	3	29		1	-	
5	27	59	9.0	10.9	-	1.3	6.4	1.1	3.9	_	7	-	-	-	_	221		417	30
6	2	59	11.7	-	8.3	-	-			-	_	166	228	3	28				33
	3	59 59	12.5 15.1	10.4	5.3	1 • 4	11.7	1.4	4-4	_	9	162	220	3	-	225		446	
6	10	59	15.1	9.4	"-	1.8	10.1	.7	5.4	_	-	102	220	-	30	220		400	40
-	16	59	16.8	''-	8.3	-	***			_	-	228	166	В	25	220		700	100
6	17	59	18.0	9.2	-	1.3	7.3	. 9	5.2	_	7	_		_	_	20 B		436	-
6	23	59	15.1	-	8.3	-	! ⊣	_	-	-	_	162	222	8	34	-		-	57
6	24	59	16.5	9.2		1.5	9.0	1.3	4.4	-	7	-	-	-	-	207		417	_
6	29	59	13.5	-	B.5	-		-	-	-	-	152	220	12	32	-		-	72

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MORTH DAKOTA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER M1377.4 AT

BISMARCK, NORTH DAKOTA

	ATE AIE	_	тыр	DESCRIPTION				CHOME	MILLED	AMMONEA-								TOTAL	
-	-т	33.	Dayson Carlymaid	OXTURN mg/l	, Hand	= 2/1	== /l	1-HOUZ	24-HOUE mg/l	HITECORN mg/l	OLDANDES mg/l	ALKALINETTY ==g/1	mg/l	COLOR	TURNETTY (reads make)	= /1	PHOSPHATES	DESOLVED SOLIDS SULV	COLIFORMS per 100 ml
77778888899999999	7 8 4 5 1 2 2 8 9 5 1 6 2 2 3 1 6 2 2 3	99999999999999999999999999999999999999	15.0 18.5 21.0 20.0 21.2 20.0 21.2 20.0 21.2 20.0 21.2 20.0 21.2 20.0 21.2 20.0	9.1	<u>-</u>	1.5	8.6 13.0 11.4 8.6 7.9	1.6	7.3	-	1 2	158 - 152 - 154 - 152 - 152 - 154 - 152 - 154 -	224 210 216 216 222 222 218 218	26 -25 15 7 -10 	26 - 34 - 55	150 178 178 175		376 389 413 394 417 436 407 521 386 379 335	40 -50 -25 -16 -12 -4 -32 -16 -350 -14 -230

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

TIALE

NORTH DAKUTA

MAJOR BASIN

MISSOURI RIVER

SUB BASIN

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER AT

WILLISTON, NORTH DAKOTA

DA EA			DESCUVED				CLOSS	PERLAND	AMMOREA.								TOTAL	
	_	Program Contigues of all	OXYGEN mg/l	pH	±o⊅ =y/l	5.0 B ■⊈/I	1-HOUR mg/l	24-HOUR mg/l	HETELOGIEN mg/l	41/1	AUTALINITY mg/l	HARDNES	COLOR	TURNEDITY (scale mails)	RAPATEI Eg/I	PHOSPILATES Mg/I	DESPOLVED SOLIDS mg/I	COLFORNI per 100 mi
10 1	5 5		_	8.1	-	-	_	_	1.0	12	176	2 34	5	105	-		-	-
10 23 10 28 11 3	3 5		_	8.1	-	1 1	_	[-	.5 1.0	11	174 176	256 254	5	200 300	_		-	6700
10 28	5 5	5,2 4,5	-	8.1 8.0	_]	_	_	1.0	12 11	176	258	ĺ	100	_		_	420
11 12	2 5	8 3.5	_	8.2	_	14.0	_	_	1.0	12	182	268	0	158	-		-	720
11 19	5 5		-	8.1	-	-	-	_	1.0	12	164	274	0	98	-		-	920
11 26	5 5	9 • 2	-	8.0 8.0	-	-	-	-	.5	13 13	190 190	288 286	10	212 45	-		~	
12 10 12 10		.5 5	_	7.9	_	11.4	=	-	.5	13	194	282	5	10	_		-	40 270
12 17	7 5	8 .5	_	8.0	-		-	_	. 5	10	190	258	0	10	_		-	-
12 24	<u> 5</u> 1	8 14	_	7.9	-	-	1.2	-	. 5	10	190	280	10	15	-		-	-
1 7	7 5 5		11.5	7.9 8.0	1+4 1+4	. 1	1.2	3.8 3.4	2.0	13 12	198 195	300 280	5	15 15	_	İ	-	520
1 14 1 21	. 5		12.0 11.9	7.9	1.1	8,7	1.2 1.4	3.6	•5	12	200	304	اة	38	_		_	370 3300
1 26	1 5	9 .4	12.0	5.0	1.2	4	1.4	3.2	.5	13	184	278	5	15	-		_	400
2 4	۱ b	9 .4	12.4	8.0	1.2	-	1.2	3.0	• 5	13	190	276		15	-		-	840
2 11	. 5	9 • 4	12.1	8.0	-	1 -	-	-	.5	13	190	275	0	20	-		-	720
2 15	5 59 5 59	9 .4		7.9 7.9	_	29.3	_	_	_	12 12	184 188	268 278	5	26 34	-		-	680
3 4	5		_	6.6	_	'''3	_	-	_	13	182	276	اهَ	42	_		-	200 480
3 11	5	1.0	-	8.0	-	│	-	-	-	13	142	200	15	122	_		_	4800
4 .	59		_	8.2	-	-	-	-	-	10	160	258	10	640	-		-	-
4 15 4 23	5 59		-	8.1	-		-	-	-	13	170	280	10	305	-		-	400
4 29	59		-	8.0				-	_	13 13	172 170	270 260	10 5	380 310	-		_	1100
5 6	5 59		-	8.1	-	_	_	-1	_	12	168	262	ا و	430	_		-	600 880
5 14		≯ −	-	-	-	25.5	-	-	-	-	_	-	-	-	-		_	1400
6 4	5 59		-	8.0	-	-	-	-	-	10	142	204	5	290	-		-	_
6 10) 25 59		-	5.1	-		<u>-</u>	-	-	13	136	170	10	1500	-		-	
6 24	. 59		-1	8.0	-	7	-1	-1	-1	-	90	110	10	790	_		-	700 380
7 1	55		-	B.2	-	4	-	-	-	5	98	116	ا ق	1500	_		_	-
7 8 7 15	35		-1	B • 1	-	52.3	2 . 4	7.9	1.0	6	118	184	5	2200	-1		-	3500
7 22	59		7.0	8.1 8.2	1.3		1.0	2.6	1.0	7	100	146	10	290	-		-	40
7 29	59		6.5	B.2	4	ļ	1.3	3.7	.0	/ B	118 130	150 174	0 20	162 164	_		-	540
										A),		114		104			_	410

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

NORTH DAKOTA

MAJOR BABIN

MISSOURI RIVER

SUB BASIN

MISSOURI-SOURIS RIVERS

STATION LOCATION MISSOURI RIVER AT

WILLISTON, NORTH DAKOTA

	DATE		TRAF	DistroLVED				CHLORING											
THE STATE OF THE S	¥	Y.	(Dagrees Consignate)	OXYESH mg/l	Hing.	BLO D mg/l	C D D ■ (1	1-Hous mg/l	24-HOUR	AMMONEA- HETEROGEN mg/l		ALKALDETY INJ/I	HARDIESE mg/l	COLDE	TUBBLIDITY [seeks wells]	SULATES mg/l	PHOSPHATES mg/T	TOTAL DESCUYED SOLEDS ====/1	COLFORIS
8 5 8	5	59 59 59	23.0 19.0 20.0 19.0 14.5 11.0 8.0	7.6 8.1 8.3 7.6 9.0 10.0	8.2 8.3 8.2 8.3 8.3 8.3	1.5 .9 1.2 1.4 1.5 -	24.1	.7 1.0 1.1 .7	3.2 4.5 4.7 1.7 5.0 8.3 3.8	• 5 • 5 • 5 • 5 • 5 • 5	8 8 9 9 9 11	150 158 156 156	194 212 218 220 218 242 252	0 0 0 0 5	113 171				100 - 25 40 10 40 -

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ILLINOIS

MAJOR BASIN

OHIO RIVER

SUB BASIN

OHIO RIVER MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

CAIRO, ILLINOIS

_	DATE							CHLOSSE	DEMAND	AMMONIA.								TOTAL	
HUMON	ă	4 <u>1</u>	Titler Program Cantigradal	mit/I	pit	1.0 D 1.0 /l	==/l	1.HOUR mg/l	34-HOU2 mg/l	NETROSEN mg/1	GLOSS	ALKALINITY	HARDNESS mg/l	coros		= 1/1	MOSPHATES mg/l	District Vision Souther Mg/I	per 100 ml.
10	6	58	20.6	7.4	7.5	. 6	_	1.0	4.8	1.0	18	81	125	_	8.5	-		-	9
10	14	58	20,0	8.4	8.1	. 9	-	1.0	3.4	1.0	19	80	140	-	40	-		-	100
10	21	38	17.8	8.3	7.5	1.0	-	1.2	3.6	1.0	22	74	136	_	40 30	-		-	. 9
10	28	58	17.0	9.6	7.9 7.7	1.2	_		3.0	1.0 2.0	22 18	75 80	130 120	15	35	_		_	*9 *10
11	10	58 58	15.5	10.0	8.0	1.8 2.2		1.4	3.5	2.0	20	82	140	15	35	_		_	*10
ii	17	50	15.1	9.0	7.7	1.5	1 4	1.6	4.2	2.0	19	80	140	_	68	_		_	*9
ii	24	30	13.0	9.9	B. 2	2.0	18.4	1.7	4.5	2.0	22	90	176	_	50	-		-	500
12	1	3 .	5.5	13.0	B. 0	4.2	-	1.2	3.5	1.0	33	95	200	-	125	-		-	1000
12		50	6.1	11.3	B.O	2 • 4	4	1.0	6.2	1.0	28	95	200	_	120	-		-	1100
12	15	50	3.1	14.0	B.O	4.5	1 1	1.6	6.2	2.0	26	100	152	-	170	_		-	-
12 12	22 30	58 58	3.8 4.1	14.2 14.5	8.0	3.0 2.8	10.2	1.6	5.B	2.0 2.0	20 21	88 90	150 160	_	70 40	-		-	-
1	5	59	1.8	15.7	8.2	5.4	10.4	1.4	4.6	2.0	12	95	174	_	90	_		_	_
î	12	59	2.0	11.6	7.8	2.9	_	. 9	4.5	7.0	22	65	195	_	50	_		~	*10
ī	19	59	2.5	11.1	7.6	3.0	-	1.0	4.0	14.0	24	90	170	_	150	-		_	2000
1	26	59	3.8	9.3	7.6	5.2	75.Q	1.5	5.6	2.0	10	60	128	-1	1200	-		-	
2	2	59	3.0	10.4	7.3	4.6	-	1.6	5.4	7.0	12	52	90	-	600	-		-	5900
2	9	59	249	11.1	7.3	3.8		1.6	6.0	2.0	90	71	110	-	350	-		- '	2000
2	16 24	59 59	5.4	10.0 11.0	7.5 7.5	2.7		2.0	6.4	.7 2.0	14 3	64 61	135	_	425 575	_		-	1100
2	² 3	59	6.1	10.6	7.5	3 • 2 2 • 2		1.6 1.5	5.B	.3	11	78	110 136	_	200	-		-	460
3	10	59	6.8	10.B		1.7		1.6	5.0	1.0	9	86	160	_	140	_		_	700
3	16	59	7.2	10.5	8.0	2.0	4	1.2	5.0	2.0	14	98	176	_	220	_		_	200
3	23	39	8.0	10.4	7.8	2.8	-	1.0	4.6	1.5	11	96	170	_	230	_		_	
3	30	59	10.0	9.8	7 . 8	2.2	1 -	1.0	4.5	1.0	12	8.5	150	-	125	-		-	470
*	. 6	59	12.5	9.0	8.0	1.5	13.6	1.0	4.6	1.0	12	90	162	-	160	-		-	660
*		39	12.6	9.0	7.8	2.0	! 1	• 8	4.5	1.0	13	84	152	-	150	-		-	* 9
4		5 9 5 9	13.0	8.5 9.0	7.8 7.8	2.1 2.2	1 7	1.9	4.6	1.0	10	64	136	-	150	-		-	+9
5		59	19.8	7.0	6.0	2.0	25.0	1.0	4.0	1.0 1.0	9 7	66 55	116 160	_	160 100	_		_	-
5		59	21.0	6.7	7.8	1.8		1.1	4.2	1.0	6	72	145	_1	175	_		_	200
	18	39	20.0	6.4	8.0	.8	4		4.2	1.5	11	85	160	-	100	_		_	-
		59	21.2	6.7	B.O	1.3	26.5	. 6	3.4	1.0	12	80	150	-	110	-		_	_
6		59	24.4	6.5	8.4	. 7		1.0	3.4	1.5	16	82	140	_	140	-		-	220
6		59	25.5	6.6	B . 2	1.6	-	1.1	3.8	1.0	13	BQ	146	-	75	-		-	_
6		59 59	25.4	7.0	B . 2	1.4	, <u>,</u>	1.0	3 · B	1.0	14	78	160	-	80	-		-	_
		59	26.2	7 • 4 7 • 6	8.0	1.7 1.4	13.5	. 5	4.0	1.5	11	80	132	-	65	-		-	320
	- 7	-7	4014	7.0	0.0	1		• 8	3.6	• 0	12	86	136		50	-		-	1000

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

ILLINOIS

MIBAB ROLAM

OHIO RIVER

BUB BASIN

OHIO RIVER MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

CAIRO, ILLINOIS

	DATE		The	DESCRIPTION				CHLORNE	DEMAND	AMMONIA									
HE HOLE	ķ	41/4	Program (programin)	CXY*****	ī	L O D ng/ 1	-1 /1	1-HOUR ==_/1	34-HOUE	NETEDORNI mg/l	/ 1	ALFALINETY mg/l	HARMENI mg/l	corps	TURNOTTY 	€	PHOEPHATES Ng/I	FOTAL DITROLYED SOLIDE mg/l	COLFORNI per 100 mi
77778888999999	6 13 20 27 4 10 10 12 14 12 28	59 59 59 59 59 59 59 59 59	26.1 28.5 28.5 29.8 27.0 28.6 30.0 29.5 29.2 25.0	6.9 8.5 6.8 5.5 6.3 7.4 7.3	8.0 8.2 8.4 7.1 8.2 7.9 7.7 7.8 7.9 7.4 7.8	1.0 1.5 .8 1.4 .6 1.2 1.0 1.0 1.0 1.2	12.2	. 8 . 8 . 9 . 9 . 8 . 7	3.4 3.4 3.6 3.6 3.6 4.1 3.4 3.6 4.0 3.2	.0 1.0 1.0 1.0 1.5 1.0 .0 .5	10 11 14 40 19 20 18	75 76 72 70 64 57 62 66 60	134 130 120 124 140 126 120 94 110 132 110 92	-	35 45 20				100 *20 - 60 *20 - 20 - *1000 *20

ATAG DRAG YTLLAUD SETAW

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

INDIANA

MAJOR BASIN

OHIO RIVER

BUB BASIN

OHIO RIVER-MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

EVANSVILLE, INDIANA

_	DATI			PISSOLVED				CHLORES	DEMAND	AMMONIA								TOTAL	
HUMON	à	17.	Tiller Dayrees Castlyreds	COCYCEN COCYCEN	piff	BLO D mg/l	= 4/1	1-HOUR	24-HOUB mg/l	NITROWN mg/l	GL0006	MEALENTY	HARDNING mg/l	COLÓS	TURNEDITY	=1/478	PHOSPHATES mg/l	DOLEN BOLEN mg/l	per 100 i
10	6	58	20.2	9.9	8.1	-		_	-	1.4	36	82	172	_	28	130		-	50
10			19.6	11.1	5.7	-	1 1	-	1	1.3	35	79	182	-	8 10	125 140		-	91
10	20		19.4	10.3	5.8	-	١ ا	• 2	.7	• •	34 34	81 83	194 194	_	10	110		_	20
10 11	27 3		15.9	10.0	8.5 7.7	_	12.7	•1	.9	•1 2•2	38	98	199	_	11	120		_	240
11			12.5	11.1	7.9	_	12.1	.0	. 3	2.5	29	97	200	_	17	140		_	49
īī	17		15.1	10.2	8.0	_	28.6	.1	. Z	-	29	98	201	-	17	_		_	62
11	24		12.9	10.2	7.9	2.2	-	.7	2.8	-	43	85	213	-	2●	-		-	65
12			8.7	-	7.8	-	1 -	• 7	-	-	36	87	216	-	24			-	604
12			5.9	10.9	7.8	3.0	1 1	. 9	2.7	-	27	82	193	-	56	155		-	100
12			1,6	11.6	7.6 7.7	-	1 1	. 9	1.6	4.7	24 22	73 77	149 170	_	56 12	85 116		-	
12 1	29 12		2.5	12.5	(' ' '	_	1]	.9	1.5	* • ′		<u>'</u>	1/0	_	12	115		_	19
i	19		2.2	11.4	7.7	_	1 7	. 3	1.2	_	22	B1	156	_	140	_		_	120
ī	27		2.2	9.4	7.5	_	I -I	1.0		_	17	68	105	-	675	_		-	100
2	2	59	1.0	10.5	7.4	_	-	- 6	7.0	-	10	40	100	-	230	-		-	63(
2	9		2.4	11.2	8.1	-	\	. 9	6.5	-	12	62	120	-	147			-	
2	16		5.6	10.0	7.8	_ <u>-</u>	1	. 9	7.0	-	11	•0	134	-	522	80		-	
2	26		5.4	10.5	7.7	1.7	1 1	1.4	6.2		11 12	52 68	113 128	_	114 89	85 92		_	27(47)
3	10	59	6.7	_ [7.4	_	14.5	1.0	5.0	3.4 4.3	15	77	142	_	82	95		_	39
3	16	39	6.0	10.5	7.5	_	4.1	.5	5.0	4,2	19	75	145		74	105		_	48
3	25		8.3	10.4	7.2	_	9.6	1.0	5.0	2.8	15	61	120	_	62	95		_	,
3	30	59	9.8	8.2	7.2	1.7	9.0	1.9	4.4	2 • 2	14	65	138	_	33	95		_	231
4		59	13.1	-	7.4	2.1	15.5	2.4	5.7	+4	16	65	123	-	76	70		-	30(
4	13	59	11.3	-	7.2	1.7	\		-	-	15	48	106	-	80	80		-	55(
4	23 29	59 59	12.7 15.5		7.2 7.4	. 9	7	2.0	8.0 4.0	_	12	45	90	_	120	75		-	
5	4	39	10.4	8.4	7.2	1.1	l]	1.6	4,0	• 9	14 14	60 60	108 115	_	82 60	60 90		_	63(
5	11	59	19.9	_	7.2	-		_	_	_	15	50	126	_	74	105		_	
5	18	59	19.1	_	7.4	-		_	-	_	13	61	124	_	46	110		_	
5	25	59	20.9	-	7.2	-	⊣	-	-	-	15	68	128	-	102	90		_	
6	1	59	24.0	-	7.4	-	l ⊣	-	-	-	13	74	146	_	62	110		-	
6		59	26.1	-1	7.6	-	-	-	-	-	19	78	147	-	37	75		-	
6	15 22	59	25 · 1 26 · 8	-	7.5 6.1	_		-	-	-	22	64	150	-	28	-		-	
6	29	59	27.8	_	8.0	_]	_	_		18 17	76 80	148 147	_	10 15	120 65		_ '	
7	6		27.2	_	7.8	_		_		_1	17	87	154	_	10	100		_	
		-		ľ							• '	•			10	130		_	
	<u></u> _	oxdot					<u>_</u>												

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

INDIANA

MAJOR BASIN

OHIO RIVER

SUB BASIN

OHIO RIVER-MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

EVANSVILLE: INDIANA

	DATE	.	THE	DESERVITION			CHLORING	REMAND	AMMONRA								TOTAL	
н	ž	¥	(Degrees Cantigrade)	COXYMEN I	pal4	■ 0. 0	 1-HOUZ mg/l	24-HOVE	HETTEROPEN mg/l	QL0006 =q/l	AUCALINETY mg/l	HARDNESS Mg/l	COLOR	TURNIDITY truth redict	en/i	PHOSPIATES	PHINOLYND SOLIDS ang/I	COLFORNI == 100 mL
7	13 20 27 3 10 17 24 31	59 59 59 59 59 59 59 59	28.4 28.2 28.8 27.0 28.4 29.5 29.2 28.9 24.3 23.2 24.3		8.0 7.9 7.8 7.6 7.7 7.8 8.2 7.9 8.6 8.6			-		20 20 28 24 26 27 30 34 47 42 36 36	72 78 85 84 130 76 78 78 85	166 152 188 174 175 205 154 210 193 184 174	-	14 12 1 7 13	120 150 140 175 190 125 130 130 130		111111111111	

STATE

OHIO

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

OHIO RIVER

SUB BASIN

OHIO RIVER-MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER M510 AT

CINCINNATI, OHIO

	МП							CHOM	DENAND	AMMONIA-						RAPATE	PHOSPHATES	TOTAL	
НШмом	È	1	Tible (Degrees Castigrade)	DIMORN DIMORN	p#I	■ O D ■ ■ /1	=4_/I	1-HOUR	24-HOUS mg/l	MTEDORI	CLOUDS mg/l	AUKALENITY mg/l	HARDMINE Ng/I	COLOR (seek walk)	TURNOTTY (marks make)	mg/l	= 3/1	DESMOLVED HOLDS	Per 100 mi
10	1	58	20.4	7.4	7.4	. 8	9.1	1.7	4.9	1.0	26	49	154	20	35	113		285	960
10	8	58	19.5	8.4	7.6	2.1	10.1	1.7	6.0	1.1	48	52	167	20	10	114		331	170
10	15	38	19.0	10.3	8.4	2.5	12.7	2.3	7.7	1.1	38	57	159	10	15	110		307	67
10	22	58	18.0	10.9	8.7	3.1	15.3	1.5	6.4	. 5	35	60	177	10	15	124		308	1100
10	29	58	15.3	10.2	7.9	2.3	14.3	2.2	6.8	1.7	42	55	171	10	10	118	l '	319	440
11	5	58	14.1	10.5	7.5	1.6	4.5	3.5	6.5	3.7	54	56	185	10 10	10 15	130 152		353 392	1800 330
11	12	58	12.4	10.5	7 - 3	1.4	6.1	5.7	9.4	3.0	64 55	59 59	194 193	20	25	132	1	353	940
11	18	58	15.1	10.6	7.5	3,• 5	12.7	5.6	10.4	2.6 2.9	99 48	40	190	10	20	157		366	1300
11	26	58 58	12.5 7.1	9.7	7.3	-2.3 1.7	17.4	4.6	6.4	2.4	43	45	142	15	40	93		273	6000
12	10	58	3.2	10.9	7.3	2.7	10 1	6.0	10.8	3.9	36	45	133	20	a o	87		243	6900
12	17	58	1.0	13.9	7.4	1.7	7.9	5.7	B.0	3.4	30	48	134	20	25	92	1	257	_
12	24	58	1.6	13.7	7.6	1.7	اه د	5.6	8.6	3.3	30	49	137	10	20	87		246	_
12	31	58	1.7	13.6	7.3	1.4	9.2	7.4	11.3	8.0	31	51	137	10	30	92		268	-
1	7	59	1.5	12.4	7.4	1.8	36.5	8.0	13.5	3.8	37	50	133	20	100	87		239	3500
1	14	59	1.0	13.7	7.4	1.5	5.2	7.2	13.3	4.4	41	59	153	20	40	93	1	285	2700
1	21	59	1.3	12.2	7.2	5.9	26.0	5.9	13.6	2.6	22	47	122	40	550	64		190	13000
1	28	59	1.1	11.6	7.3	2.1	36.7	4.6	10.0	2.0	15	29	73	40	350	43]	126	3700
2	4	59	2.0	12.4	7.3	1.7	25 . 5	3.9	9.5	1.9	16	37	95	30	170	62		173	B000
2	11	59	3.7	11.9	7.3	1,5	48.1	3.5	7.2	2 • 1	24	49	110	40	350	45		170	13000
2	18	59	5.2	11.2	7.0	1.6	39.4	3.2	7.7	1.7	15	33	83	50	230	53		140	6100
2	25	59	3.5	12.0	7.3	1.5	6.9	2.5	4.8	1.9	18	34	97	40	150	62		172	7000
3	. 4	59	4.9	11.2	7.2	1.5	21.7	3.3	7.0	2.1	24	46	123	20	120	75		195	4800
3	11	59	5.6	10.4	7 - 3	6.2	27•4	3.3	7.7	2.0	27	47	122	20	110	76		201	7600
3	18 25	59 59	5.6	11.0	7.4 7.2	1.7	30 Z	3.3	5.8 5.7	2.1	20	38	103 106	20 20	140 100	62 67		166 215	11000 5500
3	1	59	7.0 9.5	9.3	7.3	1.7 2.1	27.9	4.8	2 . /	1.6 2.3	20 25	36 38	100	20	100	71		188	3000
- 4	8	59	10.7	9.4	6.9		27.B	2.8	7.0	1.4	22	32	91	20	160	38		149	3600
7	15	59	10.3	9.6	6.9	1.0	24.2	2.9	5 B	.6	12	27	75	20	130	53		139	2900
4	22	59	12.4	8.8	7.0	1,6	34 B	2.5	6.0	1.1	12	32	77	20	130	64		140	1600
4	29	59	14.6	8.3	6.9	1.7	46.6	2.3	6.7		15	35	90	20	120	58]	172	780
5	6	59	17.6	6.9	7.0	1.7	16.1	3.2	8.0	.7	16	36	103	20	210	71		184	1100
	13	59	20.6	6.9	7.1	1 . B	30.0	2.8	6.7	. 8	16	44	104	20	140	66		180	1700
		59	18.8	6 . B	7.1	1.4	23.1	2.8	8.7	1.0	16	42	102	20	210	64		235	920
		59	22.6	8.2	7.3	2.1	11.9	1.7	7.6	• 4	23	44	130	10	55	98		224	770
6		59	24.7	5.5	6.9	1 • 1	23.7	1.6	4.7	• 3	30	44	132	10	95	83		230	1900
		59	25.2	6.9	7 • 2	. 6	13.3	1.1	3.7	. 5	24	40	106	15	60	65		214	940
		59	24.9	9.2	8.0	2 • 2	12.6	1.9	B . B	• 3	25	48	116	10	30	70		212	_
6	24	59	25.4	8 • 1	7.4	1.8	9.9	1.6	5.2	•2	28	52	133	10	15	85		279	1000

STATE

OIHO

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BABIN

OHIO RIVER

SUB BASIN

OHIO RIVER-MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER M510 AT

CINCINMATI, OHIO

	DATI	u	TMP	DESIGNATION				OLOGN	DEMAND	AMMONIA-								POTAL	
HLL BO	ă	A. P.	Carly-shi	DEYCON Mg/I	Pira	■ 2/1	= 4/1	1-HOUL	24-HOUZ ====/l	HITHOGEN mg/l	CHLORIDES mg/l	ALKALDATTY mg/l	HARDNINS mg/l	COLOR	TURNADITY (seeds and(s))	9.04.75 ■ /1	PHOSPILATES mg/l	pissouved solins mg/l	COLPORALS per 100 ml
7 7 8	1	99999999999999999999999999999999999999	28.8.4 28.4 28.4 28.4 29.1 29.0 29.0 29.0 29.0	7.9 8.2 7.8 6.5 7.3 8.7 8.5 9.0 6.4 9.5 10.2 7.9	7.3 7.8 7.7 7.1 7.9 8.7 7.8 8.5 8.5 8.5 8.5	2.3 2.7 1.5 1.8 2.4 3.1 2.7 3.1 9 3.8 3.3	14.3 12.9 7.0 15.5 6.9 15.1 11.1 9.2 6.6 14.6 14.6	2.2 3.6 1.9 2.1 2.4	7.7 7.2 7.6 7.9	.0	43 33 40 45 57 60 50 46 54 58 62 72		169 191 166 171 170 180 188 188 183 171 189	20 10 10 10 10 20 10 20	9 9 7 5 20 9	123 147 - 123 115 106 120 96 113 145 138		365 361 342 330 325 431 357 388 369 400	*770 2000 170 220 900 200 77 6500 42 260 2400 100 220 350

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

WEST VIRGINIA

MAJOR BASIN

OHIO RIVER

SUB BASIN

OHIO RIVER MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

HUNTINGTON, WEST VIRGINIA

_	DATE							CHLOSER	DEMAND	AMMONIA								TOTAL	
НШНОМ	ă	3	THU Degrees Configurated	DEMOLVED CONTRACT Mag/1	p#H	≣ CLD, reg/l	<u></u> ,/₁	1-HOLE ===(1	24-HOUR	NITEDWIN mg/l	== /1	ALKALIMITY	HARDNESS mg/l	COLOR	posta subsi	MUMATES mg/l	PHOSPHATES Mg/I	POSICIONE ROLIDE mg/I	per 100 mi
10	1	58	20.0	_	7.0					3.5	47	41	158	15	27	166		380	
10	B	58	19.9	_	7.2	_	_	_	_	2.5	29		143	10	13	113		330	440
10	15	56	18.9	-	7.3	_	25.0	_	_	2.0	32	37	151	10	16	130		330	*10
10	22	58	18.4	-	7.3	_	-	-	_	2.0	42	41	162		9	137	1	340	190
10	29	58	16.3	-	7.2	-	-	-	-	3.0	52	39	178	5	11	211		370	1100
11	5	56	14.4	-	7.3	-) -	_	-	5.5	66		190	15	9	178		420	290
11	12	38	12.2	-	7.3	-	15.3	-	-	7.0	56	44	180	15	18	158		380	40
11	19	58	11.7	-	7.3	-	1 1	_	-	6.5	55	38	190		14	182		360	1300
11	26	58	13.2	-	7-2	-	1 1	-	-	8.0	42	32	165	20	18	144		340	510
12	3	36	7.2	-	7.2	-	1 _ 1	-	-	5.0	36	36	132	25	16 51	110 115		280	390
12	10	58	2.7	-	7.1	_	8 - 5	-	-	5.0	29	36	122	20 15	20	118		280 260	4500
12	17	58	2.7	-	7.1 7.1	_	1 1	-	-	5.0 7.5	29 26	36 34	120 122	15	14	136		260	_
12 12	24 31	5 B	2.2	-	7.3	_	1 7	_	-	14.0	41	43	120	15	19	102		280	_
	7	59	3.0 4.3	_	7.1	-	l]	_	_	B.O.	41	47	132	15	75	139		320	3500
1	14	59	2.2	_	7.2	_	1 18.d		_	8.5	33	37	129	30	13	144	1 1	340	2000
î	21	59	2.7	_	7.0	_	۱ ۳۰۰۶	_	_	10.0	16	31	104	35	250	103		160	3500
1	28	59	2.2	_	6 . B	_		_	_	3.5	13	23	62	35	250	53		150	1100
Ž	4	أووا	3.B	_	6.9		_	_	_	5.0	18	31	90	ZO	165	96		180	2500
2	11	59	5.1	_	7.1	_	18.2	_	_	B . O	19	35	98	35	135	96		180	5500
2	18	39	6.1	_	7.0	_		_	-	3.0	7	28	72	70	160	48	i	140	4400
2	25	59	3.3	_	7.1	_	1 -	-	-	5.0	19	38	106	20	110	101		150	4800
3	4	59	6.3	-	7.1	_	1 -	_	-	6.5	24	40	130	15	75	130		230	4800
3	11	59	5.9	-	7.1	-	20.5	-	-1	5.0	18	34	98	20	75	72	}	200	5100
3	18	59	7.3	-	7.0	-	-∤	-	-	2.0	14	33	100	5	120	96		160	3300
3	25	59	8.4	-	7.0	-	-	-	-	5.0	17	31	98	10	95	84		180	1500
4	1	59	10.0	-	7 . 1	-	-	-	-	4.5	17	31	50	15	180	75		200	180 0 0
4	В	59	11.5	-		-	-	_	-	4.5	15	24	68	10	105	69		180	4500
4	15	59	10.2	-	7.0	-	1	-	-	5.5	10	23	67	50	230	70		140	6200
4	22	59	12.7	-	7.5	_	1 1	-	-	2.0	15	29	B 0	15	37	96		120	900
4 5	29 6	59 59	15.4	-	7.3 7.3	-	1	-	-	4.5	22	35	99	15	65	101		220	1600
5	13	5 9	18.0 20.0	-	7.3	-	1 7	-	-	2.5	13	28	86	20	110	50		180	590
	20	59 59	19.2	-	7.3	_	27.3	_	_	2 • 5 4 • 0	19	31 40	104	15	55	115		170	_
	27	59	22.8	-	7.3	_	4′•3		-1	2.0	17 6	22	115 112	15 5	77 33	98 91		200	1400
6	3	59	24.4	_	7.4	_		_		3.5	30	37	128	7	33 33	5 D		220	2700
6	10	59	24.4	_	7.5	_	20.2	_		2.0	18	36	104	10	20	96		260 220	_
6	17	59	22.2	_	7.5	_	20.2	-1	-1	2.5	33	34	120	20	20	110		220 280	- 50
	24	59	22.2	- 1	7.5	_		_	-	3.0	33	35	128	20	9	144		320	*100
											در		140		7	144		220	-100

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

WEST VIRGINIA

MAJOR BASIN

OHIO RIVER

BUD BASIN

OHIO RIVER MAIN STEM 6 MINOR TRIB.

STATION LOCATION OHIO RIVER AT

HUNTINGTON: WEST VIRGINIA

	ATT		THE	DESCRIPTION				CHORNE	DIMAND	<u>.</u> .									
	š	_	Depres Carrierate	COCYMEN	påt	≣ D.D. =g/1	مف ا/عد	1-HOLE mg/l	34-HOUE	ABHOMMA HEROGETH IV, ger	CHORDE mg/l	AUKALBOTY ===/1	HARDNESS	(17LOE	TURNATIVE PARTY	EUAM ≈e/l	MOLPHATE!	MENORAR PRINCIPA	COLIFORNIA per 100 ml.
7 7 7 7 8 8 8 8 9 9 9	8 15 22 5 12 19 26 29 123	59999999999999999999999999999999999999	27.4 27.5 25.5 26.6 17.8 17.1 26.9 27.2 28.1 23.7 22.8 24.4		7.3 7.4 7.7	-	15.6 	- - - - - -	-	3.5 12.0 6.0 12.0 4.0 2.5	59 70 57 83 72 60	42 35 43 47 51 46 46 49 34 36	198 174 186 208 178	20 10 10 10 5 5 7 10 3 5	8 6 18 9 9	158 158 182 139 155 178 113 168 187 302 156 185 158		390 370 400 300 480 380 3400 460 480	110 190 *10 *80 800 180 99 340

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

OHIO

MAJOR BASIN

OHIO RIVER

SUB BASIN

OHIO RIVER-MAIN STEM & MINOR TRIB.

STATION LOCATION OHIO RIVER AT

EAST LIVERPOOL, OHIO

DA DF M		.	тыр					CHOUSE	DEMAND	AMMONEA-								TOTAL	
Н	_	3	(Degrada) Cantigrada)	DESOLVED DICTORN mg/l	4	■ /I	-4 /I	1-HOUE	24-HOUZ mg/l	HETEGORN mg/l	eg/I	MEALINITY Mg/I	HARDHESS Reg/I	COLOS		=1/A/T	PHOSPIATES Eg/I	DESCRIPTION INCLINE	COLPORAS per 100 mi
11 1:11 1:11 1:12 1:12 1:12 1:12 1:12 1	41866293296417308428185963004	35555555555555555555555555555555555555	9.0 6.0 				17.4	1.2 1.5 1.6 1.6 1.6 1.0 1.0 1.0 1.0 1.0 1.0	1.2 1.5 1.2 1.6 1.4 1.5 .9 1.0 1.0 1.0 1.0			- 30 30 30 34 - 25 31 21 20 21 20 22 9 21 30 42 44 30 34 30 34	114 120 117 108 108 108 108 108 108 108 108 108 108	8	15 16 				5300 10000 8800 9800 14000 10000 1700 7700 8700 12000 12000 16000 16000 16000 3600 3600 3600 5700 12000 3500 6700 4500 2200

MARTLAND

MAJOR BASIN CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

NORTH ATLANTIC

SUB BASIN

POTOMAC RIVER

STATION LOCATION POTOMAC RIVER AT

GREAT FALLS, MARYLAND

	DATE FANN		TIMP.	NAMO LVED				CHORNE	DEMAND	AMMONIA								TOTAL	
E	DAY	NIV.	Pagrass Castlyredal	(2277600H 	pål	B.O.D. ■g/l	c.o.b. == /l	1-HOUR	34-HOUR ≈€/I	HITROPEN mg/T	mg/l	ALEALINITY step/1	HARINGE Reg./I	homp ampai coros	(main unit)	MAJATE mg/l	PHOSPHATES mg/l	BOUNE BOUNE MILE	courous per 100 mL
10		50	15.6	814	9.1	4.0	17.3	3.8	6.0	.1	11	81	102	15	20	46		163	#4
	13 20	5 G	14.4	714	9.0	5.2 4.4	15 • 3 7 • 9	3.6	5.4 5.4	,1	11	89 89	116 116	15 15	16	45 41		185 174	100
		58	15.0	8 • 5 7 • 6	7.9	2.4	14.5	2.7	5.3	. 4	14 12	86	104	15	18 17	44		145	100
11		50	iiii	9.2	B.1	2.4	10.5	2.7	3.6	2	14	105	128	ij	18	63		210	74
	10	50	9.4	10.4	8.1	2.6	11.7	2.7	5.3	.3	14	89	116	15	18	49		184	60
	17	50	12.2	8.8	8.1	. 8	5 • 5	1.9	3.7	• 3	12	96	118	15	12	3 €		182	74
	24	58	5.3	11.2	B.3	2 • 2	7.9	1.9	4.1	•1	14	103	130	15	10	52		207	67
12	1	58 56	1.1	,, 7	8.3	4.6	8 · 9 10 · 9	1.8	4.6 5.9	•3	11 12	85 63	122 98	15 15	12 12	44 29		178 160	990 2600
12	15	58	• 6 • 6	13.4	B. 2	3.5	9.5	1.9	4.1	.3	13	91	132	15	10	42		176	130
12	22	50	. 6	14.7	8.5	3.6	11.4	1.7	5.7	.3	15	97	140	15	7	49		202	
12	29	58	.0	14.5	B . 6	3.6	5.3	1.5	3.6	.2	15	98	130	15	4	53		212	-
1	5	59	.0	11.9	7.7	11.9	41.0	2.0	4.7	1.5	12	49	74	50	170	24		105	2600
1	12	59	• O	13.6	8.0	3.5	13.6	3.6	7.6	1.3	9	83	130	20	14	47		189	220
1	19	59	.0	14.3	8.2	5.5	6.9	1.9	4.3	. 6	13	81	128	15	7	43		193	140
1	26	59	.0	11.7	7.6	6.8	27.6	4 . 4	9.0	2.3	7	49	90	40	400	30 31		149 156	900
2	2 9	59 59	.0 4.5	10.9	7.8 7.5	1.8	B - 7	1.7	4.3 6.4	1.0	6 10	52 51	80 86	25 40	20 32	31		148	700
2	16	59	3.5	12.4	7.5	3.5	13∎4 15∎8	1.3 3.6	7.5	2.5	10	37	6-8	30	120	29		129	1500
2	23	59	2.5	12.9	7.5	3.9	7.8	1.7	2.6	1.5	14	45	70	20	20	30		135	_
3	2	59	6.1	11.4	7.9	2.6	4.9	1.5	2.7	.2	13	57	88	20		31		136	-
3	9	59	5.0	11.0	7.6	4.4	21.3	4.0	7.3	. 5	7	46	70	40	170	29		120	2900
3	16	59	5.5	11.4	7.8	2 • 6	6.6	2.4	3.9	.2	8	4-8	64	35	18	28		109	1300
3	23	59	6.5	10.5	7.9	2.5	7 • 8	1.8	4.6	.2	8	44	66	10	17	25		136	1000
3	30	59	8.0	9 . 2	8.1	1.0	5.4	1.4	3.4	1		52	76	10	16	24		118 113	1800 2600
•	6	59	11.0	9.2	7.7	1.4	13.7	4.2	7.2	• 5	14	43	64 64	25 25	65 35	24 17		97	2000
4	13 20	59 59	9.0 15.5	9.7 9.0	7.7 7.4	2.3	5.1 12.0	2.6 1.9	5.8 5.5	.7	13		68	10	35	23		94	1400
4	27	59	18.0	7.0	7.8	2.2	B.1	-	6.0	.2	1	1	76		16	22		132	980
5	4	159	16.5	7.2	7.6	1.0	11.1	_	7.5	.4	7		58		55	20		108	-
5	11	59	18.0	7 . B	7.8	1.0	6.2		5.9	- 1	7		76		18	Z 0		106	-
5	18	59	16.5	8.2	7.7	1 • 2	11.0		4.6	.5	10		6-8	25	35	26		110	1100
5	25	59	21.0	7.0	7.7	1.2	11.1		4.6	.6			74		100	22		105 116	2100 500
6	1	59	22.0	6.0	7.8	1.6	5 • 4		6.2	.6	1		76	1 -	16	24		132	3400
6	8	59	22.0	7.0	7.7	1.2	15.2		7.7	• 5	5	_	86	1	65	22	1	130	680
6	15	59	22.0	7.4	8.0	2.0 3.7	9.2		6.B	.4	- 6	1	98	1 -		-		-	600
6	22	59 59	23.9 31.0	5.1	8.9 7.9	1.8	9.6		3.9	7	1			_		30		141	920

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MARYLAND

MAJOR BASIN

NORTH ATLANTIC

SUB BASIN

POTOMAC RIVER

STATION LOCATION POTOMAC RIVER AT

GREAT FALLS, MARYLAND

	мπ							CHLORDA	DEMAND									TOTAL	
-	ž	ž.	THAP Pagrass Castly-rain	ma /I	 	■ 0 D ■ 0 /1	con ⇒ /1	1 HOUR	24-HOUR =_/1	AMMONIA- HETEDORN mg/l	 /I	ALKALENTY ===/1	HARDNESS mg/l	COLOR	TURNINTY	ERFATE Hg/I	PHOEPHATES	DESSOLVED BOLEDS ==g/I	COLIFORMS
7 7 8 8 8 8 8 9 9	13 20 27 10 17 24 31 7	55555555555555555555555555555555555555	26.5 24.6 30.0 27.7 25.6 27.5 27.0 22.5 19.0 26.5	6.4 5.5 6.9 6.6 5.0 6.2 5.8 6.1 7.6 8.2 7.2	B.J B.27 B.47 7.5 B.4 B.4 B.4	1.5 1.9 1.0 3.1 3.0 .6 1.4 4.8 .8 1.4 2.0 2.2	13.2 11.2 10.4 13.0 13.5 14.8 9.7	1.4 .9 2.1 2.2 2.2 3.1 2.0	6.4 5.6 4.3 5.3 10.5 3.1	.4 .6 .7 .6 .3 .7 .6 1.2 .7 .5 .5	7 11 9 9 12 11 12 9 15 - 15 18 16	87 52 75 77 74 86 64 80 77 86	110 120 102 108 102 126 110 104 122 130	6 7 8 9	14 18 19 16 43 14	37 42 35 34 49 34 27 35 52 52		136 140 148 178 168 165 165 169 190 205 188	170 550 1500

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MARYLAND

MAJOR BASIN

HORTH ATLANTIC

SUB BASIN

POTOMAC RIVER

STATION LOCATION POTOMAC RIVER AT

WILLIAMSPORT, MARYLAND

DATI				DESIGNATION IN COLUMN				CHOCK		AMMONIA								TOTAL	COLPORU
PAY PAY	37.	_ p=	_	DXYMEN mg/l	164	= _/l	 /i	1-HOUR ===/I	24-HOUR mg/l	HETTEROGRAM mg/l	HE /1	ALEAL#HTT	#4.60 Halls	COLOR		MATE //	PHOSPHATES	DESCALVED SOLICE Pag/1	per 100 mi
10 6 10 20 10 13 10 16 10 20 11 1 17 11 20 11 12 1 12 1 12 1 1	555555555555555555555555555555555555555	8 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		8.9 8.0 7.6 10.2 10.3 10.6	7,0	1.1 2.1 .5	12.5					76 - 86 -	152 152 164 164 140	10 - 10 - 15 300 200	2 2 5 6 6 14 15 15 15 15 15 15 15 15 15 15 15 15 15			140 216 110 174 184 - 224 - - 110 174 184 - - - - 110 - - - - - - - - - - - - -	51 -7 24 -9 20 *1 -7 270 270 180 53 270 2400 100 72 540 40 87 -850 330 80 -620
5 1 5 2 5 2 6 1	6 : 0 : 3 : 4 : 1 : 5 : 8 : 5 : 5 : 5 : 5 : 5 : 5 : 5 : 5	59 59 59 59	- 11.0 - 14.0 - - 20.0	7 • 8	7,1	2.6	11.	1	_		- - - -	- - 3 - -	2 6 7 7 6 6 6 6 6 6	6 1	5 15	5 5 5		98 72 106	240 - 300 90 180

STATE

MARYLAND

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

NORTH ATLANTIC

SUB BASIN

POTOMAC RIVER

STATION LOCATION POTOMAC RIVER AT

WILLIAMSPORT: MARYLAND

TAD LUMM TO	TEMP	DISSIGNATION				CHLORNE	DRMAND	AMMONEA-								TOTAL	
PAV TEAR	Dogram	COXTENSION	piff	BLOD mg/l	±0.0.	1-HOUR	34-HOUE	HETEDORN mg/l	MI/I	ALKALIMITY mg/l	HARDNER mg/l	COLOR	TUBBLERTY (scale main)	REPATE	PHOSPHATES PHy/I	TOTAL DHIPOLYED BIOLIDE Mg/1	Per 100 mil
6 29 5:77 8 5:77 20 3:57 20 3:57 30 5:8 8 10 5:9 14 5:9 9 14 5:9 9 24 5:9 9 28 5:9	99 28. 99 28. 99 25. 99 25. 99 20.	10.9 0 10.9 0 9.3 0 7.3 0 -	7.4 - 7.4 - 7.5 - 7.8	1.0	15.0					68 - - 68	126 	20 15 19 - 5	10 - 12 - 8 - 12 - 2 - 2			298 - 212	350 260 170 2200 180 170 250 73 - 90 73

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

LOUISIANA

HAJOR BASIN

STATE

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER RED RIVER BELOW DENISON

STATION LOCATION RED RIVER AT

ALEXANDRIA, LOUISIANA

	DATI MAN	44						OLODa	CHAMBO .										
HELICA	DAY	¥1₹A	(Dagreen Candigrania)	027788H =g./1	pH	■.0 b =/1	C.0 n ■ 4 /1	1-HOUR /1	24-HOUE	AMMONEA- NITROSEN mg/I	CHLONOIS mg/l	ALKALIMITY mg/l	HARRING Ng/I	101.04 	TURNEDITY (made embe)	300 ATO	PHOSPHATES	TOTAL DESIDIVED SOLIDS	collection per 100 mi
	13	50		-	_	_	_												210
LO	20	54	-	-	-	-	-	_	_	_	_	_	_		_	_	!	_	120
1	3	54	-	-	-	-	_	_	-	_	_		_	l -	-	_			620
1	17	54	_	-	-	-	-	-	-	_	_	_	_	_	_	_	i	_	370
2	1	58	-	(-(-	–	-	_	_	_	_	· -	_	- 1	_	_	Į.	_ :	1200
2		*	_	-	-	-	_	-	_	-	-	-	_	_	_	_		_	190
2	15	54	-	-	-	-	-	-	-	-	_] -	_	l –	_	_		_	980
1	5	39	-	-		· -	-	-	-	-	_	(-	_	-	_	-	l	_	210
1		39	-	-	8.1	-	23.7	6.0	16.0	2.2	144	138	221	40	34	67		511	
1	12	39	-	-	-	ļ -] -	-	-	-	_	-	_) <u> </u>	_	_		- :	290
	19	59	9.0	-	- -	-			-	-	-	-	-	-	-	-	[i	' <u>-</u>	120
1	26	59		j - j	7.7	_	22.2		14.9	1.5	99		168	30	120	44	}	345	1500
Z	2		71 0		7.9	-	18.0	4.9	12.5	1.0	104	100	164	20	103	4.8		380	
2	3	59	11.0	1 1	7.6	-	24.5	5.4	15.4	1.4	70		109	30	218	37		278	
2	10	39	13.0	-	8.5	-	18.7	4.9	12.5	2.0	101	69	117		254	43		341	420
2	16	59		-	8.2	-	16.2	5.7	14.3	1.4	109	1	136		143	46	ļ	371	
2	23	39	13.0] -]	8.0	ļ -	20.5	6.4	16.9	1.6	51	58	75		445	12	1	182	770
3	2	59	13.0	-	5.2	_	21.7	2.8	7.1	1.8	73	51	77		178	16	1	227	730
3	10	51	13.0	-	7.8	-	19,6	3.0	8.8	1.6	56	61	83		285	19	1	212	550
3	16	59	13.0	-	7.8	-	25.7	1.4	7.3	2.6	43	52	75		725	19		168	1100
3	24	59	13.0	-	8.1	-	20.6	2.6	4.9	1.2	40	51	68	30	270	17		167	770
3	30	59	_	_		-	-	-	_	-	-	-	-		-	_	j,	-]	340
4	. 6	51	_	-	7.9	_	18.2	2.5	6.6	1.2	76	56	100	30	195	42		278	890
4	13	57	-	-		-	-	-	-	-	-	-	-	-	-	_		-	900
4	27	59	<u>-</u>		8.3) -	21.6		4,8		54	,	84		340	25	1	205	
5	4	54	25.0	-	7.6	_	23.6		3.9	2 • 2	42	57	70	30	180	17		181	250
5	18	59	26.0		7.8	-	22.9	2.7	6.5	2.4	82		138		65	42	'	328	160
5	25	59	26.0		7.7	-	20.5		4.6		33	79	89	30	415	18	j	174	
6	3	59		-	8.1	-	19.7		2.4	1.2	31		73		300	11		159	440
6	15	59	28.0	J -	7.7	-	23.0		4.0	2 - 4	42	1	76		180	11) .	169	ВС
١	23	59	27.0	-	7.8	-	25.7		3.0	1.8	56		97		115	26		234	100
6	29	59		-	8.4	-	25.2		2.3	1.6	79	–	132	1	98	41		326	150
7	7	59	30.0	-	B • 3	_	23.1	1.6	2.5	1.5	118		173		90	69		446	120
7	15	57	30,0	-	7.7	-	20.8		2.9	1.8	89		136	_	178	57		379	
7	20	59	-	-	7.8	-	18.6		2.0	2.2	138		195		43	90		553	
7	27	59	28,0) -	7.8	-	26.0	j.	• В	2.0	81		133	_	700	55	1	342	980
8	17	59	30,0	-	7.7	1	25.8		2.1	1.6	73		144		180	69		400	400
8	24	59	28.0	-	7.7	-	23.2		2.1	1.8	136	131	200	0 2 0	58	97		559	50

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

PIAIR

LOUISIANA

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

BUD BASIN

LOWER RED RIVER BELOW DENISON

STATION LOCATION RED RIVER AT

ALEXANDRIA, LOUISIANA

	DATE		THE	DESEGUIVED					DEMAND	AMMONIA-						BULFATTE	PHOSPHATES	TOTAL	COLFORNS
Ę		Į,	(Dagrass Carthyrate)	2307948N ==1/1	Při	■ 0 0	C D B	1-HOUR	34-HOLE ===/I	NETED-BEN mg/l	CMORIDES ===/1	AUKALIMITY ==/I		coros		= €/I	-	HOLIDS HOLIDS	per 100 mi
9 9	14	59 59 59 59	29.0	7.7 7.0 7.2 6.9	8.1 8.0 7.7 7.8 7.9	1.8 1.0 2.0 2.4	73.7 15.8 28.6 9.6	2.1 1.7	5.7 5.5	2.6 .4 .6 .4	257 274 124 146 153	141 84 128	304 364 179 215 251		56 40	173 181 61 72 76		904 915 443 498 567	3500 730 2300 2100

STATE

ARKANSAS

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

SOUTHWEST LOWER MISSISSIPPI

BUB BASIN

LOWER RED RIVER BELOW DENISON

STATION LOCATION RED RIVER AT

INDEX, ARKANSAS

The content of the		DAT		. 1						CHAIN										
2 24 59 13.0 10.4 7.6 - 16.4 6.5 51 108 132 140 30 28 270 3 2 59 12.0 8.6 8.0 .7 11.5 7.1 106 64 140 240 480 48 3350 3 16 59 12.0 9.5 7.6 - 24.5 3.7 70 80 - 200 175 32 469 3 23 59 16.0 10.2 8.2 - 5.33 290 104 300 120 114 180 864 3 31 59 16.0 7.4 8.1 - 3.1 21.4 155 72 174 120 168 34 523 4 8 95 22.0 8.9 8.0 - 26.7 1.8 85 88 144 200 330 72 392 4 13 59 17.6 9.9 8.2 1.1 25.40 225 104 248 40 96 104 745 4 27 59 21.0 8.5 7.7 1.8 26.7 3.8 6.0 1.5 75 80 166 140 102 83 480 5 4 59 24.0 8.3 7.9 2.5 25.9 2.2 5.1 1.0 132 118 290 25 18 120 770 5 11 59 24.0 8.1 8.2 .2 11.0 1.8 3.0 .3 186 158 308 10 24 132 772 5 19 59 25.0 7.0 7.4 1.7 24.9 1.5 2.5 8.6 32 76 80 23 78 76 264 5 27 59 25.0 7.6 7.7 3.3 10.4 4.5 5.5 .0 162 132 248 80 28 73 61 6 1 59 25.0 7.6 7.7 3.3 10.4 4.5 5.5 .0 162 132 248 80 28 73 61 6 1 59 25.0 7.6 7.7 3.3 10.4 4.5 5.5 .0 162 132 220 30 32 80 448 6 2 59 25.0 7.6 7.7 7.8 8.0 2.1 11.1 4.6 10.4 .0 62 100 142 80 108 28 311 6 1 59 25.0 7.6 7.7 3.3 10.4 4.5 5.5 .0 162 132 248 30 28 73 61 6 1 6 59 25.0 7.6 7.7 2.5 8.0 2.1 1.0 2.7 6.5 5.1 36 70 88 75 84 26 14 6 1 59 25.0 7.6 7.7 3.3 10.4 4.5 5.5 .0 162 132 248 30 28 73 61 6 1 6 59 25.0 7.6 7.7 2.5 11.3 1.3 8.7 .0 145 52 190 35 89 80 470 7 13 59 25.0 7.8 7.7 2.5 11.3 1.3 8.7 .0 145 52 190 35 89 80 470 7 13 59 25.0 7.6 7.7 2.5 11.3 1.3 8.7 .0 145 52 190 35 89 80 470 7 13 59 25.0 7.6 7.7 2.6 34.6 2.6 6.6 1.2 156 132 220 30 32 80 448 8 10 59 28.0 6.8 7.7 1.3 4.5 3.5 8.9 .0 10.0 24 28 136 35 330 110 462 8 4 59 30.0 6.4 7.3 - 11.2 4.8 8.9 .0 10.0 55 170 20 48 81 36 35 330 110 462 8 4 59 30.0 6.4 7.3 - 11.2 4.8 8.9 .0 110 55 170 20 48 81 36 35 330 110 462 8 4 59 30.0 6.4 7.3 - 11.2 4.8 8.9 .0 110 55 170 20 48 81 36 35 330 110 462 8 1 59 30.0 8.1 7.7 2.4 23.7 1.1 5.0 395 52 388 50 350 89 814 8 10 59 28.0 8.1 7.7 2.4 23.7 1.1 5.0 0.0 395 52 388 50 350 89 814 8 10 59 28.0 8.1 8.1 7.7 2.4 23.7 1.1 5.0 0.0 59 52 388 50 350 89 814 8 10 59 30.0 8.1 8.1 7.7 2.4 23.7 1.1 5.0 0.0 59 52 388 50 350 89 814			_	4	P	OXYMEN	, 1 1	-				HITTEOGRA		1 1			,		 PRESOLVED SOLIDS	COLIFORNS per 100 ml
8 25 59 28.0 7.4 8.1 2.0 33.2 .5 1.7 .0 375 58 340 60 310 84 1194 9 1 59 27.0 7.4 8.3 1.5 15.2 0 371 50 405 40 408 86 1007 9 8 59 28.0 7.1 7.6 1.6 - 8 1.6 .0 410 68 375 26 355 100 9 9 8 28 28 28 28 28 28 28 28 28 28 28 28 2	23333444455556666677778888899	24 25 16 25 31 12 22 23 11 12 23 11 12 23 11 12 23 11 12 23 14 14 14 14 14 14 14 14 14 14 14 14 14	12759183174197196306318406518	99999999999999999999999999999999999999	13.0 12.0 15.0 16.0 22.0 16.0 21.0 24.0 21.0 26.0 27.2 25.0 25.0 27.2 25.0 28.0 28.0 28.0 28.0 28.0 28.0 28.0 28	10.4 8.6 8.7 9.3 10.2 7.4 8.9 9.9 8.5 8.3 8.1 7.0 6.9 7.3 6.8 8.1 7.3 6.8 8.1 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 7.3 6.8 6.8 6.8 6.8 6.8 6.8 6.8 6.8	8.0 7.4 8.1 8.0 8.2 7.7 7.7 7.7 8.0 7.6 7.7 8.0 7.7 7.7 7.7 7.7 7.7 7.7 7.7	-7 1.1 3.5 1.8 2.5 2.5 2.1 2.1 2.6 4.8 2.5 2.1 2.0 1.3	11.9 27.9 24.9 3.1 26.7 25.4 33.8 26.7 25.4 33.8 11.0 10.4 9.5 11.3 4.5 11.2 23.7 33.2		2.55 6.00 5.11 3.00 2.55 10.4 6.55 5.56 6.66 8.7 6.3 8.9 8.9 8.9	6.5 .0 7.1 3.7 .3 21.4 1.8 .0 2.4 1.5 1.0 .0 .0 .0 .0 .0 .0 .0 .0 .0	51 146 106 700 290 155 85 225 186 32 56 162 36 143 224 308 70 144 110 39:	108 138 64 400 104 72 88 104 80 118 158 76 100 70 132 122 120 124 428 55 52 57 55 57 56 58 66 66 50 50 68 66 66 66 66 66 66 66 66 66 66 66 66	132 250 140 174 144 248 146 290 308 80 142 88 248 220 232 190 202 335 118 133 170 386 344 400 400 375	20 240 200 120 200 140 25 10 30 30 25 5 5 5 6 6 6 6 6 6 6 6 5 5 5 5 5 5 5	9 480 175 114 168 330 96 168 102 18 24 78 108 84 28 32 38 89 90 49 90 49 350 228 310 408 355	27 48 32 180 34 72 104 72 83 120 26 73 80 94 124 110 81 84 84	270 537 350 469 864 523 392 745 414 480 770 772 264 311 14 64 648 594 470 617 973 317 462 360 814 979 978	440 27

STATE

TEXAS

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

SOUTHWEST-LOWER MISSISSIPPI RIVER

SUB BASIN

LOWER RED RIVER BELOW DENISON

STATION LOCATION RED RIVER AT

DENISON, TEXAS

DATE OF SAMPLE						CHLOSS	DEMAND	AMMONIA-								TOTAL	
THE AND STATE	TEST Property Configurated	DESPOLVED DETWEN mg/l	p#	==_/1	= -/1	1-HOUR	24-HOUE mg/l	HETEDOEN mg/l	CHOSTO	ALKALINITY mg/i	HARDNES mg/l	posts mitt)	TURNIDITY seels selfs	ERIATE	######################################	POLICE SOLICE Mg/I	per 100 mi
2 3 59 9 59 9 59 9 59 9 59 9 10 59 9 17 59 9 12 59 12 12 59 12 12 59 12 12 59 12 12 59 12 12 59 13 12 59 14 59 15 59 16 6 7 7 7 8 8 9 9 12 29 15 59 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	7.2 8.9 8.9 10.1 11.7 12.8 13.9 15.3 18.3 21.1 21.1 22.9 25.6 1 26.1 26.1 25.5									114 113 116 118 118 118 118 120 130 136 114 118 122 115 112 110 118 112 112 110 118	3400 4509 4509 4509 4509 4509 4509 4509 4		15 15 15 15 15 15 15 15 15 15 15 15 15 1				*3 *3 20 *3 *3 *3 *3 *3 230 21 75 7 3 *330 30 13 30 13

TEXAS

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

HAJOR BASIN

STATE

WESTERN GULF

BUD BASIN

LOWER RIO GRANDE BELOW PECOS

STATION LOCATION RIO GRANDE RIVER AT

LAREDO, TEXAS

DATI OF LANGE THE	DESCUVED				OLOme					•					TOTAL	
	DXYMAN	pě4	1.0.0 =4/1	= 4 /1	1-HOUS mg/l	34-HOUR mg/l	AMMONIA- HITEOGRA mg/l	CALONIONA =4g/l	ALKALIMITY mg/1	HARMAN mg/l	COLOR	TURNMIT (code mate)	mg/i	PHOSPHATES ===/1	PEROLVED POLIDS mg/l	per 190 mi
10	05.000000000000000000000000000000000000	8.0 8.1 8.1 6.3 8.3 8.3 8.3 5.2 5.1 5.1		6.				28 21 399 375 55 68 72 78 84 92 96 94 91 100 111 11 12 12 12 12 12 12 11 11 11 11 11	105 110 137 139 126 164 168 153 148 153 145 153 147 153 154 153 147 153 154 154 154 154 154 154 154 154 155 165 166 167 167 167 167 167 167 167 167 167	196 170 240 204 231 280 294 300 292 308 314 300 298 300 298 300 298 298 298 298 298 298 298 298 298 298		8200 4600 2800 27000 1160 490 300 210 85 58 47 34 36 38 43 30 25 30 30 30	164 89 127 1150 145 160 172 165 166 180 187 156 166 167 167 168 168 168 168 168 168 168 168 168 168			28000 9000 7000 16000 10000 1100 3900 670 2000 670 2000 180 220 240 140 51 34 220 240 100 760 3300 760 3300 770
6 9 59 2 6 16 59 2 6 23 59 2	· 1	- 8. - 8. - 8.	3 - 3 -	77	- - Z	- - -	- - -	- 10 - 12 - 11 - 2	.5 13	8 2B 1 26	4 2	- 820 - 1300 - 290 - 1200	17	1 2	-	11000 2500 170

TEXA5

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

WESTERN GULF

BUB BASIN

STATE

LOWER RIO GRANDE BELOW PECOS

STATION LOCATION RIO GRANDE RIVER AT

LAREDO, TEXAS

	MII MAII		TLAIP	DESCUE				OLORN	PENAND	AMMONIA								TOTAL	
HLL	à		Constraint Constraint	03.Years ==1/1	pH	■ 0 D. ==_/l	COD ■ /1	1-HOUR	34-HOUR ==/1	MITROPEN mg/l	GLOSIDE /I	ALEALDSTY	HARDNESS mg/l	(cotos		=3/1	PHOSPIATES By/I	DESIGNATION SOLEDING /1	COLIFORMI per 100 mi
7 7 8 8 8 8 9 9	14 21 28 11 18 25 27 15	555555555555555555555555555555555555555	29.5 29.0 29.0 29.5 31.0 29.8 29.5 27.5 26.1 28.0		8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3		18.8	-		- - - -	100 64 100 90 84 90 88 36 30 34 52 64	131 129 126 131 121 97 120 115	251 258 224 244 201 2140 2180 238	-	75 6000 3000 7600 1450 270 35 200 11200 11600 7800 450	165 185 132 145 105 152 160 145 172 102 145 160			450 10000 1300 1200 40 1500 4500 7100 2200 1100

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

TEXAS

MAJOR BASIN

WESTERN GULF

BUB BASIN

UPPER RIO GRANDE ABOVE PECOS

STATION LOCATION RIO GRANDE RIVER AT

EL PASO, TEXAS

	DATE		1764	SHEEDLY NO.															
н	ž	¥	(Degrees Carrierade)	cotyenn mg/l	pit	B.O D ■ 3 /1	co.p == <u>u</u> /1	1-HOUL ug/l	24 HOUR	AMMONIA. HITHOGEN mg/l	CLOSS	ALFALMETY mg/l	HARDINGS mg/l	COLOR 	TURNEDITT (seels mile)	ERJATS mg/l	PHOSPHATES ==E/I	TOTAL DESCRIPTION SEPLECT mg/l	bet 100 mg
10	6	58	20.9	8.5	8.3	2.9	_	2.7	5.9		80	222	350		700	160		694	
10	13	58	21.0	8.5	B.3	2.7	10.2		3.7		240		434		240	160 219	1 1	1330	_
10	20	58	18.2	8.0	8.7	2.3	-	1.9	5.9	i -	177	224	420	1 -	350	208		1069	48000
10	27	58	18.6	B • 5	5.1	1.6] -	2.6	3.9	_	259	239	468	l -	39	276	1	1449	1500
3	9	59	27.2	8.2	8.2	2.3	-	1.3	3.9	-	72	179	230	1	1450	108	[632	_
3	16	59	27.0	9.2	8.0	2 - 4	-	2.1	4.4	-	72		214		710	132		635	5000
3	23	59	19.2	8.3	8.0	1.1	l -	2.4	4.5	-	82	163	222		430	180	1	643	4700
3	30	59	23.0	8.4	8.0	1.3	-	2.0	4.3	-	91	170	222	-	510	132]	684	7300
4	6	59	20.0	8.5	7.9	1.4	-	2.3	4.4	-	94	170	232	-	380	180		689	1400
4	13	59	19.0	8.8	8.1	1 • 2	20.5		4.7	-	121	175	226	-	420	180		867	8000
4	20	59	20.1	7.9	8.1	1.5	· -	1.5	4.1	-	176	185	228	-	145	230	ì	1015	3700
4	27	59	20.3	7.6	7.9	1.7	-	1.6	4.4	-	147				210	154		846	6700
5	4	59	19.0	8.5	7.9	1.4		1.5	4.2	-	157			1	180	160		B30	1100
5	11	59	20.6	7.7	8.0	1.6	18.3		5.0	-					150	15B	1	B75	2700
5	18	59	22.0	7.6	8.1	1.3	-	1.8	4.5	-	136			1	180	-	1	769	77
5	25	59	23.0	7.8	8.1	1.9	-	1.9	4.7						165	156		834	5400
6	1	57	26.0	6.9	8.0		-	1 • B	4.7		177				150	158		854	3000
6	В	59	28.0	7.0	7.8	1.1	1 -	1.9	4.6		1 - 1 - 1			1	165	160		845	6300
6	15	59	27.0	6.2			_	1.9	4.7		1 -				190	140		663	3100
6	22	59	32.0	6.2		1.3	1 -	2.1	5.1	1					210	175		767	4000
•	29	55	28.0	7 B	8.1	. 7	1 -	1.8	4 - 8						1	180		670	1000
7	6	59	28.0		B • 1	1 • 2	1 ,, :	1.8	4.7		1	1			850	167		B73	2700
7	13	59	29.0	5.9	8.2		14.5	1		1	1		1		1	152		B 4-8	2200
7	20	59	28.D	7.9	B.3		-	1.5	4 • 2					1	1	156	1	843	6300
7	27	55	29.0				-	2.1	5.6	1		_			210			797	+250
В	3	59	30.0		B • 2		-	1.7	4.9						1	158		801	13000
В	10	59	29.0				-	1.9			1				1 2,0			748	21000
8	17	59	_			I .	-	2.0	l .	1	, -,				1 200	_		655	7300
8	24	59	25.0			_	-	1.3							1 2300			8 9 8 7 7 2	13000
8	31	55	28.0				-	1.7			1 44.			ı	1 1200			656	1800
9	14	5 9 5 9	26.5 24.0	1				1.3							265			989	1800
	21	59			1			1.6		4		- 1		. (85			1491	2000
9	1	1 1		′•°	0.0] '•5	1	1	1	_ 190		<u>.</u>				1 77	12000
9	29	799	_		_	_													1200
																			1
_		Ь_	L					⊥			305				ــــــــــــــــــــــــــــــــــــــ				

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

GEORGIA

MAJOR BASIN

SOUTHEAST

EUB BASIN

SAVANNAH RIYER

STATION LOCATION SAVANNAH RIVER AT

PORT WENTWORTH, GEORGIA

THE PARTY OF THE P	.0	DITTERN mg/1	Hing	LOD mg/l	/I	1-HOUR mg/l	24-HOUR	AMMONIA- HETEOGRA	CHORDE	AUXALINITY	HARDNING	COLDS	TURNETTY	EULIATM	PHOSPHATES	DESOLVED	COLPORA
10 6 50 .0 10 13 50 .0 10 20 50 .0 10 24 50 20 3 10 27 50 .0 11 10 50 11 17 50 11 17 50 12 15 50 12 15 50 12 15 50 12 25 50 1 23 50 1 23 50 1 24 50 1 5 50 1 5 50 1 5 50 1 5 50 1 5 50 1 5 50 1 5 50 1 12 50 1 12 50 1 12 50 1 12 50 1 12 50 1 12 50 1 12 50 1 12 50 1 13 50 1 14 50 1 15 50 1 17 50 1 18 6 1 19 50 1 19 50 1 10 5	20.3	-			1	 /·	~ •/1		 /1	 /1	= €/I			- /1	- /'	MOLIDA Mg/1	Per 100 m
11 17 50 - 11 21 50 18.6 12 15 50 - 12 15 50 - 12 29 50 - 1 5 59 - 1 19 59 - 1 19 59 - 1 23 59 - 1 26 59 - 2 2 59 - 3 16 59 - 3 23 59 - 3 16 59 - 3 23 59 - 3 16 59 - 3 23 59 - 4 6 59 - 4 13 59 - 4 13 59 - 4 20 59 26.7	20.3		7.3	_	_		-	-	2	22	19	10	_	4			10
11 17 50 - 11 21 50 18.6 12 15 50 - 12 15 50 - 12 29 50 - 1 5 59 - 1 19 59 - 1 19 59 - 1 23 59 - 1 26 59 - 2 2 59 - 3 16 59 - 3 23 59 - 3 16 59 - 3 23 59 - 3 16 59 - 3 23 59 - 4 6 59 - 4 13 59 - 4 13 59 - 4 20 59 26.7	20.3	-	6.7	-	1	-	-	-	59	28	25 24	7	54	6		122	240
		8.1	7.2	• 7		_	_	_	3	21 20	17	5 30	52	7		49	27
1 17 58 - 18.6 5 58 15.6 5 58 - 2 10 58 58 - 5 58 1 5 59 1 12			7.2	• ′	ıj	_	_	_	36	36	34	او ا	67	33		122	1 0
1 17 58 - 12 58 18.6 2 1 58 58 - 2 2 10 58 8.3 2 15 58 - 2 2 29 58 - 5 1 12 59 - 1 1 12 59 - 1 1 23 59 - 7 1 26 59 - 7 2 2 59 59 - 7 2 2 59 59 - 7 2 2 59 59 - 7 3 16 59 - 7 3 16 59 - 7 3 17 59 13.1 3 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 - 1 5 59 59 59 - 1 5 59 59 59 - 1 5 59 59 59 - 1 5 59 59 59 - 1 5 59 59 59 59 59 59 59 59 59 59 59 59 59		-	7.2	_		_	_	_	2480	44	834	5	56	35 0		5070	32
1 17 58 - 12 58 18.6 2 1 58 58 - 2 2 1 5 58 - 2 2 1 5 58 - 2 2 2 5 58 - 1 1 2 5 5 7 - 1 1 2 5 7 - 1 2 2 5 7 - 7 2 6 5 7 - 7 2 6 5 7 - 7 2 6 5 7 - 7 2 7 5 7 - 7 2 8 7 7 7 2 8 7 7 7 2 8 7 7 7 2 9 7 7		_	-	_		_	_	_		-	-	_	-	-		-	6-8 (
1 12 59 - 1 19 59 - 1 23 59 7 7 1 26 59 - 2 2 59 - 2 9 59 - 2 16 59 - 3 16 59 - 3 16 59 - 3 20 59 13 1 5 30 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 5 59 - 1 7 59 18 3 20 59 26 7	-	-	6.9	-	-	-	-	_	996	31	354	5	53	120		2070	13
1 12 59 - 1 23 59 - 1 23 59 - 2 2 59 - 2 9 59 - 2 16 59 - 3 16 59 - 3 20 59 13 1 3 30 59 - 4 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 5 59 - 1 5 59 - 1 7 59 18 3 20 5 5 7 26 7	18.6	8.2	7.0	1 • 1	-	-	-	-	5	20	17	20	30	5		49	
1 12 59 - 1 23 59 - 1 23 59 - 2 2 59 - 2 9 59 - 2 16 59 - 3 16 59 - 3 20 59 13 1 3 30 59 - 4 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 3 59 - 1 5 59 - 1 5 59 - 1 7 59 18 3 20 5 5 7 26 7	-1	-	6.9	-	-	-	-	-1	29	24	26	7	55	17	ĺĺĺ	54	
12 59 - 19 59 - 23 59 59 7 7 26 59 - 2 59 - 16 59 - 2 59 13 1 2 3 59 - 30 59 - 17 59 18 3 7 18 5 7 1		9.3	6.6	.6	1 1	-	-1	-	11	18	17	25	52	<u> </u>		52	
12 59 - 19 59 - 23 59 9.7 26 59 - 2 59 - 2 59 - 16 59 - 2 59 - 20 59 13.1 23 59 - 30 59 - 4 59 - 17 59 18.3 20 59 26.7		-	6.0	-	1 7	-	-	-	3	28	17		55	. 7			
12 59 - 19 59 - 23 59 9.7 26 59 - 2 59 - 2 59 - 16 59 - 2 59 - 20 59 13.1 23 59 - 30 59 - 4 59 - 17 59 18.3 20 59 26.7		-	6.7	-		-	-	-	421	20	153	11	200	18		764	
19 59 -23 59 9.7 26 59 -2 59 -16 59 -2 39 -2 39 -2 39 20 59 20 59 20 77 17 59 18.3	<u>-</u>	-1	-	_		-	-	_	4	18	19	1.2	84	6		-	41
2 59 - 9 59 - 16 59 - 2 59 - 16 59 - 10 59 13:1 23 59 - 30 59 - 4 59 - 13 59 18:3 20 59 26:7		10.7	7.0	_]	_	~		9	29	24	10	5	12		8 .	22 22
2 59 - 9 59 - 16 59 - 2 59 - 16 59 - 20 59 13:1 23 59 - 30 59 - 13 59 - 17 59 18:3 20 59 26:7	9.7	10.7	6.4	1.1	_	_	_	_	9	16	10	30	67	- 4		53	22
2 59 - 9 59 - 16 59 - 2 59 - 16 59 - 20 59 13:1 23 59 - 30 59 - 13 59 - 17 59 18:3 20 59 26:7			7.4		_	_	_	_	11	41	32	-	- '- I			- 1	24
9 59 - 16 59 - 16 59 - 20 59 13.1 23 59 - 30 59 - 6 59 - 17 59 18.3 20 59 26.7	-	-	7.0	-	-	-	-	-	- 5	36	24	-	-	-		-	16
16 59 - 13.1 23 59 - 13.1 23 59 - 13.5 6 59 - 13 59 - 17 59 18.3 20 59 26.7	-	-	-	-	-	-	-	-	-	-	-	-1	-	-		-	62
16 59 - 13.1 23 59 - 13.1 23 59 - 13.5 6 59 - 13 59 - 17 59 18.3 20 59 26.7	-1	_	6.8	-	' ⊣	-[-1	-(-[17	16	-[-	-[- [7
30 59 - 6 59 - 13 59 - 17 59 18.3 20 59 26.7		- 1	5.6	-	-	-	-	-	-	26	24	-	-	-	1	- 1	3 ●
30 59 - 6 59 - 13 59 - 17 59 18.3 20 59 26.7			6 . B		-	-	-	-	6	36	32	35	27	•		60	2
30 59 - 6 59 - 13 59 - 17 59 18.3 20 59 26.7		8.6	6.5	1.1]	-	-1	-	?	14	17	65	52	7		61	
6 59 - 13 59 - 17 59 18.3 20 59 26.7		-	6.8	_	47.7	-	_	_	?	24 19	20 16	40	35	20		34	26
13 59 - 17 59 18.3 20 59 26.7		_	-	_]		_	_		47				_		<u>-</u>	5 8-
17 59 18.3 20 59 26.7	I .	-	_	_		_	_	_	_	_	_	_	_	_			2
20 59 26.7	3	7.7	6.9	1.1	<u> </u>	_	-	_	7	18	18	70	118	5		62	
	26.7	6.6	6.8	1.1	4	-	_	-	7	18	17	30	120	2		57	27
	-	-]	-	-	4	-	-	-		_		-					11
4 59 -	-	- [-	-	4	-	-	-1	-[-	-[-	-[-[- [27
11 59 -		-	-	-	-	-	-	-	-	-	-	-	-	-		-	8
18 59 -		-	-	-	4	-	-	-	-	-	-	-	-	-		-	22
25 59 - 29 59 24.4		4 -	7,1	-	7	-	-]	-	-		[_	-1	-		-	5
29 59 24.4	امسد	6.3	/ . I	. 9	٦	-	-	-	7	19	18	60	67	6		63	12

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

GEORGIA

MAJOR BASIN

SOUTHEAST

SUB BASIN

STATE

SAVANNAH RIVER

STATION LOCATION SAVANNAH RIVER AT

PORT WENTWORTH. GEORGIA

DA 104			TEMP	DESIGNATION				CHOOM	MALAND	AMMONIA.					_			TOTAL	
Ē	Τ	┦,		23(YSIS) 100/1	påll	L O B. ■ /1	 /1	1-MOUR mg/l	34-HOUR =q/1	HITTIONEN mg/l	CHLOWNES mg/l	AUKALIMITY mg/l	HARCHEN Mg/l	COLDS	TURNOTTY	SUATE ≈7/I	HIOSHATES -s/I	DISSOLVED SCHOOL Hay/I	COLIFORNIS per 100 ml
6 1 2 2 7 7 7 1 7 7 7 7 7 7 7 7 8 8 1 1 8 2 8 3 9 9 1 2 9 9 2	52963707307318415	99999999999999999999999999999999999999	26.7	- - - - - - - - -	6.8		28.3	:				18	17	30	126	-		64	1808 640 1700 1600 21008 2100 2100 2100 2400 170 48000 1500 4500 11000 -

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

SOUTH CAROLINA

MAJOR BABIN

50UTHEAST

SUB BASIN

SAVANNAH RIVER

STATION LOCATION SAVANNAH RIVER AT

NORTH AUGUSTA, SOUTH CAROLINA

DATI							Q-LOUN-	DEMAND	AMMONIA-								TOTAL	
Pro Tra	15 E	TBLP Degrees Consignated	DESCRIVED COTYMEN Mg/I	-4 4	eg/l	C D D	1-HOUL	34-HOUR	MITTERSHIN MITTERSHIN MIZ/I	mg/i	AUKALIMITY	HAETREE	post- mini	(UNADITY	RUATE -y/I	PHOSPHATES	DOMOLVED BOLIDS mg/I	PER 100 mil
10 6 10 27 11 3 11 10 11 17 12 1 12 15 12 15 12 12 29 1 16 2 29 1 16 2 3 3 16 23 3 3 30 4 13 4 27 5 11 5 12 6 8	555555555555555555555555555555555555555	20.0 18.9 17.7 17.7 18.8 17.7 13.3 10.0 10.0 11.1 12.2 11.1 11.1 12.2 13.3 12.2 16.6 15.5 17.7 17.7 20.0 18.8 18.8 18.8 18.8 18.8 18.8	9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5	7.0 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1		7.3 12.2 5.8 16.6				446555555555555555555555555555555555555	16 16 15 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	12 14 14 12 12 12 12 12 13 12 16 14 14 14 14 14 14 14 12 20 20 17 15 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19		107777555577775555777755555555555555555				140 220 80 120 50 45 180 140 45 25 25 90 35000 67000 67000 23000 23000 2300 23000 23000 2300 1000 1200 12
														L	L			

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

SOUTH CAROLINA

NIBAB SOLAM

SOUTHEAST

BUS SASIN

SAVANNAH RIVER

STATION LOCATION SAVANNAH RIVER AT

NORTH AUGUSTA, SOUTH CAROLINA

	DATI		TEM	DESIGNATION (VIII)				GLotpi	DEPLAND	AMMOREA-								TOFAL	
НД	DAY	<u></u>	رامین المحمود المحمود	/I		8.0 b ==g/l	= 4/1	1-HOUR mg/l	34-HoLR mg/l	HITEOGRAPH mg/l	Calcados mg/l	AUCALIMITY —g/l	HARDHING mg/l	COLDE	TOMOGRATY	PULATO POPI	HHOSPILATES =q/I	passotymp source mg/J	per 100 mi
777788889999999	8 13 21	59	24.4 24.4 25.5 25.5 24.4 26.6 25.5 24.4 22.2 23.3	8.6 8.5 8.3 8.3 8.5 8.2 8.3 8.5 8.6	6.8	_			-	-	5	15 14 15 15 15 15 15 16 16 15	12 18 14	-	10 15 10 25 25 25				50 100 800 110 400 55 70 18 7000 580 1300 100

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

WASHINGTON

MAJOR BASIN

PACIFIC NORTHWEST

BUD BASIN

MIDDLE AND LOWER SNAKE RIVER

STATION LOCATION SNAKE RIVER AT

WAWAWAI. WASHINGTON

_	DATE							CHLORING	DEMAND									TOTAL	
HUHOM	á		Title Program Configurate)	DESIGNATED COCYCEN Mg/I	p#H	≥0. ■ 4 /I	<u>co.p.</u> ==_/1	1-HOUE	14-HCU2 = ₂ /l	AMMONIA- HITEOGRI mg/l	eq/i	ALEALINITY	HARDAMA mg/l	colot		EJUATE Eg/I	PHOSPHATES	DESCULVED SCALIDS mg/l	per 100 ml.
10	6	58	17.1	10.8	8.6	1.7	7.0	.6	2.5	• 4	17	137	135	15	5	5.5		268	860
10	13	58	14.7	9.8	8.6	. 5	8 • 9	. 8	2.9	. 2	13	115	113	25	11	44		222	1000
10	20	58	13.3	11.1	8.5	1.2	6 - 4	.5	2.3	• 3	15	124	122	20	4	49		236	550
10	27	58	12.5	10.8	8.5	1.9	B • 6	-		_	16	130	130	20	7 6	51 52		255	
11	3	58	10,8	11.5	8.5	1.5	5.6	, 7	2.4	. 8	17	136	135 76	15 30	19	26		260 152	400
11	10	58	8,8	11.1	8.2	1.4	11.4	1.1	5.1	. 5	8 13	76 103	10 B	20	10	39	l i	206	2000 1700
11 11	17 24	5 B	5.8 6.4	12.3	8.1	3.3 1.1	6.0	•2 •8	2.8	.3 .1	1 5 B	76	72	25	28	28		153	1800
12	1	58	4.0	11.4 12.4	8.1	2.2	8 • 3 6 • 9	.5	2.4	.2	10	92	90	13	- 6	33	J J	182	430
12	8	58	3.8	12.4	7.9	1.3	11.3	. 9	5.4	.1	7	66	57	25	87	22		139	2200
12	15	5 6	4.0	12.2	7.9	1.3	9.3	. 9	3.7	.1	6	60	56	33	28	20		124	1100
12	22	58	5.0	12.3	8.2	1.5	5.6	Á	3.1	.1	9	83	75	20	- 5	29		162	_
12	29	50	4.7	12.3	8.1	1.8	7.3	. 6	2.9	. 2	10	92	B 7	23	12	33		186	_
1	5	99	1.0	13.3	B . 4	2.1	5.9	.5	3.3	.0	13	110	105	15		40		221	3500
1	12	59	4.5	12.0	7.9	3.6	9.3	. 8	4.5	.0	10	86	82	25	64	30		173	1800
1	19	59	4.2	12.1	_	3.0	8.2	. 5	4.0	• 0	9	80	74	30	39	27		156	#20
1	26	59	3.7	12.6	7.7	1.1	13.6	. 9	4.5	.1	5	57	60	45	85	18		118	3100
2	Z	59	3,8	12.7	B.O	1.1	5.6	. 8	3.4	. 1	9	84	85	25	15	28		167	4000
2	9	59	3.2	12.9	8.1	• 9	9 • 6	. 8	1.8	-	11	104	98	25	9	36		190	1500
2	16	59	4.1	11.9	7.9	2.3	8.3	• 9	2.9	• 2	13	98	97	15	5		' i	187	1700
2	23	5 9 5 9	4.8	11.7	7.9		B • 5			• 3	10	92	90	25		37		193	1500
3	2	59	5.6	12.3	7.6	1.8	23.6	. 9	6.5	• 3	5	72	61	65	165	22		163	3300
3	9 16	- 1	6.0	11.2	7.7 7.8	2.0	7 · 3 5 · 0	. 3	2.0	• 1	9	96 80	6	25	17	27		162	7200
3	23	59 59	6.0	11.5	8.0	2.6 1.1	B.6	• 4	2.3	• 1 • 1	11	76	91 89	15 15	7 7	31 31		177	1100
3	30	59	B.0	11.4	7.8	2.5	5.6	.4	3.3	.0	8	14	851	25	13	30		172 170	10000 6000
4	6	59	9.2	11.1	7.4	3.5	10.9		3.9	.1	اة	52	53	25	14	19		118	1500
4		59	9.8	10.9	7.1	.7	B . 3	. 9	3.6	ž	4	42	57	15	5	19		119	700
4		59	10.0	11.1	7.2	1.7	3.6	Ē	3.4	.0	2	40	46	15	20	16			9300
4	27	39	9.5	11.0	7.5	1.0	8.9	. 6	3.8	.1	ž	36	34	15	- B	14		85	2800
5	4	59	9.0	10.8	7.4	1.0	13.2	.7	3.8	.0	ī	38	40	25	15			68	5100
5	11	59	9.5	10.8	7.1	1.5	10.2	.7	3.9	•1	1	16	23	15	6	15		76	900
5		59	-	10.9	7.3	1.7	12.2	. 9	3.6	. 1	3	14	23	15	15	9		63	2900
5		59	13.0	9.9	7.2	• 3	7.8	. 9	3.6	. 1	1	42	32	15	4	11		81	530
6		59	13.0	10.3	7.3	1.6	9.6	1.2	4.3	• 1	3	38	36	15	3	12		83	175
6		59	12.0	10.7	7.2	2.0	8 6	1.1	5.2	. 1	3	34	27	15	21	8		88	990
6		59	14.0	11.6	7.1	1.0	11.1	1.5	6.1	. 3	1	30	2.3	15	12	7		57	1000
6		59	16.7	9 . 2	7.2	1.0	9 . 8	• 7	3.6	• 0	1	29	2 1	15	8	7		66	2600
•	27	59	15.8	8.9	7.6	1.1	5 • 2	_ · B	3.1	• 2	3	46	49	2 5	4	14		82	2400

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

WASHINGTON

HAJOR BABIN

PACIFIC NORTHWEST

SUB BASIN

MIDDLE AND LOWER SNAKE RIVER

STATION LOCATION SMAKE RIVER AT

WAWAWAI . WASHINGTON

	DATI MMM	<u> </u>	\ TMP	DMMOLVED	1			CHLOSSE											
TE DE	À	_	(Degree Carligranis)		Hiq	1.0.D. =(/)	= 2/1	1-HOUR	34-House mg/1	AMMONIA- HITTIDEEN ME/I	CHLORING mg/l	AUXALBETTY FINE/I	HARDINGS mg/l	COLOR	TURNINGTY (reads reading	SELFATES mg/I	PHOSPILATES	POTAL DEBOLYTED HOLIDS mg/l	COLFORNIS per 186 ml.
7 7 8 8 8 8 9	13 20	999999999999999999999999999999999999999	19.0	8.7 8.9 9.0 8.9 9.1 10.0 8.5 9.1 9.2 8.1	7.84 7.49 7.49 7.49 7.34 7.34 7.36 8.42 7.86	1.0	6.4 5.9 7.1 6.8 5.7 15.6 8.7 10.5	.9 1.0 .7 .9 1.3 .8 .9 .9	3 - 2 4 - 1 3 - 1 4 - 1 4 - 5 2 - 7 2 - 7 2 - 1 2 - 8 3 - 6 2 - 9	.1 .1 .1 .2 .4 .2 .2	11 16 11 1	54 60 56 76 87 76 98 106 92 110	104	15 15 15 15 15 25 25 25 15 15	0 4	43 465		90 120 116 139 145 176 180 166 164 166 171 479 344	2300 1500 2100 840 690 540 300 690 900 1800 4600

STATE

OHAD1

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BASIN

PACIFIC NORTHWEST

SUB BASIN

CENTRAL SMAKE RIVER

STATION LOCATION SMAKE RIVER AT

WEISER, IBAHO

DATE							CHOOSE	DEMAND	ANMONEA-								TOTAL	
TE À	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Title Dagan Carilgonia)	OXTERN DESIGNATION	pH	L @D = _/l	 /1	1-HOUR =g/1	34-HOUR	HITEDOEN	= 6/1	AUXALIMITY	HARDHAM mg/l	cotos		EALATE mg/l	PHOSPHATES	DESCOLVED FOLIDE mg/!	Per 100 mi
10 1	58	18.0	10.0	8.3	3.0	_	1.5	3.0	.6	30	184	196	5	32	_		-	
10 8	58	16.0	7.6	7.1	1.6	5.0	1.0	3.0	. 8	3	152	196 212	5	29 35	_		_	4900
10 15 10 22	54 50	15.0	9.3	7.6	3.1 1.8	13.1	1.1	3.0 4.0	-4	3 3	160	204	5	52	_	}	_	230
10 29		14.5	9.6	7.9	2.8	8.1	1.7	7.0	. 8	Á	200	206	5	35	-		_	+230
11 5	54 54	12.5	B.9	7.9	1.9	3.7	1.1	2.5	.4	3	220	212	5	22	-		-	1500
11 12	56	9.8	9.8	7.5	-	6.6	2.0	4.0	-4	4	176	216	5	20	-		-	+230
11 19	58	7.5	10.4	8.0	-	9.4	1.2	3.1	. 6	3	216	228	5	35 38	_		_	*230 *200
11 26	58 58	6.0 6.1	10.4	8.0 7.0	_	2.1	1.1 2.1	2.5	, 6 . 4	3	148 152	216 228	5	28	_		_	1800
12 10	58	6.5	10.7	7.4	_	7.4	2.0	4.1	.8	26	194	215	5	27	90		384	1800
12 17	5 .	5.0	10.7	7.9	3.1	16.5	1.1	3.9	. 6	16	190	220	5	28	76		354	
12 24	56	6.5	10.4	7.7	3-7	17.2	Z.0	4.0	. B	28	192	206	5	33	76		448	
12 31	58	6.0	9.8	7.2	-	╎ ጏ	2.0	4.0	. 6	24	186	229	5	36	77		350	
1 7	59 59	3.0	9.9	8.1	1.2	17.5	2.0	4 -	.6	28 30	196 181	191 182	5	30 65	80 68		400 350	#23 #21
1 14 1 21	59	7.1 4.0	11.2	7.7	_	21.6	2.5	4.0 4.0	.6	14	190	162	5	34	-		-	100
1 28	59	2.5	9.4	7. 6	2.6	12.9	4.0	5.0	.4	14	114	136	,	140	_		-	33
2 4	59	8,4	10.2	7.6	3.2	23.7	2.8	5.0	.6	24	192	19 <i>2</i>	5	46	-		_	#25 (
2 11	51	5.1	10.3	7.3	3.1	16:4	2.0	4.1	• 6	26	190	192	5	50	-		-	*23
2 16	59	3.5	9.4	6.0	2.3	7.2	3.0	4.0	• 6	21 17	150 150	16 8 90	5	30 68	_		_	+23
2 23	59 59	7.0	10.2	8.3	2.6 3.0	20.0	2.0 1.0	3.1	•7 •7	35	140	188	5	30	_	1	_	1
3 9	5,	9.2	9.9	7.9	-	5.1	. 4			24	160	204	5	65	_		_	
3 16	59	0,0	10.0	8.0	2.2	22.5	. 1	-	. 8	17	104	100	5	65	-	Į l	_	
3 23	59	7.5	9.3	5.1	2 • 1	-	• 2	1.9	. 6	27	84	BQ	5	32	-		_	*30
3 30	59	5.5	9.4	8.1	2.2	4.3		1.6	. 8	16	42	56	5	47	-		_	47
4 6	59 59	11.0	9.5	7.2	2 • 4 2 • 0	12.5	1.1	2.8	• 6 • 7	15 18	54	68	5 5	45 48	_		_	23
4 20	39	11.0	9.1	8.4	2,0	12.3	.3	2.5	: 4	18	138 152	136 160	5	42	_		_	130
4 27	59	11.5	7.9	B.1	1.3	1 -	1.2	2.6	.7	16	116	120	5	68	_		_	+23
5 4	39	12.0	8.6	8.0	1.7	7.4	. 3	1.0	. 5	13	120	115	5	62	-		_	260
5 18	59	19.0	5 4	8.1	1.3	12.1	. 6	2.0	- 7 ∤	14	108	106	5	64	-		-	230
5 25	59	16.5	8.4	8.0		3 -	. 2	1.6	- 6	15	74	120	5	62 57	-		_	460
6 8	59	17.8	8 • 2 7 • 4	5.1	2 • Z • 9	2.2	• 1 • 3	2.3	• 7 • 8	18 16	120 117	118 116	5	70	_		_	1300
6 15	59	18.5	8.6	7.0	2.6	5.3	. 2	1.4	.7	11	88	90	5	70	_		_	1800
6 22	59	19.0	8.4	7.9	2.2	4.2	. 3	2 - 4	. 7	14	56	89	5	62	_		_	200
6 22	59	19.0	8,4	7.9	2.2	4 • 2	• 3	2 - 4	. 7	14	56	89	5	62	-		_	

STATE

IDAHO

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

MAJOR BABIN

PACIFIC NORTHWEST

HIZAE ELI

CENTRAL SNAKE RIVER

STATION LOCATION SNAKE RIVER AT

WEISER . IDAHO

	ATTI AMP		TEMP	DURSOLVED				GLOSS	DEMAND	AWMONIA									
-		YEA.	(Dagram Canthyrada)	DITTORNI May / I	p ěl	1.0.0 ■ 1 /1	= 4/1	1-HOUR mg/1	24-Hous mg/l	HITTAGEN mg/l	CALDADE	ALKALDETY mg/l	HARNESS -13/1	COLOR 	TURNSTIT!	RRJATES ~/I	PROSPHATES	FOTAL EBSOLVED ROLLES mg/I	COLFORNS per 106 ml
6 7 7 7 7 7 8 8 8 9 9	29 6 13	599599559955995599	19.5 20.5 24.0 28.5 25.0 23.5 21.5 20.0 18.0	7.9 7.8 7.9 8.1 6.6 7.1 -	7.6 7.8 7.8 7.9 7.8 7.8 7.6 7.7	1.4	4 · 3 6 · 2 4 · 3 6 · 2 5 · 4 5 · 6 3 · 5 4 · 6	.4	2.4 - 2.6 2.8 3.0 2.5 -	.6 .7 .8 .8 .8 .7 -7	16 15 16 17 17 15	54 50 58 56 80 140 - 138 172	128 72 70 78 78 172 -	5 5 5 5 5 5 5 5 5 5	74 60 60 54 59 70 78	{ :			130 58 *13 60

CHEMICAL, PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

TENNESSEE

MAJOR BASIN

TENNESSEE RIVER

SUB BASIN

TENNESSEE MAIN STEM & MINOR TRIB.

STATION LOCATION TENNESSEE RIVER M465.3 TVA AT
CHATTANOGGA, TENNESSEE

	BATE LAME		Thirt	PRINCE				CHOICH	DEMANS	AMMONIA				2-125		ALLIATES	PHOPHATE	TOTAL	COLUPDANS
YLL MOS	à	3	(Pagrant Canalignosis)	COCTEMENT	-44	8.0.0 == <u>u</u> /1	CO.B. ≈€/1	1-HOUR mg/l	54-HOUTE mg/l	HETELOGIEN ang/I		MEALINETY ME/I	HANDHAM Mg/l	COLOR	TURNADITY (comin mails)	- _/1	- 1	POLICE HOLIDE HE/I	per 100 ml,
10	1	38	7.1	6.7	7.5	1.6	16.4	1.5	3.9	. 8	13	59	76	2	20	15		116	_
10	8	50	19.6	7.0	7.5	1.2	7.1	1.6	3 - 2	.0	16	58 54	78 70	2 2	20 18	12 13		12 8 116	#3 #3
	15 22	3 E	19.0 19.0	7.7	7.5	1.4	12.5	1.5	3.1 3.8	.5	15 16	53	70	2	20	15		119	*3
	29	5	17.4	اة.ة	7.5	1.5	7.3	1.4	3.4	. وَ	15	54	72	2	18	15		126	12
11	5	58	15.7	8.1	7.5	1.4	5.7	1.4	3.0	. 9	14	55	72	3	18	16		112	₩3
	12	56	14.5	8.8	7.5	. 9	6.4	1.3	3.5	•0	13	58	72	2	18	17		134	11
	19	58	15.7	B.6	7.5	1.1	7.9	1.5	3.B	•1 •1	16 17	59 55	82 7 4	2	10 10	17 17		131 128	5 *12
11	26 3	58 58	14.5	9.4	7.5 7.5	•7 1•1	7.9	1.5	4.0	• D	16	52	78	2	15	15		130	10
12	10	58	8.4	10.2	7.4		9.5	1.3	3.2	.0	15	56	80	2	13	13		132	*4
	17	56	6.7	10.7	7.4	1.2	9.2	1.9	3.9	.0	16	55	74	6	8	16		126	-
	23	56	7.3	10.8	7.4	1.0	9,8	1.5	3.9	• 0	15	56	68	5	10	16		132	-
	30	5.5	6,7	11.1	7.4	1.2	10.2	2.0	4.0	.0	14 17	55 62	7 6 76	4	10 13	18 19		112 141	_
1	7 14	59	5.6	11.5	7.5 7.5	1.0 1.2	7.4 12.5	1.4 2.3	3.6 6.4	.0 .2	24	5B	86	7	10	1.5		170	50
	21	59	5.6	11.4	7.4	2.6	12.1	3.0	5.9	.6	30	60	94	10	15	20		159	#4
	28	59	5.6	11.3	7.3	1,5	14.7	3.4	6.2	.0	14	55	72	22	♦ 3	24		141	60
2	4	59	6.2	10.7	7.2	1.2	9.0	2.6	5.6	.0	12	51	72		33	22		120	+5
	11	59 59	6.7	10.4	7.3	. 8	8.5	2.6	7.9 5.3	•3 •5	1 <i>2</i> 20	47	66 72	5 10	32 40	16 23		117 127	17 3 9
	18 25	59	8.4 7.3	10.3	7.3	1.7 1.1	8 • 7 8 • 7	2.6	5.2	.2	70	47	60	18	28	23		113	94
3	4	59	7.8	10.3	7.3	1.1	6.7	2.1	4.7		ž	42	50	11	37	20		104	10
3	11	59	8.4	10.2	7.3	- 8	6 • 4	1.9	4.7	.0	41	42	56	10	28	16		100	220
		59	B.9	10.2	7.3	1.4	6.6	2.2	3.6	• 3	2	47	62	10	46	19		101	44
3	25 1	59 59	10.1	9 · B	7.3	. 8 2. 3	4 • B 7 • 6	1.6	4.2	•0	3 2	50 48	66 5 B	8 9	22 71	15 20		99 99	16
4		59	13.4	9.0	7.3	1.4	5.8	1.7	4.4	• z	4	45	58	5	68	22		102	82 10
	- 1	59	13.4	9.0	7.4	1.4	6.1	1.8	4.1	.0	3	49	64	10	37	18		108	20
4 .	22	59	15.7	7.8	7.3	1.5	10.0	2.2	7.2	- 2	3	46	58	18	49	<u>1</u> 7		70	20
4 .		59	16.2	8 • 1	7.3	2 • 6	4.6	1.9	4.1	• 4	4	42	56	В	28	22		В6	+ 3
5	- 1	59	17.9	7 - 4	7.3	1.7	6.3	1.3	3.6	• 1	7	45	62	8	27	18		101	_
		59 59	19.6	6.4	7.3	1.3 2.5	3 · 2	1.6 1.8	3.5	• 5	9	50 47	70	B (18	18		112	*1
		59	20.7	6.0	7.3	2.1	7.9	1.7	3.6	6	9	49	6 6	8	26 50	1 ■ 2 0		101	5 +2
6	3	59	21.8	6.1	7.3	2.5	5.6	1.4	3 . Z	.1	7	54	62	10	32	18		92	2
		59	22.4	5.4	7.3	• 8	5 . 2	1.7	3.6	.3	7	52	68	8	10	18		93	#4
	- 1	59	23.5	6.6	7.4	1.0	5 - 6	1.6	3.5	• 2	В	51	64	9	15	18		104	₩2
	24	59	24.1	5.4	7.4	2 • 1	6.8	1.4	3.5	. 4	9	59	79		27	20		108	2

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

TENNESSEE

MAJOR BASIN

TENNESSEE RIVER

BUR BASIN

TENNESSEE MAIN STEM & MINOR TRIB.

STATION LOCATION TERNESSEE RIVER M465.3 TVA AT

CHATTANOOGA, TENNESSEE

	рал								DEMAND										
THE STATE OF	ž	3	(Table (Despress (Leading rade)	DAYWEN DAYWEN	påłi	1.0 b. 	<u></u> /i	1-Hous mg/l	24-HOLE mg/l	AMMONIA- HETROPPH mg/l	CALDRESS Mg/l	ALEALBETY ==_/1	RANDANIES mg/l	CD108	TURNSTITY (made sealed)	SUATE mg/l	PHOSPHATES mg/l	TOTAL DISSOLVED SOLUM Mg/I	courous per 186 mL
7 7 7 7 7 8	1 8 1 5 2 2 9 5 1 2 9 2 6 2 9 1 6 3 3 3 0	555555555555555555555555555555555555555	25.8 25.2 25.8 25.8 25.8 25.8 26.3 25.8 26.3 25.8 23.5 23.5 23.5	5.3 5.2 4.9 5.0 5.0 4.4 5.1 4.8 5.8 6.6	7.4 7.3 7.4 7.3 7.3 7.3 7.3 7.3 7.3 7.3	1.7 2.8 4.8 1.6 1.5 2.1 4.2 2.4 2.4 2.5	6.6 11.3 5.7 8.3 9.4 6.0 7.5 7.7 7.7 7.7 7.7 7.7	1.4 1.4 1.4	3.0	. 2	11	52 54 52 51 54 49 48 54 52 50 48	70 60 66	5 5 5 5 5 5 4 4 4 4	1 8 18 13 17 13 15 15 15	21 24 21 16 18 15 20 17 18 20 18 20		98 88 81 121 109 117 122 92 127 90	#44 #3 #3 #50 10 #3 150 150 150 150

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MONTANA

MIBAB FOLAM

MISSOURI RIVER

SUB BASIN

YELLOWSTOME RIVER

STATION LOCATION YELLOWSTONE RIVER M30 NEAR

SIDNEY, MONTANA

	ATE LAME	.	ТШР	POSTOCALED				CHORRE	DEMAND	AMMONIA-							 	TOTAL	
Ī,	ž		(Degram Consignate)	CONTRACT	#	30 p	= •/1	1-HOUR	24-HOUE	натвоевч ев/1	-1 /1	ALKALINETY mg/l	HARDNESS mg/l	COLÓN 	interpolation	###	PHOSPHATES	BOLEDO BOLEDO MILOS	Per 100 mi
1	3	58	5.9	_	5,5	-			-	_	16	188	308	-	-	272		-	
	10	56	4.6	-	8.5	-	1 -	-	_	-	16	190	310	-	-	228		_	·
	17	58	2.7	-	8.4	-	-	-	-	-	16	152	302	-	-	228		_	
	24	58	. 3	-	8,3	-	-	-	-	-	16	154	304	-	-	210		-	·
2	1	50	• 2	-	8.2	-	1 1	-	-	-	18	204	330	_	-	253		_	
. 2		30	• 0	-	8.1	-	-	-	-	-	20	212	334	_	_	253 253		-	
.z	15	35	.0	-	8,1	_		-	_	_	20 21	224 212	358 344	_	_	253		_	
	22 29	58 58	• 0	-1	8.0 8.0	_		_	[]	_	21	196	330	_	_	236		_	
1	43	37	.0	_	8.1	_]	_	<u> </u>	_	20	210	348	_		236		_	
		59	.0	_	5.0	_]	_	_	_	21	236	374	_	_	283		_	
		59		_[B. 1	_	1 4	_	_	_	20	228	384		_	245		748	
		59	.0	_	8.0	_	1 4	1.5	4.3	_	18	188	312	_	_	216		640	
zΙ	2	59	.0	_	8.1	-	-	2.6	4.7	-	20	200	336	_	-	228		644	
2	9	59	.0	_	7.9	_	1 4	• 1	1.4	-	18	192	316	i -i	-	22		630	
2	16	59	2.1	_	9.0	-	1 -	2.0	3.8	-	18	200	334	_	25	25 3		666	
2	23	59	1.5	-	8.0	-	-	2.7	4,7	-	21	210	348	_	25	184		660	
3		59	.5	-	8.0	-	i -i	-	-	-	10	110	176	-	350	114		384	
		59	.5	-	8.1	-	-	-	-	-	11	112	160	-	2100	104		393	
	23	39	• 3	-	8.0	-	-	_	-	-	17	98	146	-	6200	109	1	331	
- 1	30	59	8.0	-	8,2	-	-	-	-	-	17	154	266	-	2200	184	' I	525	
4	6	59	8.9		B.3	-] -	-	-	-	13	102	338	-	590	219		689	
		59	B.9	-	8.4	-	12•4	-	-	-	27	186	320	-	350	236		670	
		59	7.0	-	B.3	-	1 7	-	-	-	20	174	302	-	360	263		696	
		59	9.8	-	B . 4	-]	- 1	-	-]	20	176	318	-	370	250		698	
5		59	12.0	-	8.2	-	I _	-	-1	-	15	170	270	-	1500	263		597	
		59	12.8	-1	B . Z	-	31.7	-	-	-	13	150	246	-	1300	234		470	
-		59	17.1	-	B • 4	-	1 7	-	-	-	12	140	212	-	800	202		434	
5 4		59 59	16.4	-1	8.1	-	1 1	- [-1	-	10	112	182	· - /	B70	109		336	
6		59	17.4 22.1	-	8.3 8.2	-	7	-	-	-1	11	130	190	-	565	146		362	
		59	21.4		8.0	_	24.4	_	_]	_	11	120 74	182 94	_	1480	109		364	
		59	20.0	-1	B. 1	_	47.4	_	-1	_[7 9	70	94 82	_	880	30 2 7		182	
		59	16.8	_}	8.1	_]			<u> </u>	6	66	96	_	1075 2570	44		146 198	
7 7		5 9	20.1	-	8.1	_		_	-	_	10	8 Z	152	_	9600	4		154	
	13		23.2	-1	B . O	_	12.9	_	-1	_	7	84	114	_	600	70		218	
- 1		59	25.1	_	8.5	_	1		_	_	6	58	116	_	168	68		246	
	27		26 . B	_	B . 5	_		_	_	_	7	106	140	_	150	109		318	
- 1 -	- 1	1			- • -	ł		1	1	- 1	′ }	100	170	-	100	107		210	

CHEMICAL PHYSICAL AND BACTERIOLOGICAL ANALYSES

STATE

MONTANA

MAJOR BABIN

MISSOURI RIVER

SUB BASIN

YELLOWSTONE RIVER

STATION LOCATION YELLOWSTONE RIVER H30 NEAR

SIDNEY, MONTANA

	ATE			DESCUE				CHLORNE	DEMAND										
1	à	_	TEMP (Degrees Cantigrade)	COTYMEN	påH	1.0.0 ==/1	C.O D ■ 3 /1	1-House	34-HOUE	ARMONIA- HETROSEN mg/l	CPLONEDES mg/l	ALKALDATY mg/l		COLOR	TERRIBITY (seels webs)	EAUATES mg/l	PHOGPHATES ===_/I	TOTAL DEBICLYBD POLIDS =4/1	COLFORMS per 100 rel
8 8 8 8 9 P 9	3 10 17 24 31 5 14 21 25	5999559 5999559	24.8 21.9 22.4 22.9 21.2 22.0 18.4 13.7 9.6		8.4 8.6 6.6 8.6 8.6 8.5		15.0	2.3 2.3 2.3	5.9 5.7 5.9 5.5		14 11 14 13	130 142 146 148 154 164	164 196 202 210 224 236 264 268	- - - -	100 55 55 45 40 50	114 153 156 209 200 203 208 131 175		324 420 440 524 506 538 616 630 694	-



TRACE ELEMENTS

1958 -- 1959

at Perform Turney, Ank at Donlidge, Exames 9-1, and 19-1	1-9 4-7 1-9 1-9 1-9 1-9 1-9 1-9 1-9 1-9 1-9 1-9	TO 10-29-29-29-29-29-29-29-29-29-29-29-29-29-	0.07 0.09 0.13 0.14 0.30	F 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.5	K 2 3 7 7 7 9 3 3 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	No No No No No No No No No No No No No N	S 6	0.000 0.000 0.000 * 0.000 * 0.007 *	B 0 0.20 0.07 0 £	Be 0 0000- 0.0007- 0 001 - 0.001	0,01° 0,03° 0,03° 0,10°	0.007*	5/5 Sn 0,005* 6 01 *	Sb 0.07	Mn o m² o oy- o oy-	F 8	N1 0.009*	B1	0.00. 0.000.	0.00 5	Cu 0.506 8.60 8.607	Zn	0.00 0.00
at Perform Turney, Ank at Donlidge, Exames 9-1, and 19-1	6-77 1-71 1-71 6-77 1-71 1-71 1-71 1-71 1-71	10-10-70 10-20-70 10-	0.07 0.09 0.13 0.1% 0.30	0 (5) 0.50 0.60 0.60 0.60 0.50	2.3 2.7 7.3 7.3	N 86 85 33	om.	0.00# 0.00 • 0.00 • 0.07 •	0.20 0.3 0.07	0.000. 0.0003* 0.0003*	0,01° 0,03° 0,03°	0,007°	0,005° 6 01 °	0.07°	0 03-	0.05 0.05	0 EZ .	0 01 0 07 0,07	0.00 0.00 0.005	0.00 7	0. #06 8. CL 8. CCL	1.0	0,00
at Pennis Turry, tak at Penns City, Chiaham at Conlidge, Exams at Conlidge, Exams at Tem, Arisma at Person Dan Arisma—Collifornia at Barrer Dan, at Barrer Dan, at Barrer Dan, by 1	1-9 4-7 1-9 6-7 1-9 -2-7 1-9 -2-7 1-9 -2-7	11-10-75 3-27-75 10-3-34 10-30-75 10-30-75 10-30-75 10-30-75 10-30-75 11-17-74	0.09 0 13 0 14 0 30 0 16 0 16 0 04		7 0 7 3 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	BN 88 33	0 CT.	0-04 •	0 3 0,07 0 £	0 001 - 010003-	0 03° 0,03° 0,10	9,007	6 cm -	0.07=	0 07 0 07	9.02 0.05	0 EZ.	器	си. сп.		9.02		0.01
at Ocalidate, Ermans 9-1- 4-5 Tem, Arisma 9-1 3-7 at Perior Dan Arisma-California 9-1 at Barrer Dan, Bartana-Carala	1-51 -1-51 -6-33 -1-51 -30-33 -1-51 -30-33	10-25-35 10-25-35 10-20-35 10-20-35 10-20-35 10-20-35 10-20-35 10-20-35 11-17-36	0 13 0 14 0 30 0 16 0 16 0 11 0 04		i ii ii ii ii ii ii ii ii ii ii ii ii i	16 R.B. 33	0.EL*	0.07 •	0.ú7 0 £	0.000	0.10	9,007	0 60 -	صلو ہ	-ره ه	0.05	0 00.	٠٠٠ ١٠	<u>~</u> ∞•	٠٠٠٠ -	1 405	:	
orman attal a) tem, krimm. 3-3 a) Perker lim arium-deliferatia a) Barrer lim, arium-bernia	-1-51 -32-53 -1-51 -32-53 -1-51 -32-53	10-20-30 10-20-30 10-20-30 10-20-30 5-10-30 10-20-50 5-10-30	0 10 0 16 0 16		i ii ii ii ii ii ii ii ii ii ii ii ii i	in Total	0 00.*	0.07 *				0.04 *	امعمدا		1	l l	1	1			B. 007		1
a) Tum, Arlana. 3-3 a) Perker Dat Arlana-Galifornia 3-3 a) Barrer Dan, Arlana-Sernia 3-3	-30-23 -1-51 -30-53 -1-51 -30-53	10-20-30 3-14-30 10-20-30 10-20-30 11-17-30	0 16 0_11 0 04 0 04	0 Mg		111	0 EE				".EF	. De .	0.09	D, E -	- OF	0.09	0.07	0.1	0.03	0.05	0.007	=	0.0
a) Berer Dan, brimes-Serala 3-3	-7-77 -1-75 -70-79	5-14-75 10-80-91 5-14-75 11-17-91	0 04	0 30	1-7			0.04.	01	1 0005°	. ny.	*200.0 *200.0	. H.	0 06°	0 07°	0.01 0.3	o.#3	0.05 0.05	0 03 0 03	0.40 ·	8,03 8,005	-	0.0
	l	3-1 3-5 5 11-17-54			7.	<u> </u>	0 01+	0 06 . 0*04 .	0.00	0,000 ,0	0.03	0 006*		0 06°	0.07°	0.02°	0.47	0.02	0 61	0.61	0.09 0.4	-	0.0
year home, Caleronia 9-0	-6-59 -6-59		1	2.5	11	<u>ቸ</u>	0.01.	0 041 *	0.4 0.07	0 0000	4	0.007*	. B.	0 07° 0 07°	0.07 0.07	0 01*	о' е 6'е	0.D *	0.01 °	0,61 •	0.006	-	0 0
		5-14 -5 9	0.07	0. 16	21	120	0 01=	0,03	0,1 0 03°	0.000 0 0000	0 05° 0.08°	од: .д:	0.03 *	0.1 •	0.0 1 0 20 0	0.03	0 63	0.05	0,0 2* *E0.0	0.02	0 002. 0'003.	=	• •
		71-7-5 11-7-5	0,14	0 16 0 16	1.0 0 6	11.1	*¢ *	0,00),	0 DA 0,004	0 00007	0-00 0 005*	0 006 0 00m	0 00 0 °	9'89. 9'81.	0.00 1	0.0¥ 0.03	0, 602° 0,405	0,005*	بختر ہ رخمہ ہ	2,00m 1900,0	0 009	0.5"	9.0
nt Removille Dan, 9-1 Whating ben-Gregon 3-1		10 -23-51 5-18-55	0-07	0.83 0 13	1,0 1,0	10 1	0 01.	0 00%*	0,00k 0,000	0 00005	0.006	0.009 0.009	0.007	0.00*	0.007	0 03	0.00	0.00€°	0.003	0.005	0.05 0.1		0.0
at Passa Machington 9-1 3-1		10-17-54 5-17-29	0.11	0.00	75	3.0	0 00.	0.007	0 04 0 03	0,00007	0.005*	0 pk 0 009	0.00	0.01*	0,004-	0 01	0 0000° 0,000°	407	0.008	0.002°	a.01 a .009	ሲታ ሲታ	0,0 0,0
at Yamanian, Makington		11-17-59 6-1-59	0 03	0.17	1.0	1,0	0.07	9,000er 1000 0	20,0 0 0A	*2000.0 *2000 0	0.006		0.000	0.01	0.007	0 QT 0 Q Q	0*100E. 0*100E.	0.00 <u>6</u> , 0.00 6 ,	0.00M 0.00M	0.000	D	o-è-	م.ه
		10-20-5 5-14-55	0 05	0 19 0 11	4.1 1 1	2,8	0 EF.	0 000	0.05	0,00000	0,000F 0,000	1 000 0 000	0 003*	0,00F	0.0006* *300 0	0 0E	مص اهت	س. ا					
at Surfox Px	(6))	a-27- 55	-	-	0 6	■ 0	-	0 005	0 0073	0 0000	0.000	0.008*	0.00)"	0 🖛	0.006*	0.006	0.007	0.000	, ~	- ا	-		سر ا
	9-15-94 3-37-59	11-3-54 5-14-53	0 DA 0 DA	0 14 0 15	1 B	18 4 9 0		0.006*	0 t 0.01	0,0001	=	0.00	0 00#* 0,007*	0 DE	0,00 0 7000,0	0,006 0 03	0 00%* 0-000	0.00 °	0 0004° 0 007	0 003**	0 006 1,008	1.0° 0.0°	0.0
Detroit Hiver at Detroit Highings	-1-5 -6-59	10-20-51 5-15-59	D D3 D D42	0 13	0 6	1.9 3.9		0 00 0	0 003	0 00007	0 007		0 007	0.07.	0 005	0 07 0 EL	0 0007*	0*00L	0 (00) 4,00)	-m2,	• m	9 P	0 0
lake Separter at 9-	9-1 -5 -6-59	10-20-54 5-25-55	0 OE	0 04 0 00	8 8	1,6		0 000	0 00	0 00003	0 003*	0.0006		0 006*	0 00F	0.07	0.000	0.00)	0.001*	0.001	1.09	ر م د ه	0.0
	10-6-52 1-13-55	11-24-54 5-15-79	#07 0 #0 0	0.05	1 6	1:		0.005*	0 05	0 00000F	0 000		0 003	0 DE*	0 006*	0 03 0 mil	0.007	0 005	0 003	0.007	0.006	0 F	0.0
helov Pesghicaspaia II I 9- 3-	9-1 -54 3- 30- 59	10-20-5 5-18-59	0 05 0 01	0 15 0 00	1 m	11 4		0 003*	0 0A 0 04	0 0000 7	0 005*	0 007	0 005	o,m*	0 00m	0 05	0 000F 0 000B	0 005	0,000	0,00F 0 00F	0 06 0_006	5 KT	0.0

^{*} ACTUAL VALUE IS LESS THAN THE AMOUNT SHOWN REPORTED RESULT INDICATES LIMIT OF SENSITIVITY AT WHICH TEST WAS PERFORMED. SEE PAGE B OF TEXT FOR EXPLANATION.

TRACE ELEMENTS

1958-1959

	I DA	TE						CONC	ENT	RATIO	<u> </u>			IGRA		PER		. ITEF					
STATION		T	AN.	AL73/3	II Ho	ON FL	ANE					AHAL	7515	87 3P	ECTRO	PHOTE	OFRAP.	HIC MI	THOD				
	FROM	סד	8	F	К	Na	5●	Cq	Ва	В●	PЬ	Gr	Sn	Sb	Mn	Fe	NI	BI	Mo	V _	Сп	Zn	C
energies nive et Lovell, Respektivetts	10-13-98 3-30-29	18-15-98 5-18-29	0.04 0.07	0.09	1 1	Ψ,	0.01*	0 007°	0.005 0.005	0.0000 1 *	0.00 00	0.00E	0.000	0,00 6	0.1 D.09	0.04	0+0 0 4 0+0 2	0.00**	0.000	0.002	0,1 0,8	0. ⊨	0.
at the Orland, In.	9-1-91 3-30-99	10-47-50 5-46-55	0.04	0.29 0.14	3-5 L3	17 f 15.0	0.01.	0.007*	0 0g	0 0000.	0.01 *	0,000*	0 005	0,02 *	0.009*	0.09 0.08	0 005*	0.41	0.005	0 005° 0.005°	0.009 0.0007	1:	0,
st Balta, Locinisma (fatomily st Flaintony, Maniacipal)	143	11-3-9 3-5-2	0.07 0.09	해	갦	15 k 15.0	0°07. 0°07.	0.007	0-1 0 002	0.0000x	0-01	0,000*	0,005° 0,005°	0 Dag * 0.04 *	0.005	0 Mag**	0.005*	~a.;	0.005	0.007	0.08	1:	0.
of Shot Hospita, Ast,	\$1.50 \$4.50	10- 20-5 5-7-73	0 09 0.09	0.美 0.美	30	16.8°	0.01*	0,000	0.03	0.0001 *	0 07 4	0.005	0.005°	0.03	000.	0.0mg	0,005*	0.01	0.007	0.005	0 0009	1:	0,
ot Cope Streetson, No	123	10-10-71 5-7-2	0.2h 0.06	0, kg 0 30	1.1	253	0.01	0,00# 1000,0	0.05	0 0000, 5	0.07.	0.003	0,005° 0,005°	0.03	0.00	0.09** 0.04	0.005	0.m.:	0.009	0.005*	0 00. 0 00g	1:	a.
at Bart & Joseph III.	11-5	10-10-71 3-87-73	0.10	2.2	끊	16 k 30,0	. u.	0 000F	0.0d 0.05	0,0000. * 0,0000. *	он н н	0.003*	0.009*	0.03	o.a. :	0.06 0.06	0 009*	0.01 * 0.01 *	0 009 0 000	0.005	0.00	1 :	0.
at Bulington, Ion.	22	10-11-51 - 13-1 5	0.09	0. = 0.07	H	1.3	0.00.	0.01	0 p4 0 p4	0.0002	0 00 *	0.00**	0.00	0.04	0.08	0.044 0.04	0.00# 0.00#	0 DE *	U 0000*	0.004*	0,01 0,04	-	8
at Dingo, Ira	5-1-59 3-50-59	12-23-54	0.03	0 m	1 0 L f	51	0.41° 0.41°	0,006* 0,006*	0 04 0.04	0 0001 * 0.0001 *	0 tr •	0,00 6° 0,00 6°	0.00 =	0.0E *	0,000	0.10 0.04	0,004+ 0 004+	0.01	0 00%* 0 00%*	0.004	0,04 0 002	1 •	0
above Rad Wing, Miss.	43	10-40-58 5-45-55	0.07 0.05	0 10	1.6 2.5	12.9 7 7	0 07.	0 006°	0.06 0.04	0.0001	0.61 • 0.01 •	0 00g*	0.00), 0.00),	0.08	0.00# 0.00#	0.06 0.04	0,000	0.00.	0,000	0.00	0°T 0° E	1:	0
nigensen myse. od St. Lenis, Misesoni		10-40-54 5-25-29	0.09 0 07	0.3	۲:	#0.0 ■.0	0.E.	001.	0. g 0.1	0.000m •	0 04 *	0 000 17	0.01.	0,04 *	D De *	о то о то ,	0,01 *	0.0a	0 001. *	0.01	0,001 0 001		0 1
at Imma City Eleveri	3-1-51 3-30-53	10-20-98 5-14-35	0 13 0-10	0. No.	<u>}</u> ;	7	е. Б	0 01 .	0 A 0 J	0 0000E *	0 mi *	0 000	0 009**	0 04 *	0 De *	0 0Å	0 009	0 0z •	0.00	0.009*	0 00A	-	0
ai It Augh, Eiseari	12%	11- 3-3 3-3-33	0.1% 0.10	0 等 0 万	5.0 5.0	64.0 6.0	0.01=	001.	0 DA	0,000e •	0 08 *	موند موند	0 00 0°	0 04 *	0 0s *	0,08	0 00 0	D De *	0 00	0 000	0 0004 0 0008	-	0.0
at Dealer, Maleyania	9-1- 5	10-47-58 5-45-59	0 14 0 11	0 № 0 55	₹ <u>0</u>	€ 0 €00	0.01	001	0 05	0 000002	0 DR *	0 005	0 01.	0 05	0 09	0 5	0 01 *	0.03 *	0 01 *	ощ.	0 01 0 01	=	0.0
at Tatten, forth Brisis.	16.5	10-20-51 6-29-55	0 15 0 10	: ₹	10	65 a	0 01*	001.	^ C1	0 0000a •	0 DE *	0 00 17 0 00 17	0 00 00	0 D4 •	0 04 *	0 00	0 0000° 0 0000°	D CM2 *	0 00 0	0 004*	0 0006 0 0006	=	0.0
at Rissarsk, Borth Baketa	12.5	10- 40-51 5-45-55	0 LL	: 3	1:	5 6 0 17 0	0 ar. 0 ar.	001.	0 E 0 04	0 0002 *		0 00¥*	0 00e* 0 00e*	0 04 •	0 04 *	0 04	0 0000	0 OE *	0 DOM	0.005*	0 04	<u>-</u>	0.0
at Villistes, Marth Debats	123	10-20-51 -23-55	0 16 0 18	p. 61	39	600 €at0	0.01°	ου. ου.	0.09°	0 00002 *	0 0g *	0 005°	0 009* 0 009*	0 05 *	0 02 *	0 UM 0 05	0 009*	0.02	0 009* 0 009*	0 009*	0 000	-	0 0
one of the contract of the con	0-1-90 6-55	10-17-91 3-15-79	0 06	0 30 0 15	2 5 1 7	n 0 n €	0 01°	0 m * 0 01 •		0 00008 *	D Dag 4 D Dag 4	0 005* 0 005*	0 01 * 0 009*	0 09 *	0 04 *	0 Del 0 DO9	0 01 * 0 009*	0.00	0 01 °	0 01 *	0 01 0 00 9	-	0
at Francrille Indian	-1-51 -6-51	10 -80-54 -87-5 9	0 DE	0.24	3 D 1 7	17 ¶ 10.0	0 01"	0 009*	0 1 0 06	0 000a •	0 01 *	0 005°	0 006* 0 006*	0 03 *	0 01 •	0 01 0 03	0 006*	0 02 *	0 006	0 006*	0.00	1 •	0
at Firstmatt Otto		20 -20-5 5 5-25-59	0 0-9	0 31	2 B	و <u>مد</u> 120	0 01*	0 00 •		0 0000a	0 02 -	0 003* 0 003*	0.006*	0 01 •	0 01 •	0 01	0 006*	0.02	0 006*	0.006*	0.03	-	0

^{##} ACTUAL VALUE IS LESS THAN THE AMOUNT SHOWN REPORTED RESULT INDICATES LIMIT OF SENSITIVITY AT WHICH TEST WAS PERFORMED. SEE PAGE 8 OF TEXY FOR EXCLANATION.

TRACE ELEMENTS

1958 - 1959

	DA	TE						ONCE	NTR	ATIO	и —		AILLI	GRA	A S	PER	L	ITER					
NOITATE	FROM	το			1. 1. 1. So	OR FLAT	77					HALT	5/5 /	F 500	ECTRO	PHOTO	ERAPH	IC ME	THOD				
	FROM	, ,	В	F	K	Nα	5.	Cq	80	В•	Pb	10	Sn	S	Mn	Fe	Ni	В١	Μo	V	Cu	Zn	Co
CHIC RIVER (spectioned) of Emiliaphen, That Firefacia		10- 50-7	0.07 0.04	0.15 0.15	1.7	3.0	0,01°	.m.e	0.7 0.01		0.08 7	9.007°	0-0014 0-0014	0.03	<u>53</u>	- 20 1	0.007° "100.0	33:	cor	鲑	2. Jan	-	00
at Mark Salverystell, Okto	173	L1-39	8.3	0.E	1.0 1.7	16.0 10 0	9.6. 0.4.	0,005° 0,005°	0.04 0.04		0-05 0-01 -	0,007 0,007	0.007 8.007	:#:	0.01	33	0.81 0.095	아 다 다 :	8,407* 8,007	9.007 9.007	6.01 8.801	1:	6.607 6.607
PORTION NATURAL PROPERTY AND ADDRESS OF THE PA	江	10-80-88 9-45-99	0.03	湖	ti l	ቲያ	от. от.	0.007	0.07 0.07	0.00008*	0,000	9,000 1200,0	0.007	0.08	9. 	5-02 5-02	0.007 0.007	L, COP	0.007	e-007*	9,80E 9,005	6, P	8-007 8-007
si Villinssperi, Musyland	at 5		3.28	0,40	빕	***	ਮੁਧਾ. ਸੰਧਾ.	0,007	9-1 0-04	0.00008*	0,000	0.003 0.004	0.007p	0-mg .	0.007*	0.005	0.003	0,000°	0.007	0.007	9,005	6. E	1,017
pr Alematria, la.	谜	10-27-2	0,04	0.07	£.1	10.0 39.0	0.01.	0.E	3,35	0.0008	0.01		0.00F	0.0k	0.00 ·	9,006 9,0	0,000	•.01 □.01	0, 808° 0, 808°	L.MF	9.08 0.002	=	1.40F
et Josiani, fiema	は場	30-80-90 3-89-91	0.10	0.5F			9.01	0.03	0,02 0,03	0.0005	0.05	·#:	0.04	9.10		9.00	1 MA.0	₩2:	0.54	0'01 . 0'05 .	0-05 0-87	=	LIE
en Billion Level of L	9-1-9 5-30-33	10-40-56 5-18-55	0 10	o.p	14.0 3.3	177	0.41. 0.41.	0.04	0'02 0'1	0.0003	0.03		0.02		0.00 0 00 •	0.3	0 m	먪:	0.60 0.00	0.m :	0.01	:	id:
gi Il Pass, Sexus	CC3	30-47-98 5-47-33	0.15	o 51	I.I	1,85 1,95	0.07	0.03	3.5	0,000°5 (2000°0	0.05		0.00		0.04	0.0	0.08	33 :	0.0E *	0.00	0.007°	= .	0.00
st Part Sectoriti, Security	217,	10-27-5	0,80	0 00	18. g(a)	= [4]		3,06 *	0,04 0,04	.mm. .mm.0	0.1 0.1	:::::::::::::::::::::::::::::::::::::::	0.04	: ::::	90.0 90.0	0,040	0.04	#3 ;	:	100	0,000	-	0,64 0,64
gi Marth Angusta, Speik Carellon	1.6-59	10-87-50 5-65-55	0.01	0.00	1.2	23	.w.	9,004	0,000	0,00000 0,000000		0.000	0 000			0.8	0.007*	0.003	0.007	0.001	0.06	3	0 000
at the said the straighter	2-1-76 6-79	10-20-71 5-47-71	0 09 0 03	0.23	3,0	77 8	0.00.	0 0044 0 0044		0 00000		0.00			0 007		0,000		: : ==	0 0075 0 0000	3.87	9.5	0.00
ai Yeiner Idah	9-1-94 3-30-7	10-20-51 5-25-59	0 06	0 56	3 3	90 0 94.0		007	0.07	0 0000		0 004 0 004			0 01		0.007			0,007		-	0 000
at Christman, Secretary	1-50	10-87-5 5-65-55	0 04 0 02	0 #3 0 09	1 1	3;				0 0000	60 00				0 007		900.0 900 0					105	0.00
THEORETS HATEL at States, Martine	1-6-5 9	5 -17-7 7	0 16	°л	4 1	95 (0 01*	0 000	0.03	0 0000		. • 0 00	- 0 ac	pp 0 03	- 0 01	- 0 04	0 009	r 0 aL	بعد،	0 009	r 0.007	1 .	0.00
	Ì]												L_				_l_			

* ACTUAL VALUE IS LEBS THAN THE AMOUNT SHOWN REPORTED RESULT INDICATES
LIMIT OF SENSITIVITY AT WHICH TEST WAS PERFORMED. SEE PAGE 8 OF TEXT
FOR EXPL ANATION

(a) HIGH VALUES PROPABLY DUE TO EFFECT OF SEA WATER

